

## NOTES:

- 1. NEW CONCRETE SIDEWALK SHALL BE CONSTRUCTED SUCH THAT THRESHOLD FOR ALL RESTROOM DOORS IS FLUSH WITH SURFACE OF SIDEWALK.
- 2. PRE-FABRICATED BATHROOM SHALL BE INSTALLED LEVEL. FOLLOW MANUFACTURER'S RECOMMENDATIONS FOR LEVELING.
- 3. SLAB ON GRADE REINFORCEMENT SHALL BE #4 BARS AT 12" O.C.E.W.
- 4. REINFORCING STEEL SHALL MEET ASTM A1035, CHROMX 4100 OR APPROVED EQUAL.
- 5. MIN. CONCRETE COVER ON ALL REINFORCING STEEL SHALL BE 3".
- 6. SLAB ON GRADE CONCRETE SHALL BE MIN. 4,000 PSI STRENGTH WITH CALCIUM NITRITE CORROSION INHIBITOR ADMIXTURE (3 GAL/CY).
- 7. SAWCUT LINES 1/4" WIDE x 1.5" DEEP ON CONC. SIDEWALK FOR SHRINKAGE CRACK CONTROL PERPENDICULAR TO LENGTH OF SIDEWALK AT 6' O.C.
- 8. SLAB ON GRADE SHALL BE PLACED ON MIN. 6" BASECOURSE COMPACTED TO 95% RELATIVE COMPACTION.