

8. IN CASE OF RELEASE OF HAZARDOUS SUBSTANCE, OIL OR ENCOUNTER OF CONTAMINATED SOIL, THE CONTRACTOR SHALL NOTIFY THE APPROPRIATE FACILITY PERSONNEL, EMERGENCY RESPONSE AGENCIES, AND REGULATORY AGENCIES FOLLOWING NOTIFICATION PROCEDURES, AND SHALL NOTIFY THE HARBORS DIVISION CONSTRUCTION ENGINEER IMMEDIATELY (i.e., WITHIN 24 HOURS). CONTACT INFORMATION MUST BE IN LOCATIONS THAT ARE READILY ACCESSIBLE AND AVAILABLE.

9. THE CONTRACTOR SHALL NOTE THAT THE EXISTING STEEL FRAME MEMBER IS SUSPECTED OF CONTAINING LEAD PAINT. ALL LEAD PAINT ABATEMENT WORK SHALL BE PERFORMED IN STRICT ACCORDANCE WITH APPLICABLE EPA. OSHA AND DOSH RULES AND REGULATIONS.

RECOMMENDED BY:

FOR HARBORS ADMINISTRATOR

FOR QUESTIONS. CONTACT HARBORS ENGINEERING MAINTENANCE AT 587-1877

ENGINEERING PROGRAM MANAGER

SUBMITTED BY:

DESIGNED BY:


CHECKED BY:

SECTION HEAD

DCA DCA

and Teknowto


APPROVED BY:



TYPICAL UPPER SHED WALL SECTION

SCALE: 1" = 1' - 0"


NOTE: OTHER END SIMILAR BUT OPPOSITE.



NEW CORNER FLASHING DETAIL

SCALE: 3" = 1' - 0"

NOTE: FASTEN TO NEW METAL SIDING WITH NEW STAINLESS STEEL 1/4" Ø SCREWS. SIZE SCREW LENGTH TO FIT.



NEW DOWNSPOUT STRAP DETAIL NOT TO SCALE

REV DATE DESCRIPTION BY APPROVED

STATE OF HAWAII

DEPARTMENT OF TRANSPORTATION
HARBORS DIVISION

JOB TITLE

REPLACE SIDING AT PIER 2 SHED
NAWILIWILI HARBOR, KAUAI, HAWAII

SHEET TITLE
UPPER WALL SECTION, NEW CORNER FLASHING
AND DOWNSPOUT STRAP DETAILS

SUBMITTED BY:
SECTION HEAD

SECTION HEAD

DESIGNED BY:
DCA
DRAWN BY:
DCA
DATE:
JULY 2022
SCALC:
AS SHOWN

H.C.
TO 144

2 or 2 shits.
FOR OUESTIONS, CONTACT HARBORS ENGINEERING MAINTENANCE AT 587-1877