## **STATE OF HAWAII**

## **DEPARTMENT OF TRANSPORTATION**

#### **AIRPORTS DIVISION**

#### ADDENDUM NO. 1

#### FOR

#### REPAIR OF ASPHALT CONCRETE PAVEMENT

AT

## HILO INTERNATIONAL AIRPORT HILO, HAWAII

#### STATE PROJECT NO. BH1320-33

#### November 15, 2022

This addendum shall make the following amendments to the Bid Documents:

#### A. NOTICE TO BIDDERS

 Prospective bidders are hereby notified that receiving of sealed bids, scheduled for 2:00 P.M., November 21, 2022, is <u>HEREBY POSTPONED</u> until 2:00 P.M. Hawaii Standard Time, **Tuesday, November 29, 2022.** The attached Notice to Bidders shall be incorporated and made part of the Original Notice to Bidders.

#### B. PROPOSAL

- Delete page P-1 and replace with attached page P-1, dated November 10, 2022.
  Proposal page P-1 revised the contact phone number to (808) 430-6111.
- Delete page P-7 and replace with attached page P-7, dated November 10, 2022. Proposal Schedule revised to add heading 02209.1 Crushed Aggregate Base Course and changed Item 01561.1 Construction Site Runoff Control Program from a LS bid item to an allowance.

#### C. SPECIFICATIONS

1. Delete page 01561-16 and 01561-17 and replace with attached pages 01561-16 and 01561-17, dated November 10, 2022. Spec Section 01561 Construction Site

Runoff Control Program revised to change the bid item from LS to an allowance.

 Delete page 02623-1 and replace with attached page 02623-1, dated November 10, 2022. Spec Section 02623 Emulsified Asphalt Spray Seal Coat revised to NOT allow use on Taxiways.

## D. PRE-BID MEETING MINUTES

 The pre-bid meeting minutes with attendance list are included in this addendum for clarification purposes only. Anything stated in the meeting and included in the minutes does not legally/automatically revise the bid documents.

Please acknowledge receipt of this Addendum No.1 by recording the date of its receipt in the space provided on Page P-4 of the Proposal Schedule.

JADE T. BUTAY Director of Transportation

## NOTICE TO BIDDERS (Chapter 103D, HRS)

The receiving of SEALED BIDS for REPAIR OF ASPHALT CONCRETE PAVEMENT, HILO INTERNATIONAL AIRPORT, HILO, HAWAII, STATE PROJECT NO. BH1320-33, scheduled for 2:00 P.M., November 21, 2022, is <u>HEREBY POSTPONED</u> until 2:00 P.M. Hawaii Standard Time, **Tuesday, November 29, 2022.** Bidders are to register and submit bids through HIePRO only.

JADE T. BUTAY Director of Transportation

Posted:

REPAIR OF ASPHALT CONCRETE PAVEMENT HILO INTERNATIONAL AIRPORT STATE PROJECT NO. BH1320-33 ADDENDUM 1 NOTICE TO BIDDERS PAGE **NTB-1** r11/15/22

Adobe Acrobat Sign Transaction Number: CBJCHBCAABAAUloPzcezAZFpuMzREaw55rklYzcB9v4v

## PROPOSAL TO THE STATE OF HAWAII DEPARTMENT OF TRANSPORTATION

PROJECT: Repair of Asphalt Concrete Pavement, Hilo Airport Hilo International Airport Island of Hawaii

PROJECT NO.: BH1320-33

COMPLETION TIME: 3 years (36 months) from the date indicated in the Notice to Proceed from the Department of Transportation.

PROJECT MANAGER: Calvin Shimizu Department of Transportation Airports Division Hilo International Airport 2450 Kekuanaoa Street Hilo, Hawaii 96720 Email: <u>calvin.t.shimizu@hawaii.gov</u> Phone: (808)-430-6111

## REPAIR OF ASPHALT CONCRETE PAVEMENT HILO INTERNATIONAL AIRPORT ISLAND OF HAWAII STATE PROJECT NO. BH1320-33 <u>PROPOSAL SCHEDULE</u>

| Item No.  | Description                              | Approx.<br>Quantity | Unit | Unit Price |     | Total |
|-----------|--|---------------------|------|------------|-----|-------|
| 01561.1   | Construction Site Runoff Control Program | <b>L</b>            |      | ALLOW.     | \$  |       |
| 01562.2   | Management of Contaminated Medias        |                     |      | ALLOW.     | \$  |       |
| 02209.1   | Crushed Aggregate Base Course 👔          |                     |      |            |     |       |
| 02209.1-a | 1 - 30 Cubic Yards                       | 1                   | CY   | \$         | \$_ |       |
| 02209.1-b | 31 – 60 Cubic Yards                      | 31                  | CY   | \$         | \$_ |       |
| 02209.1-c | 61 – 120 Cubic Yards                     | 61                  | CY   | \$         |     |       |
| 02209.1-d | 121 – 500 Cubic Yards                    | 121                 | CY   | \$         | \$_ |       |
| 02401.1   | Asphalt Mix Pavement                     |                     |      |            |     |       |
| 02401.1-a | 1 – 50 Tons                              | 1                   | TON  | \$         | \$_ |       |
| 02401.1-b | 51 – 200 Tons                            | 51                  | TON  | \$         |     |       |
| 02401.1-c | 201 – 400 Tons                           | 201                 | TON  | \$         | \$_ |       |
| 02401.1-d | 401 – 600 Tons                           | 401                 | TON  | \$         |     |       |
| 02562.1   | Herbiciding                              |                     |      |            |     |       |
| 02562.1-a | 1 -500 Linear Foot                       | 1                   | LF   | \$         | \$_ |       |
| 02562.1-b | 501 – 2000 Linear Foot                   | 501                 | LF   | \$         | \$_ |       |
| 02562.1-с | 2001 – 5000 Linear Foot                  | 2001                | LF   | \$         |     |       |
| 02562.1-d | >5000 Linear Foot                        | 5001                | LF   | \$         |     |       |
| 02562.2   | Crack Sealing                            |                     |      |            |     |       |
| 02562.2-a | 1 -500 Linear Foot                       | 1                   | LF   | \$         | \$_ |       |
| 02562.2-b | 501 – 2000 Linear Foot                   | 501                 | LF   | \$         |     |       |
| 02562.2-с | 2001 – 5000 Linear Foot                  | 2001                | LF   | \$         |     |       |
| 02562.2-d | >5000 Linear Foot                        | 5001                | LF   | \$         | \$_ |       |
| 02562.3   | Pavement Removal                         |                     |      |            |     |       |
| 02562.3-a | 1 – 25 Cubic Yards                       | 1                   | CY   | \$         | \$_ |       |
| 02562.3-b | 26 -100 Cubic Yards                      | 26                  | CY   | \$         | \$_ |       |
| 02562.3-с | 101 – 200 Cubic Yards                    | 101                 | CY   | \$         | \$_ |       |
| 02562.3-d | 201 – 300 Cubic Yards                    | 201                 | CY   | \$         | \$_ |       |
| 02608.1   | Emulsified Asphalt Seal Coat             |                     |      |            |     |       |
| 02608.1-a | 1 – 500 Square Yards                     | 1                   | SY   | \$         | \$_ |       |
| 02608.1-b | 501 – 1000 Square Yards                  | 501                 | SY   | \$         | \$_ |       |
| 02608.1-c | 1001 – 2000 Square Yards                 | 1001                | SY   | \$         | \$_ |       |
| 02608.1-d | >2000 Square Yards                       | 2001                | SY   | \$         | \$_ |       |
| 02620.1   | Runway and Taxiway Marking               |                     |      |            |     |       |
| 02620.1-a | 1 – 500 Square Feet                      | 1                   | SF   | \$         | \$_ |       |

REPAIR OF ASPHALT CONCRETE PAVEMENT, HILO AIRPORT HILO INTERNATIONAL AIRPORT PROJECT NO. BH1320-33  $\underline{/}$ 

1. <u>Third-Party Inspections.</u> The DOTA Environmental Section's Third-Party inspector will conduct routine inspections. Third-party inspections shall be conducted monthly. The frequency of the inspections may increase if deficiencies are identified as determined by the inspector. Deficiencies must be corrected within the timeline defined in DOTA's SWMPP, Section C, Construction Site Runoff Control Program, which can be downloaded from the website:

## http://hidot.hawaii.gov/airports/doingbusiness/engineering/environmental/ construction-site-runoff-control-program/

The Contractor shall be responsible for the correction of <u>ALL</u> deficiencies <u>identified during</u> <u>any of the above inspections</u>. Corrective Action shall be documented and submitted to the Engineer for acceptance by the DOTA Environmental Section or their designated authorized representative.

If the Contractor fails to satisfactorily address Site-Specific BMP deficiencies, the DOTA reserves the right to employ outside assistance or use the State's own labor forces to provide necessary corrective measures. The Contractor will be fully responsible for all cost and time. The State will charge the Contractor such incurred costs plus any associated project engineering costs and will make appropriate deductions from the Contractor's monthly progress payment.

Failure to apply or maintain Site-Specific BMP measures may result in the assessment of liquidated damages (Appendix B). Depending on the severity of the deficiencies, additional enforcement actions, such as, suspension of work and/or termination of the contract (with the Contractor's Surety being fully responsible for all additional costs incurred by the State) can be conducted and assessed against the Contractor.

For all citations or fines received by the DOTA for non-compliance, including noncompliance with NGPC/NPDES Permit conditions, the Contractor shall reimburse the State within 30 calendar days for the full amount of outstanding cost that the State has incurred, or the State shall deduct all incurred costs from the Contractor's monthly progress payments.

The Contractor shall be responsible for all citations, fines and penalties levied by DOH or EPA against the State due to the Contractor's failure to satisfactorily address Site-Specific BMP deficiencies and/or any Contractor's illicit discharges. The State will make the appropriate deductions from the Contractor's monthly progress payment.

#### PART 4 MEASUREMENT AND PAYMENT

#### 4.1 BASIS OF MEASUREMENT AND PAYMENT

Work under this Section will be paid for under the various contract items shown below.

REPAIR OF ASPHALT PAVEMENT HILO INTERNATIONAL AIRPORT State Project No. BH1320-33 For ALLOWANCE items in the Proposal Schedule, the allowance is an estimate, and the amount shall not exceed the maximum amount shown in the Proposal Schedule. The Contractor shall provide an estimated cost for Construction Site Runoff Control for each proposal under the Contract. Payment shall be the actual cost as invoiced by the Contractor and approved by the DOTA Engineer. The Contractor shall be allowed to include overhead, profit, insurance and/or other markups, as stipulated in Section 9.5 of the 2016 General Provisions for Construction Projects, Air and Water Transportation Facilities Divisions.

| Item No. | ltem                                     | <u>Unit</u> |
|----------|--|-------------|
| 01561.1  | Construction Site Runoff Control Program | Allowance   |

Liquidated Damages, up to \$25,000 per day (Appendix B), shall be assessed for each non-compliance of the BMP requirements described in this Section. The Contractor shall not be entitled to recover any Liquidated Damages assessed, even after the deficiencies have been corrected.

## SECTION 02623 - EMULSIFIED ASPHALT SPRAY SEAL COAT

## PART 1 – GENERAL

## 1.1 RELATED DOCUMENTS

A. The General Provision of the contract, including the General Provisions for Construction Projects (2016), Special Provisions, and General Requirements of the Specifications, apply to the work specified in this section. This Section shall be in accordance with FAA Specification Item P-623: Emulsified Asphalt Spray Seal Coat, as included as an attachment to this Section.

## 1.2 DESCRIPTION OF WORK

- A. This Section consists of the application of a polymer modified, asphalt emulsion spray seal coat (seal coat) composed of an emulsion of binders prepared from crude petroleum, mineral fillers, water and polymer, applied to shoulders, overruns, roads, parking areas, and other general applications. It shall not be applied to Runways or Taxiways. The seal coat shall be applied in accordance with these specifications, and as shown on the plans or as directed by the Engineer.
- 1.3 RELATED WORK SPECIFIED ELSEWHERE (Not Used)

## 1.4 REFERENCES

- A. Federal Aviation Administration (FAA)
  - 1. FAA Specification Item P-623: Emulsified Asphalt Spray Seal Coat.

## 1.5 SUBMITTALS

A. Certificate of Analysis (COA) for material delivered to the project

## PART 2 - PRODUCTS

2.1 Polymer modified asphalt emulsion spray seal (seal coat).: in accordance with FAA Specification Item P-623, paragraph 623-2.1.

## PART 3 - EXECUTION

- 3.1 Construction methods shall be in accordance with FAA Specification Item P-623.
- 3.2 Acceptance shall be in accordance with FAA Specification Item P-623.

## PART 4 - MEASUREMENT AND PAYMENT

## 4.1 METHOD OF MEASUREMENT

A. Method of measurement and payment shall be in accordance with FAA Specification Item P-623, paragraph 623-2.1.

#### **BH1320-33 REPAIR OF ASPHALT CONCRETE PAVEMENT**

#### AT HILO INTERNATIONAL AIRPORT

#### **PRE-BID MEETING**

#### **MEETING MINUTES**

#### **MEETING MINUTES**

Prepared by: AIR-EA

Project: Repair of Asphalt Concrete Pavement, Hilo International Airport

Date/ Time: October 26, 2022 / 2:00pm -3:00pm HST

Location: Online / Microsoft Teams Meeting

Attendees:

#### DOT-A

- Greg Garcia (AIR-EA)
- Hany Sokar (AIR-EA)
- Calvin Shimizu (Hilo Airport)
- Steven Santiago (Hilo Airport)

#### MEETING SUMMARY:

#### **DOT-A Program Management**

- Sean Dunckel (AECOM)
- Mary Brana (AECOM)

# I. INTRODUCTIONS

- 1. Introduction of Participants.
- 2. Attendees reminder to email Calvin Shimizu at <u>calvin.t.shimizu@hawaii.gov</u> and cc Greg Garcia at <u>greg.garcia@hawaii.gov</u> with email Subject, "Repair of Asphalt Concrete Pavement, Hilo International Airport Project Pre-bid Conference". Include your name, company, and contact number in the email.

#### II. GENERAL DISCUSSIONS AND REQUIREMENTS

1. Project Overview and Schedule.

The project is an open-ended contract to provide paving maintenance such as pavement removal, herbicide, crack seal, placement of new pavement, and airfield markings as needed to the Hilo International Airport. The contract duration is three (3) years.

2. Construction Safety and Phasing Plan (CSPP), FOD Control, and responsibility for providing barricades, lighted X's, etc. per the Special Provisions.

The contractor is responsible for managing and removing all FOD generated as part of the project works. Work within the Airport Operations Area (AOA) shall be in compliance with Special Provisions, sections 7.21, 8.20, and 8.21. Any specific Runway or Taxiway related closure barricades, lighted X's etc. are to be coordinated with the Hilo District personnel prior to issuance of a specific purchase order under the contract.

3. Staging Area and Revocable Permit.

The contractor is to work with the airport manager and the DOT Airports Property Management section to secure a staging area as required.

4. Requirement to have capabilities to remove any equipment that breaks down within the Airport Operations Area (AOA).

If there are any equipment breakdowns, the contractor is required to have the necessary tow vehicles and/or equipment to immediately remove the equipment from the AOA.

- 5. Contractor is responsible for meeting all requirements and acquiring all AOA badges, vehicle decals, and movement area licenses, and for traversing within the AOA on their own without escort services.
- 6. Unless a change is made by written Addendum, nothing stated at this Pre-Bid Meeting shall change the project solicitation. If there is a conflict between what was stated in the pre-bid meeting and the bid documents, the bid documents shall govern.
- 7. Bid opening is November 21, 2022, at 2:00pm HST via HIePRO.
- 8. All questions and substitution requests must be submitted in writing via HIePRO by November 4, 2022, 4:30pm HST.
- 9. This is a State funded project. Prospective bidders are reminded to comply with State requirements.
- 10. Prior to the bid opening, any changes to the Special Provisions and/or plans will be issued through an Addendum.
- 11. Project duration is three (3) years from NTP.
- 12. Allowances There are restrictions on expenditure of allowances. Expenditures must be justified and approved by the State Project Manager prior to expenditure and change orders may be issued for allowances.
- 13. There shall be no \$0 line item for any entries. Any bid that enters a \$0 entry or no entry at all will make the bid non-responsive.

- 14. Bidders are advised to refer to the Note on Proposal page P5, evidence of the authority of the officer(s) to sign, need to be no more than 6 months old for <u>all business entities</u>. Otherwise, the Department may reject the bid as irregular and unauthorized.
- III. QUESTIONS Bidders are highly encouraged to submit their questions in writing. Questions submitted by Bidder will be answered in an Addendum that will be issued as soon as practical after the question and submittal date listed in the NTB.

Meeting adjourned at: 2:55 PM