

STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS


ADDENDUM NO. 3  
FOR  
KUHIO HIGHWAY RESURFACING  
WAIKAEA BRIDGE TO MAILIHUNA ROAD  
FEDERAL-AID PROJECT NO. NH-056-1(063)  
DISTRICT OF KAWAIHAU  
ISLAND OF KAUAI  
May 4, 2023

This Addendum makes the following amendments to the Bid Documents:

**A. PROPOSAL SCHEDULE:**

1. Delete **Proposal Schedule** pages **P-8** through **P-18**, dated r4/21/23 and replace with the attached Proposal Schedule pages **P-8** to **P-18**, dated r4/28/23.

Please acknowledge receipt of this Addendum No. 3 by recording the date of its receipt in the space provided on page P-4 of the Proposal.



---

ROBIN K. SHISHIDO  
Highways Deputy Director

**PROPOSAL SCHEDULE**

**STATE PROPERTIES (ALL WORK IN KUHIO HWY AND TMK (4) 4-6-014:100)**

| ITEM NO. | ITEM  | APPROX. QUANTITY | UNIT  | UNIT PRICE | AMOUNT              |
|----------|---|------------------|-------|------------|---------------------|
| 201.0101 | Clearing and Grubbing (Parking Lot)                       | 85               | SY    | \$ _____   | \$ _____            |
| 209.0100 | Installation, Maintenance, Monitoring, and Removal of BMP | LS               | LS    | LS         | \$ _____            |
| 209.0200 | Additional Water Pollution, Dust, and Erosion Control     | FA               | FA    | FA         | \$ <u>50,000.00</u> |
| 401.0410 | PMA Pavement, Mix No. IV PG64E-22                         | 10415            | Ton   | \$ _____   | \$ _____            |
| 401.0411 | PMA Pavement, Mix No. IV PG64E-22 (Parking Lot)           | 180              | Ton   | \$ _____   | \$ _____            |
| 401.9000 | Pavement Smoothness Incentive                             | Allow            | Allow | Allow      | \$ <u>16,800.00</u> |
| 414.0110 | Excavation of Weakened Pavement Areas                     | 1560             | CY    | \$ _____   | \$ _____            |
| 415.0110 | Cold Planing of Existing Pavement                         | 44975            | SY    | \$ _____   | \$ _____            |
| 415.0111 | Cold Planing of Existing Pavement (Parking Lot)           | 1490             | SY    | \$ _____   | \$ _____            |
| 511.0100 | Furnishing Drilled Shaft Drilling Equipment               | LS               | LS    | LS         | \$ _____            |
| 511.0200 | Drilled Shaft   | 64               | LF    | \$ _____   | \$ _____            |
| 511.0300 | Standard Excavation                                       | 64               | LF    | \$ _____   | \$ _____            |

**PROPOSAL SCHEDULE**

**STATE PROPERTIES (ALL WORK IN KUHIO HWY AND TMK (4) 4-6-014:100)**

| ITEM NO. | ITEM   | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|----------|--|------------------|------|------------|----------|
| 604.4010 | Adjust Manhole Cast Iron Frame and Cover   | 1                | EA   | \$ _____   | \$ _____ |
| 615.0100 | 16-Inch Milled Rumble Strip, Centerline  | 2200             | LF   | \$ _____   | \$ _____ |
| 615.0110 | 12-Inch Milled Rumble Strip, Edgeline  | 3000             | LF   | \$ _____   | \$ _____ |
| 629.1000 | 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)               | 1590             | LF   | \$ _____   | \$ _____ |
| 629.1001 | 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion) (Parking Lot) | 740              | LF   | \$ _____   | \$ _____ |
| 629.1002 | 4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)              | 160              | LF   | \$ _____   | \$ _____ |
| 629.1004 | 4-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)             | 905              | LF   | \$ _____   | \$ _____ |
| 629.1006 | 4-Inch Pavement Striping (Thermoplastic Hot Spray)                               | 510              | LF   | \$ _____   | \$ _____ |
| 629.1008 | 4-Inch Pavement Striping (Profiled Thermoplastic)                                | 465              | LF   | \$ _____   | \$ _____ |
| 629.1010 | Double 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)        | 3565             | LF   | \$ _____   | \$ _____ |

**PROPOSAL SCHEDULE**

**STATE PROPERTIES (ALL WORK IN KUHIO HWY AND TMK (4) 4-6-014:100)**

| ITEM NO. | ITEM   | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|----------|--|------------------|------|------------|----------|
| 629.1012 | Double 4-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion) | 3710             | LF   | \$ _____   | \$ _____ |
| 629.1016 | Double 4-Inch Pavement Striping (Thermoplastic Hot Spray)                  | 885              | LF   | \$ _____   | \$ _____ |
| 629.1022 | 6-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)        | 11865            | LF   | \$ _____   | \$ _____ |
| 629.1030 | 8-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion)         | 550              | LF   | \$ _____   | \$ _____ |
| 629.1032 | 8-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)        | 2535             | LF   | \$ _____   | \$ _____ |
| 629.1052 | 12-Inch Pavement Striping (Tape, Type II or Thermoplastic Extrusion)       | 1880             | LF   | \$ _____   | \$ _____ |
| 629.1054 | 12-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)      | 640              | LF   | \$ _____   | \$ _____ |
| 629.1060 | 24-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion)      | 30               | LF   | \$ _____   | \$ _____ |
| 629.1100 | Pavement Word (Tape, Type III or Thermoplastic Extrusion)                  | 66               | EA   | \$ _____   | \$ _____ |
| 629.1110 | Pavement Arrow (Tape, Type III or Thermoplastic Extrusion)                 | 42               | EA   | \$ _____   | \$ _____ |

**PROPOSAL SCHEDULE**

**STATE PROPERTIES (ALL WORK IN KUHIO HWY AND TMK (4) 4-6-014:100)**

| ITEM NO. | ITEM   | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|----------|--|------------------|------|------------|----------|
| 629.1111 | Pavement Arrow (Tape, Type III or Thermoplastic Extrusion) (Parking Lot) | 4                | EA   | \$ _____   | \$ _____ |
| 629.1130 | Yield Line (Type, Type III or Thermoplastic Extrusion)                   | 2                | LN   | \$ _____   | \$ _____ |
| 629.1140 | Crosswalk Marking (Tape, Type III or Thermoplastic Extrusion)            | 49               | LN   | \$ _____   | \$ _____ |
| 629.1142 | Raised Crosswalk Marking (Tape, Type III or Thermoplastic Extrusion)     | 4                | EA   | \$ _____   | \$ _____ |
| 629.2020 | Type C Pavement Marker   | 760              | EA   | \$ _____   | \$ _____ |
| 629.2030 | Type D Pavement Marker   | 1000             | EA   | \$ _____   | \$ _____ |
| 629.2040 | Type F Pavement Marker   | 20               | EA   | \$ _____   | \$ _____ |
| 629.2050 | Type H Pavement Marker   | 740              | EA   | \$ _____   | \$ _____ |
| 629.4000 | ADA-Warning System Pavement Marker                                       | 9                | EA   | \$ _____   | \$ _____ |
| 630.1100 | Panel for Destination Sign (Flat Panel)                                  | 140              | SF   | \$ _____   | \$ _____ |
| 630.1200 | Type A Route Marker Assembly   | 4                | EA   | \$ _____   | \$ _____ |
| 630.1210 | Type B Route Marker Assembly   | 1                | EA   | \$ _____   | \$ _____ |
| 630.1300 | Street Name Sign   | 12               | EA   | \$ _____   | \$ _____ |

**PROPOSAL SCHEDULE**

**STATE PROPERTIES (ALL WORK IN KUHIO HWY AND TMK (4) 4-6-014:100)**

| ITEM NO. | ITEM   | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|----------|--|------------------|------|------------|----------|
| 630.1310 | Street Name Sign on Traffic Signal Mast Arm                      | 2                | EA   | \$ _____   | \$ _____ |
| 630.1320 | Street Name Sign on Traffic Signal Post                          | 2                | EA   | \$ _____   | \$ _____ |
| 630.1610 | 4.00 lbs/ft. Flanged Channel Post for Destination Sign           | 7                | EA   | \$ _____   | \$ _____ |
| 631.0100 | Regulatory Sign (10 Square Feet or Less) with Post               | 65               | EA   | \$ _____   | \$ _____ |
| 631.0101 | Regulatory Sign (10 Square Feet or Less) with Post (Parking Lot) | 3                | EA   | \$ _____   | \$ _____ |
| 631.0110 | Regulatory Sign (10 Square Feet or Less) without Post            | 9                | EA   | \$ _____   | \$ _____ |
| 631.0120 | Regulatory Sign (More than 10 Square Feet) with Posts            | 6                | EA   | \$ _____   | \$ _____ |
| 631.0200 | Warning Sign (10 Square Feet or Less) with Post                  | 18               | EA   | \$ _____   | \$ _____ |
| 631.0201 | LED-Enhanced Warning Sign (10 Square Feet or Less) with Post     | 1                | EA   | \$ _____   | \$ _____ |
| 631.0220 | Warning Sign (More than 10 Square Feet) with Posts               | 1                | EA   | \$ _____   | \$ _____ |
| 631.0300 | Miscellaneous Sign with Post                                     | 2                | EA   | \$ _____   | \$ _____ |
| 631.0301 | Miscellaneous Sign with Post (Parking Lot)                       | 1                | EA   | \$ _____   | \$ _____ |
| 631.0310 | Miscellaneous Sign without Post                                  | 1                | EA   | \$ _____   | \$ _____ |

**PROPOSAL SCHEDULE**

**STATE PROPERTIES (ALL WORK IN KUHIO HWY AND TMK (4) 4-6-014:100)**

| ITEM NO. | ITEM  | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|----------|---|------------------|------|------------|----------|
| 631.0400 | Supplemental Plaque                         | 40               | EA   | \$ _____   | \$ _____ |
| 631.0401 | Supplemental Plaque (Parking Lot)           | 2                | EA   | \$ _____   | \$ _____ |
| 631.0500 | RRFB Assembly                               | 10               | EA   | \$ _____   | \$ _____ |
| 631.0510 | RRFB with Overhead Light Assembly           | 8                | EA   | \$ _____   | \$ _____ |
| 632.0120 | Reflector Marker (RM-3) with Steel Post     | 16               | EA   | \$ _____   | \$ _____ |
| 632.0122 | Reflector Marker (RM-3) with Flexible Post  | 9                | EA   | \$ _____   | \$ _____ |
| 632.0130 | Reflector Marker (RM-5)                     | 70               | EA   | \$ _____   | \$ _____ |
| 632.0500 | Milepost Marker with Post (Bi-Directional)  | 4                | EA   | \$ _____   | \$ _____ |
| 632.1010 | Type II Object Marker (OM2-2H)              | 90               | EA   | \$ _____   | \$ _____ |
| 632.1020 | Type II Object Marker (OM2-2V)              | 33               | EA   | \$ _____   | \$ _____ |
| 632.1032 | Type III Object Marker (OM3-1) Post Mounted | 8                | EA   | \$ _____   | \$ _____ |
| 632.1050 | Type V Object Marker (OM-5)                 | 104              | EA   | \$ _____   | \$ _____ |
| 632.1051 | Type V Object Marker (OM-5) (Parking Lot)   | 4                | EA   | \$ _____   | \$ _____ |
| 634.0100 | Portland Cement Concrete Sidewalk/Island    | 2200             | SF   | \$ _____   | \$ _____ |

**Addendum No. 3**  
**NH-056-1(063)**  
**r4/28/23**  
**P-13**

**PROPOSAL SCHEDULE**

**STATE PROPERTIES (ALL WORK IN KUHIO HWY AND TMK (4) 4-6-014:100)**

| ITEM NO.                     | ITEM  | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT               |
|------------------------------|---|------------------|------|------------|----------------------|
| 634.0200                     | Metal Grate   | 120              | LF   | \$ _____   | \$ _____             |
| 636.1000                     | Additional E-Construction Programs, additional licenses or additional equipment                     | FA               | FA   | FA         | \$ <u>10,000.00</u>  |
| 638.2020                     | Curb, Type 2D   | 520              | LF   | \$ _____   | \$ _____             |
| 645.1000                     | Traffic Control   | LS               | LS   | LS         | \$ _____             |
| 645.2000                     | Additional Police Officers, Additional Traffic Control Devices, and Additional Advertisements       | FA               | FA   | FA         | \$ <u>100,000.00</u> |
| 648.1000                     | Field-Posted Drawings   | LS               | LS   | LS         | \$ _____             |
| 658.1000                     | EVC System  | LS               | LS   | LS         | \$ _____             |
| 671.1000                     | Protection of Threatened and Endangered Species   | FA               | FA   | FA         | \$ <u>30,000.00</u>  |
| 699.1000                     | Mobilization (Not to Exceed 6 Percent of the Sum of All Items Excluding the Bid Price of this Item) | LS               | LS   | LS         | \$ _____             |
| Sum of State Properties..... |   |                  |      |            | \$ _____             |

**PROPOSAL SCHEDULE**

**COUNTY PROPERTY (ALL WORK IN TMK (4) 4-6-014:036)**

| ITEM NO. | ITEM   | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|----------|--|------------------|------|------------|----------|
| 201.0102 | Clearing and Grubbing (County Parking Lot)   | 550              | SY   | \$ _____   | \$ _____ |
| 209.0102 | Installation, Maintenance, Monitoring, and Removal of BMP (County Parking Lot)                 | LS               | LS   | LS         | \$ _____ |
| 401.0412 | PMA Pavement, Mix No. IV PG 64E-22 (County Parking Lot)  | 320              | Ton  | \$ _____   | \$ _____ |
| 414.0112 | Excavation of Weakened Pavement Areas (County Parking Lot)                                     | 9                | CY   | \$ _____   | \$ _____ |
| 415.0112 | Cold Planing of Existing Pavement (County Parking Lot)   | 2430             | SY   | \$ _____   | \$ _____ |
| 629.1003 | 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion) (County Parking Lot)        | 1150             | LF   | \$ _____   | \$ _____ |
| 629.1011 | Double 4-Inch Pavement Striping (Tape, Type I or Thermoplastic Extrusion) (County Parking Lot) | 25               | LF   | \$ _____   | \$ _____ |
| 629.1055 | 12-Inch Pavement Striping (Tape, Type III or Thermoplastic Extrusion) (County Parking Lot)     | 25               | LF   | \$ _____   | \$ _____ |
| 629.1112 | Pavement Arrow (Tape, Type III or Thermoplastic Extrusion) (County Parking Lot)                | 10               | EA   | \$ _____   | \$ _____ |
| 629.2032 | Type D Pavement Marker (County Parking Lot)  | 2                | EA   | \$ _____   | \$ _____ |

**PROPOSAL SCHEDULE**

**COUNTY PROPERTY (ALL WORK IN TMK (4) 4-6-014:036)**

| ITEM NO.                    | ITEM  | APPROX. QUANTITY | UNIT | UNIT PRICE | AMOUNT   |
|-----------------------------|---|------------------|------|------------|----------|
| 631.0102                    | Regulatory Sign (10 Square Feet or Less) with Post (County Parking Lot) | 4                | EA   | \$ _____   | \$ _____ |
| 631.0302                    | Miscellaneous Sign with Post (County Parking Lot)                       | 2                | EA   | \$ _____   | \$ _____ |
| 631.0402                    | Supplemental Plaque (County Parking Lot)                                | 4                | EA   | \$ _____   | \$ _____ |
| 632.1022                    | Type II Object Marker (OM2-2V) (County Parking Lot)                     | 6                | EA   | \$ _____   | \$ _____ |
| Sum of County Property..... |   |                  |      |            | \$ _____ |

**PROPOSAL SCHEDULE**

Sum of State Properties .....\$ \_\_\_\_\_

Sum of County Property .....\$ \_\_\_\_\_

Total Amount for Comparison of Bids .....\$ \_\_\_\_\_

**Notes:**

1. Bids shall include all Federal, State, County and other applicable taxes and fees.
2. The TOTAL AMOUNT FOR COMPARISON OF BIDS shall be used to determine the lowest responsible bidder.
3. Bidders shall complete all unit prices and amounts. Failure to do so may be grounds for rejection of bid.
4. If a discrepancy occurs between unit bid price and the bid price, the unit price shall govern.
5. Completed Proposal file shall be uploaded into HlePRO prior to bid opening date and time. All other required confidential or proprietary document shall be uploaded separately.
6. All bidders are required to bid on the STATE PROPERTIES and COUNTY PROPERTY to be considered responsive.

1 **PROPOSAL SCHEDULE**

2  
3 The bidder is directed to Subsection 105.16 – Subcontracts.

4  
5 The bidder's attention is directed to Sections 696 - Field Office and Project  
6 Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are  
7 allowed to bid.

8  
9 If the bid price for any proposal item having a maximum allowable bid  
10 indicated therefore in any of the contract documents is in excess of such a  
11 maximum amount, the bid price for such proposal item shall be adjusted to reflect  
12 the limitation thereon. The comparison of bids to determine the successful  
13 bidder and the amount of contract to be awarded shall be determined after such  
14 adjustments are made, and such adjustments shall be binding upon the bidder.

15  
16 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials  
17 regarding recycling of waste glass.