

LONG TERM AND TEMPORARY PLACARD SPECIFICATIONS

- 1.1 Description of Work.** The work to be performed by the Contractor shall be for the furnishing and delivering of long term disabled and temporary disabled parking placards as specified herein.
- 1.2 Material Requirements for Long Term and Temporary Placards.** The material for the long term and temporary placards shall be a High Density Polyethylene, 35 mil in thickness, or approved equivalent. A sample of the material is available at 1010 Richards Street #118, Honolulu, HI 96813 for inspection by prospective bidders. If an equivalent material other than specified is to be submitted, a sample and the specifications of the equivalent material must be submitted with the bid.
- 1.3 Fabrication Requirements.** The design of the long term and temporary placards shall be in accordance with the following description and the attached Exhibits respectively:

1. Long Term Placard:

- a. The overall dimension shall be 4" x 9".
- b. The placement and size of the printed words and cut-out shall conform to attached Exhibit A. Refinement of the actual size/type of lettering/numbers and the exact placement of the words/numbers and cut-out shall be finalized by the State in consultation with the Contractor.
- c. The background color of the placards shall be blue. The exact shade shall be determined by the State in consultation with the Contractor.
- d. The text, International Symbol of Access, and decal box outlines shall be white.
- e. The placards shall be printed on the front and back as shown on attached Exhibit A.
- f. The placards cut-out hole for the rear-view mirror stem shall be designed as shown on attached Exhibit A.
- g. The placards shall be numbered sequentially beginning with P-240-701

2. Temporary Placard:

- a. The word "TEMPORARY" shall be printed in the size and location as shown attached Exhibit B.
- b. The overall dimension shall be 4" x 9".
- c. The placement and size of the printed words and cut-out shall conform to attached Exhibit B. Refinement of the actual size/type of lettering/numbers and

the exact placement of the words/numbers and cut-out shall be finalized by the State in consultation with the Contractor.

- d. The background color of the placards shall be red. The exact shade shall be determined by the State in consultation with the Contractor.
- e. The text, International Symbol of Access, and decal box outlines shall be white.
- f. The placards shall be printed on the front and back as shown on attached Exhibit B.
- g. The placards cut-out hole for the rear-view mirror stem shall be designed as shown on attached Exhibit B.
- h. The placards shall be numbered sequentially beginning with T-168-951

For long term and temporary placards, all workmanship shall be of first class quality and done in accordance with generally accepted placard standards. The placards shall be copy proof and resistant to fading, tearing, cracking, peeling, and blistering for a period of not less than five (5) years under normal conditions of use.

1.4 Number of Units.

Long Term Placards – 16,000

Temporary Placards – 5,000

1.5 Warranty of Long Term Placards. Minimum period of durability of the long term and temporary placards under normal conditions of use shall be not less than five (5) years from the time of issuance to the public. The Contractor shall also certify that all placards furnished conform to the specifications contained herein and shall replace all non-conforming items with others meeting these specifications without cost to the State. If, after meeting these specifications, placards become deteriorated under normal conditions of use, the Contractor shall replace the placards at no cost to the State.

1.6 Warranty of Temporary Placards. Minimum period of durability of the long term and temporary placards under normal conditions of use shall be not less than five (5) years from the time of issuance to the public. The Contractor shall also certify that all placards furnished conform to the specifications contained herein and shall replace all non-conforming items with others meeting these specifications without cost to the State. If, after meeting these specifications, placards become deteriorated under normal conditions of use, the Contractor shall replace the placards at no cost to the State.

1.7 Proof. Prior to award notification, the responsive, responsible bidder with the lowest total sum bid shall submit an actual sample of the placard to DCAB for approval. The state reserves the right to make minor copy changes after reviewing the sample. Only after approval of the Executive Director shall the contractor be able to print the placards.

- 1.8 Packaging.** The placards shall be packaged in such a manner as to prevent sticking or damaging of printed surface while in transit or storage. Each placard shall be packed and sealed in cartons not to exceed five hundred (500) placards. Each carton shall have a packing list on the outside indicating the type, amount, and sequential numbering (e.g.: P-xxx-xxx to P-xxx-xxx) of placards contained therein.
- 1.9 Delivery.** Delivery must be completed within sixty (60) calendar days of receipt of each printing order from the Disability and Communication Access Board.
- 1.10 Security Measures.** The Contractor must provide adequate security measures and supervision to protect the placards while in storage from theft or loss to prevent unauthorized and illegal use of placards.




EXHIBIT A - FRONT




EXHIBIT A - BACK




EXHIBIT B - FRONT




EXHIBIT B - BACK