

**VEHICLE SPECIFICATIONS**  
**DIVISION OF FORESTRY AND WILDLIFE – MAUI BRANCH**

One (1), New 2024 or Latest Production Model, 4 Door Truck, Turbo Charged, Diesel Powered, 4 WD delivered FOB to State of Hawaii, Division of Forestry and Wildlife, 685 Haleakala Hwy, Kahului, HI 96732.

**Specification Contact:**

Lance De Silva  
Lance.K.DeSilva@hawaii.gov  
808-873-3980

| <u>Category</u>         | <u>Minimum Specifications</u>  |
|-------------------------|--|
| 1. Year of Manufacture: | 2024 or newer  |
| 2. Model:               | Dodge 2500 HD or Equal,<br>F-250 Super Duty or Equal<br>Chevy 2500 HD or Equal   |
| 3. Type:                | 4-Wheel Drive w/ Manual High/Low Shifter,  |
| 4. GVW Rating:          | 8,000 lbs., Minimum Capacity   |
| 5. Wheel Base:          | Standard length  |
| 6. Engine:              | 6.7L I6 Cummins Turbo Diesel Engine or equivalent (1,000 LB-FT)<br>Heavy Duty Cooling System, External Engine Oil Cooler,<br>Non-California Emissions  |
| 7. Transmission:        | Automatic<br>External Oil Cooler   |
| 8. Transfer Case:       | 2 Speed Minimum<br>Part-Time 4 Wheel Drive   |
| 9. Cab:                 | 4 Door Cab<br>Heavy duty vinyl - Split Bench Front Seat with Center Console (40/20/40)<br>Folding Bench Seat Rear, or equal<br>Upholstery of Vinyl Material<br>Autocraft or equal (no cloth)<br>Full Length Vinyl Flooring (no carpet) front & rear<br>Heater/Defroster and A/C<br>Factory Installed Premium AM/FM/MP3/AUX/CD Radio<br>Rear view camera (ParkSense Rear-Assist System)<br>Bluetooth compatible<br>Full Instrument, Gauge Type Package<br>Factory Installed Air Conditioning-CFC Free<br>Overhead Map Lamps<br>Power Windows<br>Power Locks |

## DIVISION OF FORESTRY AND WILDLIFE – MAUI BRANCH

| <b><u>Category</u></b> | <b><u>Minimum Specifications</u></b>   |
|------------------------|--|
| 10. Body:              | 4 Door Cab<br>Class V receiver hitch with 2 5/16" ball<br>Skid Plate (Transmission, Fuel Tank and Transfer Case)<br>Complete After Factory Rust proofing with minimum five (5) years, unlimited mileage requirement warranty<br>Exterior Mirrors (folding type)      |
| 11. Bumpers:           | Heavy duty front with brush guard and two tow hooks<br>Heavy duty rear step type<br>1,000 lb. towing capacity Receiver Type Tow Hitch with 2-Inch Pintle/Ball Combo  |
| 12. Electrical System: | Heavy Duty 12 Volt System<br>Heavy Duty 12 Volt, minimum 600 CCA Battery<br>Factory Extra Bright Headlamp Package<br>Courtesy Lamp Package with Map Lamps<br>Factory 7-wire Trailer Brake Light Package  |
| 13. Steering:          | Power Assist, power steering<br>Factory Installed Front and Rear Stabilizer Bar<br>Steering Damper   |
| 14. Brakes:            | Power Assisted<br>Anti-Lock, Front/Rear Disc   |
| 15. Tires/Wheels:      | Demanding off road type tire tread, Largest available (5 each) Tires & Wheels Must Meet Manufacturers & Federal GAWR Requirements for GVW Submitted<br>Full-Size Spare Tire Mounted Under Truck Bed<br>Five (5) 18 x 8.5 steel Rims minimum<br>Jack and Wheel Wrench |
| 16. Axle:              | Front axle shall include automatic locking hubs<br>Anti-Spin Rear Differential Axle<br>Minimum 4.12 Axle Ratio Minimum   |
| 17. Suspension:        | Heavy Service Suspension Package<br>Rear Overload Springs<br>Off Road Type Gas Charged Shocks<br>Heavy Duty Front and Rear Anti-Roll Bars<br>Revtek 4.0" Suspension Lift Kit or Equal<br>Modification Warranty By Local Area Dealer                                  |
| 18. Color:             | Exterior color: White<br>High Gloss Urethane with Base Clearcoat<br>Interior color - Standard  |

## DIVISION OF FORESTRY AND WILDLIFE – MAUI BRANCH

| <u>Category</u>    | <u>Minimum Specifications</u>   |
|--------------------|---|
| 19. Miscellaneous: | 2-1/2 lbs. ABC Dry Chemical Fire Extinguisher mounted inside the vehicle<br>Fuel Tank, 25-Gallon Capacity Minimum<br>Locking Gas Cap<br>Receiver Type Tow Hitch with 2-inch Pintle/Ball Combo<br>Owner-Operator Manual (2 copies)<br>All Repair & Electrical Shop Manuals (2 copies)<br>Emergency triangle road markers (3 ea.) with flares<br>Black tubular running board or equal for <u>each side of vehicle</u><br>10,000 lb. Tow winch minimum |