BID ITEM No. 1 Six (6) Police Packaged Vehicle (PPV) – Utility

Vehicles shall meet the following general specifications:

- 1. Vehicle ordered shall include any other standard features not listed but detailed in the manufacturer's brochures and deemed necessary for the proper and safe operation of the vehicle.
- 2. Manufacturer's standard warranty of 36 months or 36,000 miles and powertrain warranty for a minimum of 60 months or 100,000 miles and a corrosion warranty for a minimum of 60 months or 60,000 miles from the date the vehicle is placed into service. Full coverage shall include costs of parts, labor and any other expenses incurred in performing warranty work. Warranty documents shall be delivered with the vehicle and shall detail manufacturer's obligation and warranty.
- 3. Contractor shall provide 1 copy of the owner operator manual at the time the vehicle is delivered. Hard copies are required if available. Electronic version is acceptable provided the electronic version is printable with no material omissions.
- 4. Vehicle shall include and comply with all Federal Motor Vehicle Safety Standards. Vehicle shall also comply with the Code of Federal Regulations, Title 40, Part 85: Control of Air Pollution from New Motor Vehicles and new Motor Vehicle Engines; Environmental Protection Agency.
- 5. Vehicle shall be completely serviced and in full operational condition upon delivery.
- 6. Accessory or standard equipment installed on the vehicle shall by fully guaranteed by the contractor against defects resulting from the use of defective or inferior materials or from neglect or from defective workmanship or against all design and manufacturing defects. Warranty period shall begin from the date equipment is placed in service and shall be for a minimum period of one (1) year or for the period guaranteed by the manufacturer, whichever is longer except for rust proofing. Warranty documents shall be delivered with the vehicle and shall detail manufacturer's obligation and warranty procedures. Contractor shall replace or repair defective material and/or workmanship at no costs to the State for parts and labor during the warranty period, provided such defects are not due to abuse or negligence on the part of the State.
- 7. All equipment offered shall meet ANSI and OSHA safety requirements, and any other Federal or State requirements. If applicable or when requested, equipment shall bear a label or written documentation indicating approval of safety requirements from a bonafide testing laboratory.
- 8. Manufacturer's standard corrosion protection warranty for a minimum of five (5) years, 60,000 miles and warranty documents.

Substitutions of the vehicle may be accepted if the all specifications are equal or exceeds the vehicle listed above and will be reviewed by Sheriff Division project manager prior to award.

1. Model: 2023 or later. Police Package Utility Vehicle, 4 wheel

drive, meeting the minimum specifications herein.

2. G.V.W Rating: 7,000 Lbs. Minimum capacity.

3. Wheel Base 110 inches minimum, 160 maximum.

4. Engine 8 cylinder minimum, minimum 300 HP, Gasoline

powered (unleaded) with flex fuel capabilities, factory

heavy duty cooling system, coolant recovery system, Minimum 200 amp Alternator capacity.

Minimum 300 torque lbs.

5. Miles Per Gallon: 12 city miles / 16 Highway miles per gallon.

6. Transmission: Minimum 5 forward speed 1 reverse speed automatic,

exterior transmission cooler.

7. Electrical System: 12 volt with Alternator capable of charging system

battery at low engine speed.

8. Steering: Powered assisted with Stability Control System.

9. Brakes: 4 wheel anti-lock system, 4 wheel disk brakes.

10. Tires & Wheels: Tires and wheels shall meet manufacturer's and Federal

GAWR requirements for GVW submitted. Traction assists vehicle stability system. Minimum 17 inch rim front and rear

Full Size Spare tire.

11. Suspension Axles, springs and shock absorbers must meet

Manufacturers and Federal GAWR requirements for

the GVW submitted.

12. Body, Interior 5 Passenger seating capacity.

Dual front air bags (SRS).

Standard upholstery.

Full Headlining and side paneling.

Driver's, front passenger and rear passenger's powered

windows shall roll down electronically.

Gauge package.

Factory standard radio.

Factory front Air conditioning package (CFC Free). Accessory type front and rear rubber floor mats.

Powered door locks.

13. Body, Exterior: Four side doors with rear lift door (SUV).

Dual exterior rear side view mirrors.

Reverse rear backup sensors (minimum: two sensors).

Maximum vehicle height 86 inches. Minimum Ground Clearance: 6 inches.

14. Color Paint: To be selected from standard factory available color

offerings at the time of order.

15. Other: Minimum 17-gallon fuel Gasoline powered (unleaded)

with Flex Fuel capabilities capacity.

2.1/2 lb. ABC dry chemical fire extinguisher mounted on the removable brackets inside the

rear compartment.

All power door locks to be controlled by driver only, except that the front passenger door locks and window to be also operative by front passenger.

4 complete sets of keys

Dealer installed window tint on all windows (darkest legal tint available. Window tint shall be applied prior to the installation of emergency response equipment. Needs to be approved by Sheriff Division project

manager prior to installation.

16. Manufactures 3 year 36,000 mile bumper to bumper,

Warranty (minimum) 5 year 100,000 mile drivetrain

17. Delivery: Dealer shall transport vehicle to the following location

after acceptance by Sheriff Division project coordinator

Sgt. Bruce Yonesaki:

Department of Law Enforcement Sheriff Division Administration 715 South Kings Street Suite 409

Honolulu HI 96813