

**BID ITEM No.**

**Two (2) Police Packaged Vehicle (PPV) - Utility**

**Vehicles shall meet the following general specifications:**

1. Vehicles ordered shall include any other standard features not listed but detailed in the manufacturer's brochures and deemed necessary for the proper and safe operation of the vehicle.
2. Manufacturer's standard warranty of 36 months or 36,000 miles and powertrain warranty for a minimum of 60 months or 100,000 miles and a corrosion warranty for a minimum of 60 months or 60,000 miles from the date the vehicle is placed into service. Full coverage shall include costs of parts, labor and any other expenses incurred in performing warranty work. Warranty documents shall be delivered with the vehicle and shall detail the manufacturer's obligation and warranty.
3. The contractor shall provide 1 copy of the owner operator manual at the time the vehicles are delivered. Hard copies are required if available. The electronic version is acceptable provided the electronic version is printable with no material omissions.
4. Vehicles shall include and comply with all Federal Motor Vehicle Safety Standards. Vehicles shall also comply with the Code of Federal Regulations, Title 40, Part 85: Control of Air Pollution from New Motor Vehicles and new Motor Vehicle Engines; Environmental Protection Agency.
5. Vehicles shall be completely serviced and in full operational condition upon delivery.
6. Accessory or standard equipment installed on the vehicles shall be fully guaranteed by the contractor against defects resulting from the use of defective or inferior materials or from neglect or from defective workmanship or against all design and manufacturing defects. The warranty period shall begin from the date the equipment is placed in service and shall be for a minimum period of one (1) year or for the period guaranteed by the manufacturer, whichever is longer except for rust proofing. Warranty documents shall be delivered with the vehicles and shall detail the manufacturer's obligation and warranty procedures. The contractor shall replace or repair defective material and/or workmanship at no costs to the State for parts and labor during the warranty period, provided such defects are not due to abuse or negligence on the part of the State.
7. All equipment offered shall meet **ANSI** and OSHA safety requirements, and any other Federal or State requirements. If applicable or when requested, equipment shall bear a label or written documentation indicating approval of safety requirements from a bona fide testing laboratory.
8. Manufacturer's standard corrosion protection warranty for a minimum of five (5) years, 60,000 miles and warranty documents.

9. Substitutions of the vehicle may be accepted if all specifications are equal or exceed the vehicle listed above and will be reviewed by the Sheriff Division project manager prior to award.

1. Model: 2023 or later. Police Package Utility Vehicle, 4 wheel drive, meeting the minimum specifications herein.
2. **G.V.W** Rating: 7,000 Lbs. Minimum capacity.
3. Wheel Base 110 inches minimum, 160 maximum.
4. Engine 8 cylinder minimum, minimum 300 HP, Gasoline powered (unleaded) with flex fuel capabilities, factory heavy duty cooling system, coolant recovery system, Minimum 200 amp Alternator capacity. Minimum 300 torque lbs.
5. Miles Per Gallon: 12 city miles/ 16 Highway miles per gallon.
6. Transmission: Minimum 5 forward speed 1 reverse speed automatic, exterior transmission cooler.
7. Electrical System: 12 volt with Alternator capable of charging system battery at low engine speed.
8. Steering: Powered assisted with Stability Control System.
9. Brakes: 4 wheel anti-lock system, 4 wheel disk brakes.
10. Tires & Wheels: Tires and wheels shall meet manufacturer's and Federal GAWR requirements for GVW submitted. Traction assists vehicle stability system. Minimum 17 inch rim, front and rear Full Size Spare tire.
11. Suspension Axles, springs and shock absorbers must meet Manufacturers and Federal GAWR requirements for the GVW submitted.
12. Body, Interior 5 Passenger seating capacity. Dual front air bags (SRS). Standard upholstery. Full Headlining and side paneling. Driver's, front passenger and rear passenger's powered

windows shall roll down electronically.  
Gauge package.  
Factory standard radio.  
Factory front Air conditioning package (CFC Free).  
Accessory type front and rear rubber floor mats.  
Powered door locks.

13. Body, Exterior: Four side doors with rear lift door (SUV).  
Dual exterior rear side view mirrors.  
Reverse rear backup sensors (minimum: two sensors).  
Maximum vehicle height 86 inches.  
Minimum Ground Clearance: 6 inches.
14. Color Paint: To be selected from standard factory available color offerings at the time of order.
15. Other: Minimum 17-gallon fuel Gasoline powered (unleaded) with Flex Fuel capabilities capacity.  
2.1/2 lb. ABC dry chemical fire extinguisher mounted on the removable brackets inside the rear compartment.  
All power door locks to be controlled by driver only, except that the front passenger door locks and window to be also operative by front passenger.  
**4 complete sets of keys**  
**Dealer installed window tint on all windows (darkest legal tint available. Window tint shall be applied prior to the installation of emergency response equipment. Needs to be approved by Sheriff Division project manager prior to installation.**
16. Manufactures Warranty (minimum) 3-year 36,000-mile bumper to bumper, 5-year 100,000-mile drivetrain
17. Delivery: Dealer shall transport vehicle to the following location after acceptance by Sheriff Division project coordinator Sgt. Bruce Yonesaki:
- Department of Law Enforcement  
Sheriff Division Administration  
715 South Kings Street Suite 409  
Honolulu HI 96813