



**STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
HONOLULU, HAWAII**

**SPECIAL PROVISIONS
PROPOSAL
CONTRACT AND BOND**

FOR

WAIMEA CANYON DRIVE/KOKEE ROAD

IMPROVEMENTS, PHASE 2B

MILE POST 4.6 TO 11.5

FEDERAL-AID PROJECT NO. STP-0550(006)

DISTRICT OF WAIMEA

ISLAND OF KAUAI

2024

TABLE OF CONTENTS

Notice To Bidders

Instructions for Contractor’s Licensing

Notice of Requirement for Affirmative Action to Ensure
Equal Employment Opportunity (Executive Order 11246)

Disadvantaged Business Enterprise (DBE) Requirements

Disadvantaged Business Enterprise (DBE) Contract Goal Verification and Good Faith
Efforts (GFE) Documentation For Construction

Disadvantaged Business Enterprise (DBE) Confirmation and Commitment Agreement
– Trucking Company

Disadvantaged Business Enterprise (DBE) Confirmation and Commitment Agreement
– Subcontractor, Manufacturer, or Supplier

Required Federal-Aid Contract Provisions

Special Provisions Title Page

Special Provisions:

DIVISION 100 - GENERAL PROVISIONS		
Section	Description	Pages
101	Terms, Abbreviations, and Definitions	101-1a – 101-13a
102	Bidding Requirements and Conditions	102-1a – 102-8a
103	Award And Execution of Contract	103-1a – 103-4a
104	Scope of Work	104-1a – 104-2a
105	Control of Work	105-1a – 105-3a
106	Material Restrictions and Requirements	106-1a – 106-2a
107	Legal Relations and Responsibility To Public	107-1a – 107-4a
108	Prosecution And Progress	108-1a – 108-25a
109	Measurement and Payment	109-1a – 109-2a

DIVISION 200 - EARTHWORK		
Section	Description	Pages
201	Clearing and Grubbing	201-1a

202	Removal of Structures and Obstructions	202-1a
203	Excavation and Embankment	203-1a – 203-2a
206	Excavation and Backfill for Drainage Facilities	206-1a
207	Ditch and Channel Excavation	207-1a
209	Temporary Water Pollution, Dust, and Erosion Control	209-1a – 209-28a

DIVISION 300 - BASES		
Section	Description	Pages
301	Hot Mix Asphalt Base Course	301-1a – 301-2a
305	Aggregate Subbase Course	305-1a
307	Lithified Recycled Base	307-1a – 307-6a
321	Hexagonal, Trapezoidal, and Triangular Geogrid	321-1a – 321-3a

DIVISION 400 - PAVEMENTS		
Section	Description	Pages
401	Hot Mix Asphalt Pavement	401-1a – 401-36a
404	Slurry Seal	404-1a – 404-4a
407	Tack Coat	407-1a
415	Cold Planing of Existing Pavement	415-1a

DIVISION 500 - STRUCTURES		
Section	Description	Pages
508	Cement Rubble Masonry	508-1a

DIVISION 600 - INCIDENTAL CONSTRUCTION		
Section	Description	Pages
601	Structural Concrete	601-1a – 601-19a
603	Culverts and Storm Drains	603-1a – 603-2a
606	Guardrail	606-1a – 606-2a
629	Pavement Markings	629-1a – 629-5a
630	Traffic Control Guide Sign	630-1a – 630-2a

631	Traffic Control Regulatory, Warning, and Miscellaneous Signs	631-1a – 631-2a
632	Markers	632-1a
636	E-Construction	636-1a – 636-3a
641	Hydro-Mulch Seeding	641-1a – 641-2a
645	Work Zone Construction	645-1a – 645-3a
655	Dumped Riprap	655-1a
671	Protection of Threatened and Endangered Species	671-1a – 671-5a
675	Vegetative Geotextile for Slope Stabilization	675-1a – 675-3a
699	Mobilization	699-1a

DIVISION 700 - MATERIALS		
Section	Description	Pages
701	Hydraulic Cement	701-1a
702	Bituminous Materials	702-1a – 702-2a
703	Aggregates	703 -1a – 703-2a
712	Miscellaneous Frames, Grates, Covers and Ladder Rungs	712-1a
717	Cullet and Cullet-Made Materials	717-1a – 717-2a
750	Traffic Control Sign and Marker Materials	750-1a – 750-2a
755	Pavement Marking Materials	755-1a

Requirement of Chapter 104, HRS
Wages and Hours of Employees on Public Works Law

Federal Wage Rates

Proposal Title Page

ProposalP-1 – P-7
Proposal ScheduleP-8 - P-14

Surety Bid Bond

Sample Forms

Contract

Performance Bond (Surety)

Performance Bond

Labor and Material Payment Bond (Surety)

Labor and Material Payment Bond

Disclosure of Lobbying Activities
Standard Form - LLL and LLL-A

Statement of Compliance
Form WH-348

Chapter 104, HRS Compliance Certificate

END OF TABLE OF CONTENTS

NOTICE TO BIDDERS
Hawaii Revised Statutes (HRS),
Chapter 103D

The receiving of bids for **WAIMEA CANYON DRIVE/KOKEE ROAD IMPROVEMENTS, PHASE 2B, MILE POST 4.6 TO 11.5, DISTRICT OF WAIMEA, ISLAND OF KAUAI, FEDERAL-AID PROJECT NO. STP-0550(006)**, will begin as of the HiePRO Release Date. Bidders shall register and submit complete bids through HiePRO only. Refer to the following HiePRO link for important information on Vendor Registration:

<https://hiepro.hawaii.gov/welcome.html>.

The solicitation plans, specifications, proposal, and additional documents designated or incorporated by reference shall be available in HiePRO.

HiePRO OFFER DUE DATE & TIME is November 14, 2024, at 2:00 p.m., Hawaii Standard Time (HST). **Bidders shall submit and upload the complete proposal to HiePRO prior to the offer due date and time. Proposals received after said due date and time shall not be considered. Any additional support documents explicitly designated as confidential and/or proprietary shall be uploaded as a separate file to HiePRO. Bidders shall not include confidential and/or proprietary documents as part of their proposal. The record of each bidder and their respective proposal shall be open to public inspection.**

FAILURE TO UPLOAD THE PROPOSAL TO HiePRO SHALL BE GROUNDS FOR REJECTION.

The scope of work consists of widening portions of the paved shoulders; reconstructing and resurfacing portions of the paved travel lanes and shoulders; grading and paving roadway shoulders; installing, replacing, and adjusting guardrails; paving underneath guardrails; performing maintenance of drainage culverts; installing and replacing signage and pavement

markings; grading a parking area with gravel; realigning an existing irrigation ditch; stabilizing the roadside embankment constructing temporary staging areas; installing temporary Best Management Practices and erosion control measures. The estimated cost of construction is between \$25,000,000 and \$30,000,000.

To be eligible for award, bidders shall possess a valid State of Hawaii General Engineering "A" license **prior to the award of contract.**

A virtual pre-bid conference is scheduled for October 22, 2024, at 10:00 a.m., HST. Interested bidders shall contact Eric Fujikawa, Project Manager, directly at eric.i.fujikawa@hawaii.gov, no later than five working days prior to the scheduled pre-bid conference to receive the meeting invitation. All prospective bidders and/or their respective representatives are encouraged to attend, however, attendance is not mandatory. All information presented at the pre-bid conference shall be provided for clarification and information only. Any amendments to the solicitation shall be made by formal addendum and posted in HiePRO.

All Request for Information (RFI) questions and Substitution Requests shall be submitted in HiePRO **no later than October 31, 2024, at 2:00 p.m., HST.** RFI questions received after the stated deadline shall not be addressed. Substitution Requests received after the stated deadline shall not be considered. Verbal RFI(s) shall not receive a response. All responses to RFI questions shall be provided for clarification and information only and issued by formal addendum. Any amendments to the solicitation shall be made by formal addendum and posted in HiePRO.

If there is a conflict between the solicitation and information stated in the pre-bid conference, the meeting minutes, and/or the responses to RFI questions, the solicitation shall govern and control, unless as amended by formal addendum.

Campaign contributions by State and County Contractors. Contractors are hereby notified

of the applicability of HRS § 11-355 which states that campaign contributions are prohibited from specified State or county government contractors during the term of the contract if the contractors are paid with funds appropriated by a legislative body. For more information, contact the Campaign Spending Commission at (808) 586-0285.

Protests. Any protest of this solicitation shall be submitted in writing to the Director of Transportation, in accordance with HRS § 103D-701 and Hawaii Administrative Rules § 3-126.

The Equal Employment Opportunity Regulations of the Secretary of Labor implementing Executive Order 11246, as amended, shall be complied with on this project.

The U.S. Department of Transportation Regulation entitled “Nondiscrimination in Federally Assisted Programs of the U.S. Department of Transportation”, Title 49, Code of Federal Regulations (CFR), Part 21, is applicable to this project. Bidders are hereby notified that the Department of Transportation shall affirmatively ensure that the contract entered into pursuant to this advertisement shall be awarded to the lowest responsible bidder without discrimination on the grounds of race, color, national origin, or sex (as directed by 23 CFR Part 200).

The U.S. Department of Transportation Regulations entitled "Participation by Disadvantaged Business Enterprise in Department of Transportation Financial Assistance Programs", Title 49, CFR, Part 26, is applicable to this project. Bidders are hereby notified that the Department of Transportation shall strictly enforce full compliance with all the requirements of the Disadvantaged Business Enterprise program with respect to this project.

Bidders shall read the Disadvantaged Business Enterprise Requirements, included in this solicitation, which establishes the program requirements pursuant to Title 49, CFR, Part 26, and includes the requirements of certification, method of award, and evidence of good faith. All Bidders shall email Eric Fujikawa, Project Manager, at eric.i.fujikawa@hawaii.gov, the

following: “Disadvantaged Business Enterprise Contract Goal Verification and Good Faith Efforts Documentation for Construction”; “Disadvantaged Business Enterprise Confirmation and Commitment Agreement – Trucking Company”; and “Disadvantaged Business Enterprise Confirmation and Commitment Agreement – Subcontractor, Manufacturer, or Supplier”, **no later than November 19, 2024, at 4:30 p.m., HST.** Failure to provide the respective documents shall be grounds for rejection of bid.

Driving While Impaired (DWI) Education. The Hawaii Department of Transportation (HDOT) encourages all organizations contracted with HDOT to have an employee education program preventing DWI. DWI is defined as operating a motor vehicle while impaired by alcohol or other legal or illegal substances. HDOT promotes this type of program to accomplish our mission to provide a safe environment for motorists, bicyclists, and pedestrians utilizing our State highways, and expects its contractors to do so as well.

For additional information, contact Eric Fujikawa, Project Manager, by phone at (808) 241-3015, or by email at eric.i.fujikawa@hawaii.gov.

The State reserves the right to reject any or all proposals and to waive any defects in said proposals in the best interest of the public.



ROBIN K. SHISHIDO
Deputy Director of Transportation for Highways

HIePRO RELEASE DATE: October 14, 2024

INSTRUCTIONS FOR CONTRACTOR'S LICENSING

"A" general engineering contractors and "B" general building contractors are reminded that due to the Hawaii Supreme Court's January 28, 2002 decision in Okada Trucking Co., Ltd. v. Board of Water Supply, et al., 97 Haw. 450 (2002), they are prohibited from undertaking any work, solely or as part of a larger project, which would require the general contractor to act as a specialty contractor in any area where the general contractor has no license. Although the "A" and "B" contractor may still bid on and act as the "prime" contractor on an "A" or "B" project (*See, HRS § 444-7 for the definitions of an "A" and "B" project.*), respectively, the "A" and "B" contractor may only perform work in the areas in which they have the appropriate contractor's license (*An "A" or "B" contractor obtains "C" specialty contractor's licenses either on its own, or automatically under HAR § 16-77-32.*). The remaining work must be performed by appropriately licensed entities. It is the sole responsibility of the contractor to review the requirements of this project and determine the appropriate licenses that are required to complete the project.

**NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EQUAL
EMPLOYMENT OPPORTUNITY (EXECUTIVE ORDER 11246)**

1. The Bidder's attention is called to the "Equal Opportunity" and the "Specific Equal Employment Opportunity Responsibilities" set forth in the "Required Federal Aid Construction Contract Provisions."

2. The goals and timetables for minority and female participation, expressed in percentage terms for the Contractor's aggregate workforce in each trade on all construction work on this project are as follows:

CATEGORY	TIMETABLE	GOAL
Female participation in each trade	Indefinite	6.9%
Minority participation in each	None	69.1% (Oahu)
Trade (female included)	None	70.4% (Hawaii, Maui, Kauai)

These goals are applicable to all the Contractor's aggregate on-site construction workforce whether or not part of that workforce is performing work on a Federal or Federally assisted construction contract or subcontract.

The Contractor's compliance with the Executive Order shall be based on its implementation of the Equal Opportunity Clause, and its efforts to meet the goals established for the contract resulting from this solicitation. The hours of female and minority employment and training must be substantially uniform throughout the length of the contract, and in trade, and the Contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from Contractor to Contractor or from project to project for the sole purpose of meeting the Contractor's goals shall be a violation of the contract and Executive Order. Compliance with the goals will be measured against the total work hours performed.

3. The Contractor shall provide written notification to the Area Director, Hawaii Area Office, Office of Federal Contract Compliance Programs, U.S. Department of Labor, 300 Ala Moana Blvd., P.O. Box 50149, Honolulu, Hawaii 96850, within 10 working days of award of any construction subcontract in excess of \$10,000 at any tier for construction work under the contract resulting from this solicitation. The notification shall list the name, address, and telephone number of the subcontractor; employer identification number; estimated dollar amount of the subcontract; and estimated starting and completion dates of the subcontract. The Contractor shall indicate which are minority group subcontractors and the ethnic identity and sex of the owner(s) and policy-making official(s).

DISADVANTAGED BUSINESS ENTERPRISE REQUIREMENTS

I. GENERAL

This project is subject to Title 49, Code of Federal Regulations, Part 26, entitled "Participation by Disadvantaged Business Enterprise in Department of Transportation Financial Assistance Programs," hereinafter referred to as the ("DBE Regulations") and is incorporated and made a part of this contract herein by this reference. The following shall be incorporated as part of the contract documents for compliance. If any requirements herein are in conflict with the general provisions or special provisions applicable to this project, the requirements herein shall prevail unless specifically superseded or amended in the special provisions or by addendum.

II. POLICY

It is the policy of the U.S. Department of Transportation ("USDOT") and the State of Hawaii, Department of Transportation and its political subdivisions ("Department") that Disadvantaged Business Enterprises ("DBE"), as defined in the DBE Regulations, have an equal opportunity to receive and participate in federally assisted contracts.

III. DBE ASSURANCES

Each contract signed with a prime contractor (and each subcontract the prime contractor signs with a subcontractor) shall include the following assurance:

"The contractor, sub-recipient, or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of USDOT assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate which may include, but is not limited to; 1) withholding monthly progress payments; 2) assessing sanctions; 3) liquidated damages; and/or 4) disqualifying the contractor from future bidding as non-responsible."

The prime contractor agrees to include the above statements in any subsequent contracts that it enters into with other contractors and shall require those contractors to include similar statements in further agreements.

IV. BIDDER/OFFEROR RESPONSIBILITIES

All bidders/offerors are required to register with the Department's OCR, DBE Section, using the Bidder Registration Form, which can be downloaded from the Department's website at <http://hidot.hawaii.gov/administration/ocr/dbe/dbe-program-forms/>. Certified DBEs are considered registered with the Department and are not required to submit a

Bidder Registration Form. All other bidders/offerors are required to complete this form which may be faxed to (808) 831-7944, e-mailed to HDOT-DBE@hawaii.gov, or mailed to the HDOT DBE Section at 200 Rodgers Boulevard, Honolulu, Hawaii, 96819. Registered bidders/offerors are posted on the website listed above.

Bidders/offerors, subcontractors, manufacturers, vendors or suppliers, and trucking companies shall fully inform themselves with respect to the requirements of the DBE Regulations. Particular attention is directed to the following matters:

- A. Bidders/offerors shall take all necessary steps to ensure that DBEs have an opportunity to participate in this contract.
- B. DBEs may participate as a consultant, prime contractor, subcontractor, trucking company, or vendor of materials or supplies. DBEs may also team with other DBEs or non-DBE firms as part of a joint venture or partnership.
- C. Agreements between a bidder/offeror and a DBE in which an DBE promises not to provide subcontracting quotations to other bidders/offerors are strictly prohibited.
- D. A DBE shall be certified by the Department under the appropriate North American Industry Classification System (NAICS) code and work in their registered field of work in order for credit to be allowed.
- E. Information regarding the current certification status of DBEs is available on the internet at <https://hdot.dbesystem.com/>.
- F. Commercially Useful Function (“CUF”). An DBE must perform a CUF. This means that an DBE must be responsible for the execution of a distinct element of the work, must carry out its responsibility by actually performing, managing, and supervising at least 30% of the work involved by using its own employees and equipment, must negotiate price, determine quality and quantity, order and install material (when applicable), and must pay for the material itself.¹

To determine whether an DBE is performing a CUF, the Department must evaluate the amount of work subcontracted, industry practices, whether the amount the firm is to be paid under the contract is commensurate with the work it is actually performing, the DBE credit claimed for performance of the work, and other relevant factors. The prime contractor is responsible to ensure that the DBE performs a CUF.

V. PROPOSAL REQUIREMENTS

- A. DBEs must be certified by the bid opening date.

¹ The use of joint checks payable to an DBE subcontractor and supplier may be allowed to purchase materials and supplies under limited circumstances. See VII USE OF JOINT CHECKS UNDER THE DBE PROGRAM

- B. DBE subcontractors, manufacturers, suppliers, trucking companies, and any second tier subcontractors shall be listed on the respective DBE forms as specified below in order to receive credit.
- C. The following forms are due to the Department's Project Manager or designee **by the close of business, 4:30 P.M. Hawaii Standard Time (HST), five (5) days after bid opening:**²
1. DBE Confirmation and Commitment Agreement. This form must be signed by the bidder/offeror and each DBE subcontractor, manufacturer, supplier, or trucking company. Information to be provided on the form shall include, among other things, the project number, the DBE's NAICS codes, description of work, bid items with corresponding price information, prime contractor name and contact information DBE name and contact information and subcontractor name and contact information if the DBE is a second tier subcontractor.
 2. DBE Contract Goal Verification and Good Faith Efforts (GFE) Documentation for Construction. List the dollar amount of all subcontractors, manufacturers, suppliers, and trucking companies (both DBE and non-DBE firms). Bidder/offeror must also list the DBE project goal on this form (See paragraph D below regarding goal calculation). The bidder/offeror must submit documentation demonstrating how the DBE goal was met or how the bidder/offeror attempted to meet the goal if the goal was not met. This documentation shall include quotations for both DBE and non-DBE subcontractors when a non-DBE is selected over a DBE for the project. **Documentation of good faith efforts is required irrespective of whether the bidder/offeror met the DBE project goal.**
- The above forms must be complete and provide the necessary information to properly evaluate bids/proposals. Failure to provide any of the above shall be cause for bid/proposal rejection.**
- D. Calculation of the DBE contract goal for this project is the proportionate contract dollar value of work performed, materials, and goods to be supplied by DBEs. DBE credit shall not be given for mobilization, force account items and allowance items. This DBE contract goal is applicable to all the contract work performed for this project and is calculated as follows:
1. DBE contract goal percentage = Contract Dollar Value of the work to be performed by DBE subcontractors and manufacturers, plus 60% of the contract dollar value of DBE suppliers, divided by the sum of all contract items (sum of all contract items is the total amount for comparison of bids less mobilization, force account items, and allowance items).

² In computing calendar days, the day from which the period begins to run is not counted, and when the last day of the period is a Saturday, Sunday, or Federal or State holiday, the period extends to the next day that is not a Saturday, Sunday, or holiday.

2. The Department shall adjust the bidder's/offeror's DBE contract goal to the amount of the project goal if it finds that the bidder/offeror met the goal but erroneously calculated a lower percentage. If the amount the bidder/offeror submits as its contract goal exceeds the project goal, the bidder/offeror shall be held to the higher goal.

VI. COUNTING DBE PARTICIPATION TOWARDS CONTRACT GOAL

- A. Count the entire amount of the portion of a contract (or other contract not covered by paragraph B below) that is performed by the DBE's own forces. Include the cost of supplies and materials obtained by the DBE for the work on the contract, including supplies purchased or equipment leased by the DBE (except supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate).
- B. Count the entire amount of fees or commissions charged by an DBE firm for providing a bona fide service, such as professional, technical, consultant, or managerial services, or for providing bonds or insurance specifically required for the performance of a USDOT-assisted contract, toward DBE goals, provided the Department determines the fee to be reasonable and not excessive as compared with fees customarily allowed for similar services.
- C. When an DBE subcontracts part of the work of its contract to another firm, the value of the subcontracted work may be counted toward DBE goals only if the DBE's subcontractor is itself an DBE. Work that an DBE subcontracts to a non-DBE firm does not count toward DBE goals.
- D. When an DBE performs as a participant in a joint venture, count a portion of the total dollar value of the contract equal to the distinct, clearly defined portion of the work of the contract that the DBE performs with its own forces toward DBE goals.
- E. Count expenditures to an DBE contractor toward DBE goals only if the DBE is performing a CUF on that contract.
- F. The following is a list of appropriate DBE credit to be allowed for work to be performed by an DBE subcontractor. Count expenditures with DBEs for materials or supplies toward DBE goals as provided in the following:
 1. If the materials or supplies are obtained from an DBE manufacturer, count 100 percent of the cost of the materials or supplies toward DBE goals;
 2. For purposes of determining DBE goal credit, a manufacturer is a firm that operates or maintains a factory or establishment that produces (on the premises) the materials, supplies, articles, or equipment required under the contract and of the general character described by the specifications;

3. If the materials or supplies are purchased from an DBE regular dealer, count 60 percent of the cost of the materials or supplies toward DBE goals;
4. For purposes of determining DBE goal credit, a regular dealer is a firm that owns, operates, or maintains a store, warehouse, or other establishment in which the materials, supplies, articles or equipment of the general character described by the specifications and required under the contract are bought, kept in stock, and regularly sold or leased to the public in the usual course of business;
5. To be a regular dealer, the firm must be an established, regular business that engages, as its principal business and under its own name, in the purchase and sale or lease of the products in question;
6. A person may be a regular dealer in such bulk items as petroleum products, steel, cement, gravel, stone, or asphalt without owning, operating, or maintaining a place of business as provided in the DBE Regulations, if the person both owns and operates distribution equipment for the products. Any supplementing of a regular dealers' own distribution equipment shall be by a long-term lease agreement and not on an ad hoc or contract-by-contract basis;
7. Packagers, brokers, manufacturers' representatives, or other persons who arrange or expedite transactions are not regular dealers;
8. With respect to materials or supplies purchased from an DBE, which is neither a manufacturer nor a regular dealer, count the entire amount of fees or commissions charged for assistance in the procurement of the materials and supplies, or fees or transportation charges for the delivery of materials or supplies required on a job site, toward DBE goals, provided that the Department determines the fees to be reasonable and not excessive as compared with fees customarily allowed for similar services. Do not count any portion of the cost of the materials and supplies themselves toward DBE goals; however,
9. If a firm is not currently certified as an DBE in accordance with standards of this part at the time of the execution of the contract, do not count the firm's participation toward any DBE goals, except as provided for in §26.87(i);
10. Do not count the dollar value of work performed under a contract with a firm after it has ceased to be certified toward the Department's overall goal; and
11. Do not count the participation of an DBE subcontractor toward a contractor's final compliance with its DBE obligations on a contract until the amount being counted has actually been paid to the DBE.

G. The following factors are used in counting DBE participation for trucking companies:

1. The DBE must be responsible for the management and supervision of the entire trucking operation for which it is responsible on a particular

contract, and there cannot be a contrived arrangement for the purpose of meeting DBE goals;

2. The DBE must itself own and operate at least one (1) fully licensed, insured, and operational truck used on the contract;
3. The DBE receives credit for the total value of the transportation services it provides on the contract using trucks it owns, insures, and operates using drivers it employs;
4. The DBE may lease trucks from another DBE firm, including an owner-operator who is certified as a DBE. The DBE who leases trucks from another DBE receives credit for the total value of the transportation services the lessee DBE provides on the contract;
5. The DBE may also lease trucks from a non-DBE firm, including from an owner-operator. The DBE that leases trucks equipped with drivers from a non-DBE is entitled to credit for the total value of transportation services provided by non-DBE leased trucks equipped with drivers not to exceed the value of transportation services on the contract provided by DBE-owned trucks or leased trucks with DBE employee drivers. Additional participation by non-DBE owned trucks equipped with drivers receives credit only for the fee or commission it receives as a result of the lease arrangement. If a recipient chooses this approach, it must obtain written consent from the appropriate Department operating administration.
EXAMPLE: DBE firm X uses two (2) of its own trucks on a contract, leases two (2) trucks from DBE Firm Y and six (6) trucks from non-DBE Firm Z. DBE credit would be awarded for the total value of transportation services provided by Firm X and Firm Y, and may also be awarded for the total value of transportation services provided by four (4) of the six (6) trucks provided by Firm Z. In all, full credit would be allowed for the participation of eight (8) trucks. With respect to the other two (2) trucks provided by Firm Z, DBE credit could be awarded only for the fees or commissions pertaining to those trucks Firm X receives as a result of the lease with Firm Z;
6. The DBE may lease trucks without drivers from a non-DBE truck leasing company. If the DBE leases trucks from a non-DBE truck leasing company and uses its own employees as drivers, it is entitled to credit for the total value of these hauling services.
EXAMPLE: DBE Firm X uses two (2) of its own trucks on a contract. It leases two (2) additional trucks from non-DBE Firm Z. Firm X uses its own employees to drive the trucks leased from Firm Z. DBE credit would be awarded for the total value of the transportation services provided by all four (4) trucks; and
7. For purposes of determining whether a trucking firm performs a CUF, a lease must indicate that the DBE has exclusive use of and control over the truck. This does not preclude the leased truck from working for others during the term of the lease with the consent of the DBE, so long as the lease gives the DBE absolute priority for use of the leased truck. Leased trucks must display the name and identification number of the DBE.

- H. The bidder/offeror may be a joint venture or partnership that has a certified DBE as a partner. A “Joint Venture” means an association between an DBE firm and one (1) or more other firms to carry out a single, for-profit, business enterprise for which the parties combine their property, capital, efforts, skills and knowledge, and in which the DBE is responsible for a distinct, clearly defined portion of the work of the contract, and whose share in the capital contribution, control, management, risks and profits are commensurate with its ownership interest.
- I. Effects of a Summary Suspension of an DBE. When an DBE’s certification is suspended, the DBE may not be considered to meet a contract goal on a new contract and any work it does on a contract received during the suspension shall not be counted towards the overall goal. The DBE may continue to perform work under an existing contract executed before the DBE received a Notice of Suspension and may be counted towards the contract goal during the period of suspension as long as the DBE is performing a CUF under the existing contract.
- J. Effects of Decertification of an DBE. Should an DBE become decertified during the term of the subcontract for reasons beyond the control of and with no fault or negligence on the part of the contractor, the work remaining under the subcontract may be credited towards the contract goal, but are not included in the overall accomplishments.

Should the DBE be decertified after contract award and before notice to proceed, the contractor must still meet the DBE goal by either: a) withdrawing the subcontract from the DBE and expending good faith efforts to replace it with an DBE that is currently certified for that same work; or b) continuing with the subcontract with the decertified firm and expending good faith efforts to find other work not already subcontracted out to DBEs in an amount to meet the DBE goal either by; 1) increasing the participation of other DBEs on the project; 2) documenting good faith efforts; or 3) by a combination of the above.

VII. USE OF JOINT CHECKS UNDER THE DBE PROGRAM

- A. The following guidelines apply to the use of joint checks:
1. The second party (typically the prime contractor) acts solely as a guarantor;
 2. The DBE must release the check to the supplier;
 3. The use of joint checks is a commonly recognized business practice;
 4. The Department must approve the use of joint checks prior to use by contractors and/or DBEs. As part of this approval process the Department will analyze industry practice to confirm that the use of joint checks is commonly employed outside of the DBE program for non-DBE subcontractors on both federal and state funded contracts. Using joint checks shall not be approved if it conflicts with other aspects of the DBE Regulations regarding CUF; and
 5. The Department will monitor the use of joint checks closely to avoid abuse.

- B. Contractors and DBEs should review the following general guidelines when determining whether to use joint checks closely to avoid abuse:
1. That standard industry practice applies to all contractors (federal and state contracts);
 2. Use of joint checks must be available to all subcontractors;
 3. Material industry sets the standard industry practice, not prime contractors;
 4. Short term, not to exceed reasonable time (i.e., one (1) year, two (2) years) to establish/increase a credit line with the material supplier;
 5. No exclusive arrangement between one (1) prime and one (1) DBE in the use of joint checks that might bring the independence of the DBE into question;
 6. Non-proportionate ratio of DBE's normal capacity to size of contract and quantity of material to be provided under the contract;
 7. The DBE is normally responsible to install and furnish the work item; and
 8. The DBE must be more than an extra participant in releasing the check to the material supplier.
- C. The Department shall allow the use of joint checks if the following general conditions are met:
1. DBE submits request to the Department for action;
 2. There is a formalized agreement between all parties that specify the conditions under which the arrangement shall be permitted;
 3. There is a full and prompt disclosure of the expected use of joint checks;
 4. The Department will provide prior approval;
 5. DBE remains responsible for all other elements of 49 CFR 26.55(c)(1);
 6. The agreement states clearly and determines that independence is not threatened because the DBE retains final decision making responsibility;
 7. The Department will determine that the request is not an attempt to artificially inflate DBE participation;
 8. Standard industry practice is only one (1) factor;
 9. The Department will monitor and maintain oversight of the arrangement by reviewing cancelled checks and/or certification statement of payment; and
 10. The Department will verify there is no requirement by prime contractor that the DBE is to use a specific supplier nor the prime contractor's negotiated unit price.

VIII. DEMONSTRATION OF GOOD FAITH EFFORTS FOR CONTRACT AWARD

- A. When a project goal is not met, the Department shall conduct the initial review of GFE submitted by the bidder/offeror and shall determine whether the bidder/offeror has performed the quality, quantity, and intensity of efforts that demonstrate a reasonably active and aggressive attempt to meet the contract goal in accordance with 49 CFR Part 26, Appendix A.

- B. The bidder/offeror bears the responsibility of demonstrating that it met the contract goal, or if the contract goal was not met, by documenting the GFE it made in an attempt to meet the goal. It is the sole responsibility of the bidder/offeror to submit any and all documents, logs, correspondence, and any other records or information to the Department that will demonstrate that the bidder/offeror made good faith efforts to meet the DBE goal.
- C. In its good faith evaluation, the Department shall perform the following as part of its evaluation: a) compare the bidder's/offeror's bid against the bids/offers of other bidders/offerors, and compare the DBEs and DBE work areas utilized by the bidder/offeror with the DBEs listed in other bids/offers submitted for this contract (If other bidders obtained DBEs in a particular work area in which the low bidder did not, the Department shall take this into consideration in its evaluation); b) verify contacts by bidders/offerors with DBEs; and c) compare the DBE and the categories of DBE work targeted by the bidder/offeror for participation in the contract, with the total pool of available DBEs ready, willing and able to perform work on each particular subcontract targeted by the bidder/offeror.
- D. Actions on the part of the bidder/offeror that will be considered demonstrative of good faith efforts include, but are not limited to, the following:
1. Whether the bidder/offeror submitted the required information (i.e., DBE name, address, NAICS code, description of work, project name, and number), and dollar amounts for all subcontractors, within five (5) days of bid opening;
 2. Whether the bidder/offeror solicited through all reasonable and available means (e.g., attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBEs who have the capability to perform part or all of the work to be included under the contract. The Department will also consider whether the bidder/offeror solicited the participation of potential DBEs as early in the procurement process as practicable, and allowed sufficient time for the DBEs to properly inquire about the project and respond to the solicitation. The Department will also review whether the bidder/offeror took appropriate steps to follow up with interested DBEs in a timely manner to facilitate participation by DBEs in this project;
 3. Whether the bidder/offeror identified and broke up portions of work that can be performed by DBEs in order to increase the likelihood that an DBE will be able to participate, and that the DBE goal could be achieved (e.g., breaking out contract items into economically feasible units to facilitate DBE participation even when the bidder/offeror might otherwise prefer to self-perform these work items with its own forces);
 4. Whether the bidder/offeror made available or provided interested DBEs with adequate information about the plans, specifications, and requirements of the project in a timely manner, and assisted them in responding to the bidder's/offeror's solicitation;

5. Whether the bidder/offeror negotiated in good faith with interested DBEs. Evidence of such negotiations includes documenting: a) the names, addresses and telephone numbers of DBEs that were contacted; b) a description of the information that was provided to DBEs regarding the plans and specifications; and c) detailed explanation for not utilizing individual DBEs on the project;
6. Whether the bidder/offeror solely relied on price in determining whether to use an DBE. The fact that there may be additional or higher costs associated with finding and utilizing DBEs are not, by itself, sufficient reasons for a bidder's/offeror's refusal to utilize an DBE, or the failure to meet the DBE goal, provided that such additional costs are not unreasonable. Also, the ability or desire of a bidder/offeror to perform a portion of the work with its own forces, that could have been undertaken by an available DBE, does not relieve the bidder/offeror of the responsibility to make good faith efforts to meet the DBE goal, and to make available and solicit DBE participation in other areas of the project to meet the DBE goal;
7. Whether the bidder/offeror rejected DBEs as being unqualified without sound reasons based on a thorough investigation of their capabilities. The DBEs standing within the industry, membership in specific groups, organizations or associations, and political or social affiliation are not legitimate basis for the rejection or non-solicitation of bids from particular DBEs;
8. Whether the bidder/offeror made efforts to assist interested DBEs in obtaining bonding, lines of credit, or insurance;
9. Whether the bidder/offeror made efforts to assist interested DBEs in obtaining necessary equipment, supplies, materials or related assistance or services;
10. Whether the bidder/offeror effectively used the services of available minority/women community organizations, minority/women business groups, contractors' groups, and local, state and federal minority/women business assistance offices or other organizations to provide assistance in recruitment and placement of DBEs;
11. Whether the bidder/offeror, who selects a non-DBE over an DBE subcontractor, has quotes of each DBE and non-DBE subcontractor submitted to the bidder for work on the contract; and for each DBE that was contacted but not utilized by the bidder/offeror for a contract, the bidder/offeror has a detailed written explanation for each DBE detailing the reasons for the bidder's/offeror's failure or inability to utilize, or to allow the DBE to participate in the contract; and
12. Whether other bidders/offerors met the goal and whether the apparent successful bidder/offeror could have met the goal with additional efforts. The Department may determine that an apparent successful bidder/offeror who fell short of meeting the goal, made good faith efforts when it met or exceeded the average DBE participation obtained by other bidders/offerors.

IX. ADMINISTRATIVE RECONSIDERATION.

If it is determined by the Department that the apparent successful bidder/offeror has failed to meet the provisions of 49 CFR Section 26.53(a), the bidder/offeror may submit a request for administrative reconsideration. If under the provisions of 49 CFR, Section 26.53(d), it is determined by the Department that the apparent successful bidder/offeror has failed to meet the provisions of this subsection, the bidder/offeror may submit a written request for administrative reconsideration.

- A. Within five (5) working days of being informed in writing by the Department that the bidder/offeror has not documented sufficient GFE, a bidder/offeror may request administrative reconsideration. Bidders/offerors should make this request in writing to the following official:

Director of Transportation
Hawaii Department of Transportation
869 Punchbowl Street, Room 509
Honolulu, Hawaii 96813

- B. The reconsideration official, or his or her designee (referred to as “reconsideration official”), shall not have played any role in the original determination that the bidder/offeror failed to meet the goal or make adequate good faith efforts to do so.
- C. As part of this reconsideration, the bidder/offeror will have the opportunity to provide written documentation or argument concerning the issue of whether it met the goal or made adequate GFE to do so. The bidder/offeror will have the opportunity to meet in person with the reconsideration official to discuss the issue of whether it met the goal or made adequate GFE to do so.
- D. In an administrative reconsideration, the reconsideration official will review all previously submitted documents, oral and written arguments, and other evidence presented in the reconsideration, in making the decision.
- E. The Department shall inform the bidder/offeror of the decision within thirty (30) days of the proceeding. The decision will state the Department’s findings, and explain the basis of those findings, with respect to whether or not the bidder/offeror met the contract goal, or whether or not the bidder/offeror made adequate GFE to achieve the contract goal.
- F. The reconsideration decision is not administratively appealable to USDOT but is appealable under HRS 103D-709.

X. AWARD OF CONTRACT

- A. In a sealed bid procurement, the Department reserves the right to reject any or all bids. The award of contract, if it is awarded, will be to the lowest responsive and responsible bidder who meets or exceeds the DBE project goal, or who makes

good faith efforts to meet or exceed the DBE project goal, as determined by the Department.

- B. If the lowest responsible bidder does not meet the DBE project goal and does not demonstrate to the satisfaction of the Department that it made good faith efforts to meet the DBE project goal, such bid shall be rejected as non-responsive. The Department will then consider the next lowest responsive and responsible bidder for award in accordance with paragraph A above.

XI. REPLACEMENT OF AN DBE ON A PROJECT WITH A CONTRACT GOAL

Under this contract, the prime contractor shall utilize the specific DBE listed to perform the work and supply the materials for which each is listed unless the contractor obtains written consent from the Department to replace an DBE. If the Department's consent is not provided, the contractor shall not be entitled to any payment for work or material unless it is performed or supplied by the listed DBE. The Department reserves the right to request copies of all DBE subcontracts.

The Department will require a contractor to make good faith efforts to replace an DBE that is terminated or has otherwise failed to complete its work on a contract with another certified DBE, to the extent needed to meet the contract goal. A prime contractor's inability to find a replacement DBE at the original price is not sufficient to demonstrate that good faith efforts have been made to replace the original DBE. The fact that the contractor has the ability and/or desire to perform the contract work with its own forces does not relieve the contractor of the obligation to make good faith efforts to find a replacement DBE, and it is not a sound basis for rejecting a prospective replacement DBE's reasonable quote.

The Department will require the prime contractor to promptly provide written notice to the project manager of the DBE's inability or unwillingness to perform and provide reasonable documentation.

The written notice by the contractor must include the following:

1. The date the contractor determined the certified DBE to be unwilling, unable or ineligible to perform work on the contract;
2. The projected date that the contractor shall require a substitution or replacement DBE to commence work if consent is granted by the Department;
3. Documentation of facts that describe and cite specific actions or inactions on the part of the affected DBE that led to the contractor's conclusion that the DBE is unwilling, unable, or ineligible to perform work on the contract;
4. A brief statement of the affected DBE's capacity and ability or inability to perform the work as determined by the contractor;
5. Documentation of contractor's good faith efforts to enable affected DBE to perform the work;
6. The current percentage of work completed on each bid item by the affected DBE;

7. The total dollar amount currently paid per bid item for work performed by the affected DBE;
8. The total dollar amount per bid item remaining to be paid to the DBE for work completed but for which the DBE has not received payment, and with which the contractor has no dispute; and
9. The total dollar amount per bid item remaining to be paid to the DBE for work completed, for which the DBE has not received payment, and with which the contractor and DBE have a dispute.

The prime contractor shall send a copy of the written notice to replace a certified DBE on a contract to the affected DBE. The affected DBE may submit a written response within five (5) calendar days to the Department to explain its position on its performance on the committed work. The Department shall consider both the prime contractor's request and DBE's stated position before approving the termination or substitution request, or determining if any action shall be taken against the contractor.

There shall be no substitution or termination of an DBE subcontractor at any time without the prior written consent of the Department. The Department will provide written consent only if the contractor has good cause, as determined by the Department, to terminate the DBE. Good cause may include, but is not limited to the following circumstances:

1. The DBE subcontractor fails or refuses to execute a written contract;
2. The listed DBE subcontractor fails or refuses to perform the work of its subcontract in a way consistent with normal industry standards;
3. The listed DBE subcontractor fails or refuses to meet the prime contractor's reasonable, nondiscriminatory bond requirements;
4. The listed DBE subcontractor becomes bankrupt, insolvent, or exhibits credit unworthiness;
5. The listed DBE subcontractor is ineligible to work on public works projects because of suspension and debarment proceedings pursuant to 2 CFR Parts 180, 215 and 1200 or applicable state law;
6. The Department has determined that the listed DBE subcontractor is not a responsible contractor;
7. The listed DBE subcontractor voluntarily withdraws from the project and provides to the Department written notice of its withdrawal;
8. The listed DBE is ineligible to receive DBE credit for the type of work required; and
9. An DBE owner dies or becomes disabled with the result that the listed DBE contractor is unable to complete its work on the contract.

Upon approval from the Department to replace an DBE, the contractor's good faith efforts shall be documented and submitted to the Department within seven (7) calendar days. This time period may be extended for another seven (7) calendar days upon request by the prime contractor.

If an DBE subcontractor is unable to perform work under the contract, and is to be

replaced, the contractor's failure to obtain a substitute certified DBE or to make good faith efforts to obtain such a substitute DBE subcontractor to perform said work, may constitute a breach of this contract for which the Department may terminate the contract or pursue such remedy as deemed appropriate by the Department.

XII. CONTRACT COMPLIANCE

This contract is subject to contract compliance tracking, and the prime contractor and all subcontractors are required to report payments electronically in the HDOT online Certification and Contract Compliance Management System (hereafter referred to as "online tracking system"). The prime contractor shall report the date payment was made by the Department and shall report payment to all subcontractors for the audit period. The prime contractor and all subcontractors are responsible for responding by any noted response date or due date to any instructions or request for information, and to check the online tracking system on a regular basis to manage contact information and contract records.

The prime contractor is responsible for ensuring all subcontractors have completed all requested items and that their contact information is accurate and up-to-date. HDOT may require additional information related to the contract to be provided electronically through the online tracking system at any time before, during, or after contract award. Information related to contractor access of the online tracking system will be provided to designated point of contact with each contractor upon award of the contract. The online tracking system is web-based and can be accessed at the following Internet address: <https://hdot.dbesystem.com/>.

XIII. PAYMENT

- A. The Department will make an estimate in writing each month based on the items of work performed and materials incorporated in the work and the value therefore at the unit prices or lump sum prices set forth in the contract. All progress estimates and payments will be approximate only and shall be subject to correction at any time prior to or in the final estimate and payment. The Department will not withhold any amount from any payment to the contractor, including retainage.
- B. The contractor shall pay all subcontractors within ten (10) calendar days after receipt of any progress payments from the Department. This clause applies to both DBE and non-DBE subcontractors, and all tiers of subcontracts.
- C. The contractor will verify that payment or retainage has been released to the subcontractors or its suppliers within the specified time through entries in the Department's online tracking system during the corresponding monthly audits. Prompt payment will be monitored and enforced through the contractor's reporting of payments to its subcontractors and suppliers in the online tracking system.

Subcontractors, including lower tier subcontractors and/or suppliers will confirm the timeliness and the payment amounts received utilizing the online tracking system. Discrepancies will be investigated by the DBE Program Office and the project engineer. Payments to the subcontractors, including lower tier subcontractors, and including retainage released after the subcontractor or lower tier subcontractor's work has been completed to the Department's satisfaction, will be reported by the Contractor or the subcontractor.

- D. When any subcontractor has satisfactorily completed its work as specified in the subcontract, and there are no bona fide disputes, the contractor shall make prompt and full payment to the subcontractor of all monies due, including retainage, within ten (10) calendar days after the subcontractor's work is satisfactorily completed. A subcontractor's work is satisfactorily completed when all the tasks called for in the subcontract have been accomplished and documented, as required by the Department. The contractor must obtain the prior written approval from the Department before it can continue to withhold retainage from any subcontractor who has completed its portion of the work. This clause applies to both DBE and non-DBE subcontractors, and all tiers of subcontracts.

XIV. RECORDS

The contractor shall maintain and keep all records necessary for the Department to determine compliance with the contractor's DBE obligations. The records shall be available at reasonable times and places for inspection by the Department and appropriate Federal agencies. The records to be kept by the contractor shall include:

1. The names, race/ethnicity, gender, address, phone number, and contact person of all DBE and non-DBE consultants, subcontractors, manufacturers, suppliers, truckers and vendors identified as DBEs;
2. The nature of work of each DBE and non-DBE consultant, subcontractor, manufacturer, supplier, trucker and vendor;
3. The dollar amount contracted with each DBE and non-DBE consultant, subcontractor, manufacturer, supplier, trucker and vendor; and
4. Cumulative dollar amount of all change orders to the subcontract.

XV. FAILURE TO COMPLY WITH DBE REQUIREMENTS

The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of USDOT assisted contracts. All contractors, subcontractors, manufacturers and suppliers are hereby advised that failure to carry out all DBE requirements specified herein shall constitute a material breach of contract that may result in termination of the contract or such other remedy as deemed appropriate by the Department including but not limited to: 1) withholding monthly progress payments; 2) assessing sanctions; 3) liquidated damages; and/or 4) disqualifying the contractor from future bidding as non-responsible.



Disadvantaged Business Enterprise (DBE) Contract Goal Verification and Good Faith Efforts (GFE) Documentation For Construction

Project #:	County:
DBE Project Goal:	Prime Contractor:

As required by the specifications “*Disadvantaged Business Enterprise Requirements*,” the dollar amount of each subcontract (both DBE and non-DBE firms) for all subcontractors, manufacturers, suppliers, and trucking companies is due by the close of business, 4:30 P.M. Hawaii Standard Time (HST) five (5) days after bid opening. **Failure to provide required information sufficient to evaluate the bid/proposal shall be cause for bid/proposal rejection.**

Calculation of the DBE contract goal for this project is the proportionate contract dollar value of work performed, materials, and goods to be supplied by DBEs. DBE credit shall not be given for mobilization, force account items, and allowance items. This DBE contract goal is applicable to all the contract work performed for this project and is calculated as follows:

1. DBE contract goal percentage = Contract Dollar Value of the work to be performed by DBE subcontractors and manufacturers, plus 60% of the contract dollar value of DBE suppliers, divided by the sum of all contract items (sum of all contract items is the total amount for comparison of bids less mobilization, force account items, and allowance items).
2. The Department shall adjust the bidder’s/offeror’s DBE contract goal to the amount of the project goal if it finds that the bidder/offeror met the goal but erroneously calculated a lower percentage. If the amount the bidder/offeror submits as its contract goal exceeds the project goal, the bidder/offeror shall be held to the higher goal.

Name of Subcontractor, Supplier, Manufacturer, and Trucking Company	DBE (Y/N)	Bid Item Number and Description	Approx. Quantity/Hours	Unit	Unit Price/Rate	Dollar Amount

A. Dollar amount of the work to be performed by DBE subcontractors, manufacturers, and trucking companies, plus 60% of the dollar amount of DBE suppliers	
B. Sum of all work items less mobilization, force account items, allowance items	
A/B = DBE contract goal	

NAME and SIGNATURE of AUTHORIZED REPRESENTATIVE of PRIME CONTRACTOR: _____ DATE: _____

Summary of Good Faith Efforts (GFE)

As required by the specifications “*Disadvantaged Business Enterprise Requirements*,” documentation of GFE shall be submitted by the close of business, 4:30 P.M. HST five (5) days of bid opening. **The bidder/offeror shall respond to the following questions and describe efforts to obtain DBE participation whether or not the DBE project goal is met.** Responses must be sufficient to properly evaluate the bidder’s/offeror’s good faith efforts. Copies of correspondence return receipts, telephone logs, or other documentation will be required to support GFE. Attach additional sheets, if necessary. Based on responses given, HDOT shall make a determination of the bidders’ GFE. **Failure to provide required information sufficient to evaluate the bid/proposal shall be cause for bid/proposal rejection.**

1. Did you submit the required information by the close of business, 4:30 P.M. HST, five (5) days after bid opening (i.e. DBE name, address, NAICS code, description of work, project name, and number)?
2. Explain your GFE if any, to solicit through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBEs who have the capability to perform part or all of the work to be included under the contract.
 - a. Explain your GFE if any, to solicit the participation of potential DBEs as early in the procurement process as practicable.
 - b. Explain your GFE if any, to allow sufficient time for the DBEs to properly inquire about the project and respond to the solicitation.
 - c. Explain your GFE if any, to take appropriate steps to follow up with interested DBEs in a timely manner to facilitate participation by DBEs in this project.
3. Explain your GFE if any, to identify and break up portions of work that can be performed by DBEs in order to increase the likelihood that a DBE will be able to participate, and that the DBE goal could be achieved (e.g. breaking out contract items into economically feasible units to facilitate DBE participation even when you might otherwise prefer to self-perform these work items).
4. Explain your GFE if any, to make available or provide interested DBEs with adequate information about the plans, specifications, and requirements of the project in a timely manner, and assist them in responding to your solicitation.
5. Explain your GFE if any, to negotiate in good faith with interested DBEs. Evidence of such negotiations includes documenting:
 - a) the names, addresses and telephone numbers of DBEs that were contacted; b) a description of the information that was provided to DBEs regarding the plans and specifications; and c) detailed explanation for not utilizing individual DBEs on the project.
6. Did you solely rely on price in determining whether to use a DBE? If yes please explain. The fact that there may be additional or higher costs associated with finding and utilizing DBEs are not, by themselves, sufficient reasons for your refusal to utilize a DBE or

NAME and SIGNATURE of AUTHORIZED REPRESENTATIVE of PRIME CONTRACTOR:

DATE:

failure to meet the DBE goal, provided that such additional costs are not unreasonable. Also, the ability or desire to perform a portion of the work with your own forces, that could have been undertaken by an available DBE, does not relieve you of the responsibility to make good faith efforts to meet the DBE goal, and to make available and solicit DBE participation in other areas of the project to meet the DBE goal.

7. Did you reject DBEs as being unqualified without sound reasons based on a thorough investigation of their capabilities? If yes, please explain. The DBEs standing within the industry, membership in specific groups, organizations or associates, and political or social affiliation are not legitimate basis for the rejection or non-solicitation of bids from particular DBEs.
8. Explain your GFE to assist interested DBEs in obtaining bonding, lines of credit, or insurance.
9. Explain your GFE if any, to assist interested DBEs in obtaining necessary equipment, supplies, materials or related assistance or services.
10. If you selected a non-DBE over a DBE subcontractor, please provide the quotes of each DBE and non-DBE subcontractor submitted to you for work on the contract; and for each DBE that was contacted but not utilized for a contract, provide a detailed written explanation for each DBE detailing the reasons for not utilizing or allowing the DBE to participate in the contract.
11. Explain your GFE if any, to effectively use the services of available minority/women community organizations, minority/women business groups, contractors' groups, and local, state and federal minority/women business assistance offices or other organizations to provide assistance in recruitment and placement of DBEs.

NAME and SIGNATURE of AUTHORIZED REPRESENTATIVE of PRIME CONTRACTOR:

DATE:



**Disadvantaged Business Enterprise (DBE)
Contract Goal Verification and Good Faith Efforts (GFE)
Documentation For Construction
INSTRUCTIONS**

Project #	Self-explanatory
County	County where project is located
DBE Project Goal	Indicate DBE goal listed in the proposal on P-1
Prime Contractor	Name of prime contractor
Name of Subcontractor, Supplier, Manufacturer, and Trucking Company	Company name of subcontractor, supplier, manufacturer, or trucking firm
DBE (Y/N)	Y for yes and N for no
Bid Item Number and Description	Pay item and description
Approx. Quantity/ Hours	Self-explanatory
Unit	Unit of measure
Unit Price/ Rate	Self-explanatory
Dollar Amount	Total dollar amount committed to subcontractor, supplier, manufacturer, or trucking firm
A. Dollar amount of the work to be performed by DBE subcontractors, manufacturers, and trucking companies, plus 60% of the dollar amount of DBE suppliers	Total amount of DBE participation
B. Sum of all work items less mobilization, force account items, allowance items	List total of work items minus mobilization, force accounts and allowances. DBE credit shall not be given for mobilization, force account items, and allowance items.
A/B = DBE contract goal	Self-explanatory
Name and Signature of Authorized Representative of Prime Contractor	Self-explanatory (Note: bidder must sign and date every page of form.)
Date	Date form is signed
Summary of Good Faith Efforts (GFE)	Complete by answering questions in detail and providing documentation to support how bidder demonstrated good faith efforts to meet the goal, irrespective of whether or not the goal was met.



Disadvantaged Business Enterprise (DBE) Confirmation and Commitment Agreement Trucking Company

This commitment is subject to the award and receipt of a signed contract from the Hawaii Department of Transportation (HDOT) for the subject project. DBEs must be certified by the bid opening date.

Project #:	County:
NAICS CODE/DESCRIPTION OF WORK:	SECONDARY NAICS CODE:

*All quantities and units should match the bid tab item whenever possible.

The prime contractor shall inform HDOT the dates when the trucking firm starts and completes all work under the subcontract.

Estimated Beginning Date (Month/Year):	Estimated Completion Date (Month/Year):
---	--

TRUCKING COMPANY:	Item No.	Item Description	Unit	Unit Price / Rate	Amount
				\$	\$
				\$	\$
				\$	\$
TOTAL COMMITMENT AMOUNT					\$

1. Number of hours contracted or quantities to be hauled: _____
2. Number of fully operational trucks to be used: _____ Tractor/trailers: _____ Dump trucks: _____
3. Number of fully operational trucks owned by DBE: _____ Dump trucks: _____ Tractors/trailers: _____
4. If Owner Operators or additional trucking companies are to be used answer the following:

Name of Trucking Company	DBE Y/N	Estimated Dollar Amount to be Contracted	Number and Type of Trucks (specify)
		\$	
		\$	

The prime contractor certifies by signature on this agreement to utilize the DBE trucking company as listed on the agreement form. If a DBE trucking company is unable to perform the work as listed on this agreement form, the prime contractor will follow the substitution/replacement approval process as outlined in the contract DBE requirements. **IMPORTANT! The signatures of the DBE, prime contractor, and subcontractor (only if the DBE will be a second tier sub) confirms that all information on this Agreement is true and correct. Parties should sign Agreement in the order in which they are listed.**

DBE NAME:	Name/Title (please print):
Address:	Signature:
Phone: Fax:	
Email:	
Prime Contractor:	Name/Title (please print):
Address:	Signature:
Phone: Fax:	
Email:	
Subcontractor (only if the DBE will be a second tier sub):	Name/Title (please print):
Address:	Signature:
Phone: Fax:	
Email:	

HDOT retains the information collected through this form. With few exceptions, you are entitled on request to be informed about the information that we collect about you.



**Disadvantaged Business Enterprise (DBE)
Confirmation and Commitment Agreement
Trucking Company
INSTRUCTIONS**

The purpose of this agreement is to secure the commitment of the bidder/offeror to utilize the listed DBE trucking company, and the DBE's confirmation that it will perform work for the bidder/offeror on this project. The information on this form shall be provided by the DBE.

Project #	Self-explanatory
County	County where project is located
NAICS Code/Description of Work	Primary North American Industry Classification System code under which DBE is certified to perform and description of work to be done
Secondary NAICS Code	List other NAICS codes firm is certified to perform
Estimated Beginning Date (Month/Year)	Date DBE shall begin work on the project
Estimated Completion Date (Month/Year)	Date DBE's work will be completed
Trucking Company	Name of DBE trucking company
Item No.	List pay item number
Item Description	Description of item
Unit	Unit of measure – e.g. weight or hours
Unit Price/Rate	Cost per unit or hourly rate
Amount	Total amount per pay item
Total Commitment Amount	Sum of all pay items and total commitment of bidder/offeror to DBE
Number of hours contracted or quantities to be hauled	Approximate number of hours or tonnage to be hauled
Number of fully operational trucks to be used:	Total number of trucks to be used for the project
Tractor/Trailers	Number of tractor trailers to be used
Dump Trucks	Number of dump trucks to be used
Number of fully operational trucks owned by DBE	Number of listed DBE's trucks to be used on this project
Name of Trucking Company	If other trucking companies (DBE or non-DBE) are to be leased, list name and information about type of trucks in this section
Estimated Dollar Amount to be Contracted	Provide information about estimated cost to lease trucks
Number of Dump Trucks, Tractor/Trailer	Self-explanatory
DBE NAME	DBE Company name
Name/Title	Name and title of DBE's representative
Address	Self-explanatory
Phone	Self-explanatory
Fax	Self-explanatory
Email	Self-explanatory
Signature	Signature of DBE's representative
Date	Date agreement is signed
Prime Contractor	Company name

Name/Title	Name and title of prime contractor's representative
Address	Self-explanatory
Phone	Self-explanatory
Fax	Self-explanatory
Email	Self-explanatory
Signature	Signature of prime contractor's representative
Date	Date agreement is signed
Subcontractor (only if the DBE will be a second tier sub):	Name of subcontractor only if the listed DBE trucking company will be performing work under this subcontractor
Name/Title	Name and title of the subcontractor's representative
Address	Self-explanatory
Phone	Self-explanatory
Fax	Self-explanatory
Email	Self-explanatory
Signature	Signature of subcontractor
Date	Date agreement is signed



Disadvantaged Business Enterprise (DBE) Confirmation and Commitment Agreement Subcontractor, Manufacturer, or Supplier

This commitment is subject to the award and receipt of a signed contract from the Hawaii Department of Transportation (HDOT) for the subject project. DBEs must be certified by the bid opening date.

Project #:	County:
NAICS CODE/DESCRIPTION OF WORK:	SECONDARY NAICS CODE:

*All quantities and units should match the bid tab item whenever possible.

The prime contractor shall inform HDOT of the dates when the subcontractor starts and completes all work under the subcontract.

Estimated Beginning Date (Month/Year):	Estimated Completion Date (Month/Year):
---	--

SUBCONTRACTOR:	Item No.	Item	Approx. Quantity	Unit	Unit Price	Amount
					\$	\$
					\$	\$
					\$	\$
					\$	\$
TOTAL COMMITMENT AMOUNT						\$

MANUFACTURER:	Item No.	Item	Approx. Quantity	Unit	Unit Price	Amount
					\$	\$
					\$	\$
TOTAL COMMITMENT AMOUNT						\$

SUPPLIER:	Item No.	Item	Approx. Quantity	Unit	Unit Price	Amount
					\$	\$
					\$	\$
TOTAL COMMITMENT AMOUNT						\$

The prime contractor certifies by signature on this agreement that subcontracts will be executed between the prime contractor and the DBE subcontractors as listed on the agreement form. If a DBE subcontractor is unable to perform the work as listed on this agreement form, the prime contractor will follow the substitution/replacement approval process as outlined in the contract DBE requirements. **IMPORTANT! The signatures of the DBE, prime contractor, and subcontractor (only if the DBE will be a second tier sub) confirms that all information on this Agreement is true and correct. Parties should sign Agreement in the order in which they are listed.**

DBE NAME:	Name/Title (please print):
Address:	Signature:
Phone: Fax:	
Email:	Date:
Prime Contractor:	Name/Title (please print):
Address:	Signature:
Phone: Fax:	
Email:	Date:
Subcontractor (only if the DBE will be a second tier sub):	Name/Title (please print):
Address:	Signature:
Phone: Fax:	
Email:	Date:

HDOT retains the information collected through this form. With few exceptions, you are entitled on request to be informed about the information that we collect about you.



Disadvantaged Business Enterprise (DBE) Confirmation and Commitment Agreement Subcontractor, Manufacturer, or Supplier INSTRUCTIONS

The purpose of this agreement is to secure the commitment of the bidder/offeror to utilize the listed DBE, and the DBE's confirmation that it will perform work for the bidder/offeror on this project. The information on this form shall be provided by the DBE.

Project #	Self-explanatory
County	County where project is located
NAICS Code/Description of Work	Primary North American Industry Classification System code under which DBE is certified to perform and description of work to be done
Secondary NAICS Code	List other NAICS codes firm is certified to perform
Estimated Beginning Date (Month/Year)	Date DBE shall begin work on the project
Estimated Completion Date (Month/Year)	Date DBE's work will be completed
Subcontractor	Name of DBE subcontractor (company name)
Item No.	List pay item number
Item	Description of item
Approx. Quantity	Self-explanatory
Unit	List unit of measure
Unit Price	Cost per unit
Amount	Total amount per pay item
Total Commitment Amount	Sum of all pay items and total commitment of bidder/offeror to DBE
Manufacturer	Name of DBE manufacturer
Supplier	Name of DBE supplier (aka regular dealer)
DBE NAME	DBE Company name
Name/Title	Name and title of DBE's representative
Address	Self-explanatory
Phone	Self-explanatory
Fax	Self-explanatory
Email	Self-explanatory
Signature	Signature of DBE's representative
Date	Date agreement is signed
Prime Contractor	Company name
Name/Title	Name and title of prime contractor's representative
Address	Self-explanatory
Phone	Self-explanatory
Fax	Self-explanatory
Email	Self-explanatory
Signature	Signature of prime contractor's representative
Date	Date agreement is signed
Subcontractor (only if the DBE will be a second tier sub):	Name of subcontractor only if the listed DBE will be performing work under this subcontractor as a second tier subcontractor/supplier/manufacturer

Name/Title	Name and title of the subcontractor's representative that the listed DBE will work under as a second tier subcontractor/supplier/manufacture
Address	Self-explanatory
Phone	Self-explanatory
Fax	Self-explanatory
Email	Self-explanatory
Signature	Signature of subcontractor's representative
Date	Date agreement is signed

**REQUIRED CONTRACT PROVISIONS
FEDERAL-AID CONSTRUCTION CONTRACTS**

- I. General
- II. Nondiscrimination
- III. Non-segregated Facilities
- IV. Davis-Bacon and Related Act Provisions
- V. Contract Work Hours and Safety Standards Act Provisions
- VI. Subletting or Assigning the Contract
- VII. Safety: Accident Prevention
- VIII. False Statements Concerning Highway Projects
- IX. Implementation of Clean Air Act and Federal Water Pollution Control Act
- X. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion
- XI. Certification Regarding Use of Contract Funds for Lobbying
- XII. Use of United States-Flag Vessels:

ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

I. GENERAL

1. Form FHWA-1273 must be physically incorporated in each construction contract funded under title 23, United States Code, as required in 23 CFR 633.102(b) (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services). 23 CFR 633.102(e).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider. 23 CFR 633.102(e).

Form FHWA-1273 must be included in all Federal-aid design-build contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services) in accordance with 23 CFR 633.102. The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in solicitation-for-bids or request-for-proposals documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract). 23 CFR 633.102(b).

2. Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work

performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract. 23 CFR 633.102(d).

3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.

4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. 23 U.S.C. 114(b). The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors. 23 U.S.C. 101(a).

II. NONDISCRIMINATION (23 CFR 230.107(a); 23 CFR Part 230, Subpart A, Appendix A; EO 11246)

The provisions of this section related to 23 CFR Part 230, Subpart A, Appendix A are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR Part 60, 29 CFR Parts 1625-1627, 23 U.S.C. 140, Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794), Title VI of the Civil Rights Act of 1964, as amended (42 U.S.C. 2000d et seq.), and related regulations including 49 CFR Parts 21, 26, and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR Part 60, and 29 CFR Parts 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with 23 U.S.C. 140, Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. 794), and Title VI of the Civil Rights Act of 1964, as amended (42 U.S.C. 2000d et seq.), and related regulations including 49 CFR Parts 21, 26, and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR Part 230, Subpart A, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

1. Equal Employment Opportunity: Equal Employment Opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (see 28 CFR Part 35, 29 CFR Part 1630, 29 CFR Parts 1625-1627, 41 CFR Part 60 and 49 CFR Part 27) and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140, shall constitute the EEO and specific affirmative action standards for the contractor's project activities under this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR Part 35 and 29 CFR Part 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract. 23 CFR 230.409 (g)(4) & (5).

b. The contractor will accept as its operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, sexual orientation, gender identity, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."

2. EEO Officer: The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and responsibility to do so.

3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action or are substantially involved in such action, will be made fully cognizant of and will implement the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:

a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer or other knowledgeable company official.

b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.

c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women.

d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.

e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

4. Recruitment: When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.

a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.

b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.

c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.

5. Personnel Actions: Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, sexual orientation, gender identity, national origin, age or disability. The following procedures shall be followed:

a. The contractor will conduct periodic inspections of project sites to ensure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.

b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.

c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.

d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action

within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.

6. Training and Promotion:

a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.

b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs (i.e., apprenticeship and on-the-job training programs for the geographical area of contract performance). In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).

c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.

d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.

7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. 23 CFR 230.409. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:

a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.

b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, sexual orientation, gender identity, national origin, age, or disability.

c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.

d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, sexual orientation, gender identity, national origin, age, or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide

sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.

8. Reasonable Accommodation for Applicants / Employees with Disabilities: The contractor must be familiar with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established thereunder. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.

9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, sexual orientation, gender identity, national origin, age, or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.

a. The contractor shall notify all potential subcontractors, suppliers, and lessors of their EEO obligations under this contract.

b. The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

10. Assurances Required:

a. The requirements of 49 CFR Part 26 and the State DOT's FHWA-approved Disadvantaged Business Enterprise (DBE) program are incorporated by reference.

b. The contractor, subrecipient or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the recipient deems appropriate, which may include, but is not limited to:

- (1) Withholding monthly progress payments;
- (2) Assessing sanctions;
- (3) Liquidated damages; and/or
- (4) Disqualifying the contractor from future bidding as non-responsible.

c. The Title VI and nondiscrimination provisions of U.S. DOT Order 1050.2A at Appendixes A and E are incorporated by reference. 49 CFR Part 21.

11. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.

a. The records kept by the contractor shall document the following:

(1) The number and work hours of minority and non-minority group members and women employed in each work classification on the project;

(2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and

(3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women.

b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on [Form FHWA-1391](#). The staffing data should represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of more than \$10,000. 41 CFR 60-1.5.

As prescribed by 41 CFR 60-1.8, the contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, sexual orientation, gender identity, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location under the contractor's control where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size), in accordance with 29 CFR 5.5. The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. 23 U.S.C. 113. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. 23 U.S.C. 101. Where applicable law requires that projects be treated as a project on a Federal-aid highway, the provisions of this subpart will apply regardless of the location of the project. Examples include: Surface Transportation Block Grant Program projects funded under 23 U.S.C. 133 [excluding recreational trails projects], the Nationally Significant Freight and Highway

Projects funded under 23 U.S.C. 117, and National Highway Freight Program projects funded under 23 U.S.C. 167.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

1. Minimum wages (29 CFR 5.5)

a. *Wage rates and fringe benefits.* All laborers and mechanics employed or working upon the site of the work (or otherwise working in construction or development of the project under a development statute), will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act ([29 CFR part 3](#))), the full amount of basic hourly wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics. As provided in paragraphs (d) and (e) of 29 CFR 5.5, the appropriate wage determinations are effective by operation of law even if they have not been attached to the contract. Contributions made or costs reasonably anticipated for bona fide fringe benefits under the Davis-Bacon Act ([40 U.S.C. 3141\(2\)\(B\)](#)) on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions of paragraph 1.e. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics must be paid the appropriate wage rate and fringe benefits on the wage determination for the classification(s) of work actually performed, without regard to skill, except as provided in paragraph 4. of this section. Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: *Provided*, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classifications and wage rates conformed under paragraph 1.c. of this section) and the Davis-Bacon poster (WH-1321) must be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

b. *Frequently recurring classifications.* (1) In addition to wage and fringe benefit rates that have been determined to be prevailing under the procedures set forth in [29 CFR part 1](#), a wage determination may contain, pursuant to § 1.3(f), wage and fringe benefit rates for classifications of laborers and mechanics for which conformance requests are regularly submitted pursuant to paragraph 1.c. of this section, provided that:

(i) The work performed by the classification is not performed by a classification in the wage determination for which a prevailing wage rate has been determined;

(ii) The classification is used in the area by the construction industry; and

(iii) The wage rate for the classification bears a reasonable relationship to the prevailing wage rates contained in the wage determination.

(2) The Administrator will establish wage rates for such classifications in accordance with paragraph 1.c.(1)(iii) of this section. Work performed in such a classification must be paid at no less than the wage and fringe benefit rate listed on the wage determination for such classification.

c. *Conformance.* (1) The contracting officer must require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract be classified in conformance with the wage determination. Conformance of an additional classification and wage rate and fringe benefits is appropriate only when the following criteria have been met:

(i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and

(ii) The classification is used in the area by the construction industry; and

(iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.

(2) The conformance process may not be used to split, subdivide, or otherwise avoid application of classifications listed in the wage determination.

(3) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken will be sent by the contracting officer by email to DBAconformance@dol.gov. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

(4) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer will, by email to DBAconformance@dol.gov, refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Administrator for determination. The Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

(5) The contracting officer must promptly notify the contractor of the action taken by the Wage and Hour Division

under paragraphs 1.c.(3) and (4) of this section. The contractor must furnish a written copy of such determination to each affected worker or it must be posted as a part of the wage determination. The wage rate (including fringe benefits where appropriate) determined pursuant to paragraph 1.c.(3) or (4) of this section must be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.

d. *Fringe benefits not expressed as an hourly rate.* Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor may either pay the benefit as stated in the wage determination or may pay another bona fide fringe benefit or an hourly cash equivalent thereof.

e. *Unfunded plans.* If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, *Provided*, That the Secretary of Labor has found, upon the written request of the contractor, in accordance with the criteria set forth in § 5.28, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

f. *Interest.* In the event of a failure to pay all or part of the wages required by the contract, the contractor will be required to pay interest on any underpayment of wages.

2. Withholding (29 CFR 5.5)

a. *Withholding requirements.* The contracting agency may, upon its own action, or must, upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor so much of the accrued payments or advances as may be considered necessary to satisfy the liabilities of the prime contractor or any subcontractor for the full amount of wages and monetary relief, including interest, required by the clauses set forth in this section for violations of this contract, or to satisfy any such liabilities required by any other Federal contract, or federally assisted contract subject to Davis-Bacon labor standards, that is held by the same prime contractor (as defined in § 5.2). The necessary funds may be withheld from the contractor under this contract, any other Federal contract with the same prime contractor, or any other federally assisted contract that is subject to Davis-Bacon labor standards requirements and is held by the same prime contractor, regardless of whether the other contract was awarded or assisted by the same agency, and such funds may be used to satisfy the contractor liability for which the funds were withheld. In the event of a contractor's failure to pay any laborer or mechanic, including any apprentice or helper working on the site of the work all or part of the wages required by the contract, or upon the contractor's failure to submit the required records as discussed in paragraph 3.d. of this section, the contracting agency may on its own initiative and after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

b. *Priority to withheld funds.* The Department has priority to funds withheld or to be withheld in accordance with paragraph

2.a. of this section or Section V, paragraph 3.a., or both, over claims to those funds by:

- (1) A contractor's surety(ies), including without limitation performance bond sureties and payment bond sureties;
- (2) A contracting agency for its procurement costs;
- (3) A trustee(s) (either a court-appointed trustee or a U.S. trustee, or both) in bankruptcy of a contractor, or a contractor's bankruptcy estate;
- (4) A contractor's assignee(s);
- (5) A contractor's successor(s); or
- (6) A claim asserted under the Prompt Payment Act, [31 U.S.C. 3901–3907](#).

3. Records and certified payrolls (29 CFR 5.5)

a. *Basic record requirements (1) Length of record retention.* All regular payrolls and other basic records must be maintained by the contractor and any subcontractor during the course of the work and preserved for all laborers and mechanics working at the site of the work (or otherwise working in construction or development of the project under a development statute) for a period of at least 3 years after all the work on the prime contract is completed.

(2) *Information required.* Such records must contain the name; Social Security number; last known address, telephone number, and email address of each such worker; each worker's correct classification(s) of work actually performed; hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in [40 U.S.C. 3141\(2\)\(B\)](#) of the Davis-Bacon Act); daily and weekly number of hours actually worked in total and on each covered contract; deductions made; and actual wages paid.

(3) *Additional records relating to fringe benefits.* Whenever the Secretary of Labor has found under paragraph 1.e. of this section that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in [40 U.S.C. 3141\(2\)\(B\)](#) of the Davis-Bacon Act, the contractor must maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits.

(4) *Additional records relating to apprenticeship.* Contractors with apprentices working under approved programs must maintain written evidence of the registration of apprenticeship programs, the registration of the apprentices, and the ratios and wage rates prescribed in the applicable programs.

b. *Certified payroll requirements (1) Frequency and method of submission.* The contractor or subcontractor must submit weekly, for each week in which any DBA- or Related Acts-covered work is performed, certified payrolls to the contracting

agency. The prime contractor is responsible for the submission of all certified payrolls by all subcontractors. A contracting agency or prime contractor may permit or require contractors to submit certified payrolls through an electronic system, as long as the electronic system requires a legally valid electronic signature; the system allows the contractor, the contracting agency, and the Department of Labor to access the certified payrolls upon request for at least 3 years after the work on the prime contract has been completed; and the contracting agency or prime contractor permits other methods of submission in situations where the contractor is unable or limited in its ability to use or access the electronic system.

(2) *Information required.* The certified payrolls submitted must set out accurately and completely all of the information required to be maintained under paragraph 3.a.(2) of this section, except that full Social Security numbers and last known addresses, telephone numbers, and email addresses must not be included on weekly transmittals. Instead, the certified payrolls need only include an individually identifying number for each worker (e.g., the last four digits of the worker's Social Security number). The required weekly certified payroll information may be submitted using Optional Form WH-347 or in any other format desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division website at <https://www.dol.gov/sites/dolgov/files/WHD/legacy/files/wh347.pdf> or its successor website. It is not a violation of this section for a prime contractor to require a subcontractor to provide full Social Security numbers and last known addresses, telephone numbers, and email addresses to the prime contractor for its own records, without weekly submission by the subcontractor to the contracting agency.

(3) *Statement of Compliance.* Each certified payroll submitted must be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor, or the contractor's or subcontractor's agent who pays or supervises the payment of the persons working on the contract, and must certify the following:

(i) That the certified payroll for the payroll period contains the information required to be provided under paragraph 3.b. of this section, the appropriate information and basic records are being maintained under paragraph 3.a. of this section, and such information and records are correct and complete;

(ii) That each laborer or mechanic (including each helper and apprentice) working on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in [29 CFR part 3](#); and

(iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification(s) of work actually performed, as specified in the applicable wage determination incorporated into the contract.

(4) *Use of Optional Form WH-347.* The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 will satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(3) of this section.

(5) *Signature.* The signature by the contractor, subcontractor, or the contractor's or subcontractor's agent must be an original handwritten signature or a legally valid electronic signature.

(6) *Falsification.* The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under [18 U.S.C. 1001](#) and [31 U.S.C. 3729](#).

(7) *Length of certified payroll retention.* The contractor or subcontractor must preserve all certified payrolls during the course of the work and for a period of 3 years after all the work on the prime contract is completed.

c. *Contracts, subcontracts, and related documents.* The contractor or subcontractor must maintain this contract or subcontract and related documents including, without limitation, bids, proposals, amendments, modifications, and extensions. The contractor or subcontractor must preserve these contracts, subcontracts, and related documents during the course of the work and for a period of 3 years after all the work on the prime contract is completed.

d. *Required disclosures and access (1) Required record disclosures and access to workers.* The contractor or subcontractor must make the records required under paragraphs 3.a. through 3.c. of this section, and any other documents that the contracting agency, the State DOT, the FHWA, or the Department of Labor deems necessary to determine compliance with the labor standards provisions of any of the applicable statutes referenced by § 5.1, available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and must permit such representatives to interview workers during working hours on the job.

(2) *Sanctions for non-compliance with records and worker access requirements.* If the contractor or subcontractor fails to submit the required records or to make them available, or refuses to permit worker interviews during working hours on the job, the Federal agency may, after written notice to the contractor, sponsor, applicant, owner, or other entity, as the case may be, that maintains such records or that employs such workers, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available, or to permit worker interviews during working hours on the job, may be grounds for debarment action pursuant to § 5.12. In addition, any contractor or other person that fails to submit the required records or make those records available to WHD within the time WHD requests that the records be produced will be precluded from introducing as evidence in an administrative proceeding under [29 CFR part 6](#) any of the required records that were not provided or made available to WHD. WHD will take into consideration a reasonable request from the contractor or person for an extension of the time for submission of records. WHD will determine the reasonableness of the request and may consider, among other things, the location of the records and the volume of production.

(3) *Required information disclosures.* Contractors and subcontractors must maintain the full Social Security number and last known address, telephone number, and email address

of each covered worker, and must provide them upon request to the contracting agency, the State DOT, the FHWA, the contractor, or the Wage and Hour Division of the Department of Labor for purposes of an investigation or other compliance action.

4. Apprentices and equal employment opportunity (29 CFR 5.5)

a. *Apprentices (1) Rate of pay.* Apprentices will be permitted to work at less than the predetermined rate for the work they perform when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship (OA), or with a State Apprenticeship Agency recognized by the OA. A person who is not individually registered in the program, but who has been certified by the OA or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice, will be permitted to work at less than the predetermined rate for the work they perform in the first 90 days of probationary employment as an apprentice in such a program. In the event the OA or a State Apprenticeship Agency recognized by the OA withdraws approval of an apprenticeship program, the contractor will no longer be permitted to use apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

(2) *Fringe benefits.* Apprentices must be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringe benefits must be paid in accordance with that determination.

(3) *Apprenticeship ratio.* The allowable ratio of apprentices to journeyworkers on the job site in any craft classification must not be greater than the ratio permitted to the contractor as to the entire work force under the registered program or the ratio applicable to the locality of the project pursuant to paragraph 4.a.(4) of this section. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated in paragraph 4.a.(1) of this section, must be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under this section must be paid not less than the applicable wage rate on the wage determination for the work actually performed.

(4) *Reciprocity of ratios and wage rates.* Where a contractor is performing construction on a project in a locality other than the locality in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyworker's hourly rate) applicable within the locality in which the construction is being performed must be observed. If there is no applicable ratio or wage rate for the locality of the project, the ratio and wage rate specified in the contractor's registered program must be observed.

b. *Equal employment opportunity.* The use of apprentices and journeyworkers under this part must be in conformity with

the equal employment opportunity requirements of Executive Order 11246, as amended, and [29 CFR part 30](#).

c. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. 23 CFR 230.111(e)(2). The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeyworkers shall not be greater than permitted by the terms of the particular program.

5. Compliance with Copeland Act requirements. The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract as provided in 29 CFR 5.5.

6. Subcontracts. The contractor or subcontractor must insert FHWA-1273 in any subcontracts, along with the applicable wage determination(s) and such other clauses or contract modifications as the contracting agency may by appropriate instructions require, and a clause requiring the subcontractors to include these clauses and wage determination(s) in any lower tier subcontracts. The prime contractor is responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in this section. In the event of any violations of these clauses, the prime contractor and any subcontractor(s) responsible will be liable for any unpaid wages and monetary relief, including interest from the date of the underpayment or loss, due to any workers of lower-tier subcontractors, and may be subject to debarment, as appropriate. 29 CFR 5.5.

7. Contract termination: debarment. A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.

8. Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract as provided in 29 CFR 5.5.

9. Disputes concerning labor standards. As provided in 29 CFR 5.5, disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

10. Certification of eligibility. a. By entering into this contract, the contractor certifies that neither it nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of [40 U.S.C. 3144\(b\)](#) or § 5.12(a).

b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of [40 U.S.C. 3144\(b\)](#) or § 5.12(a).

c. The penalty for making false statements is prescribed in the U.S. Code, Title 18 Crimes and Criminal Procedure, [18 U.S.C. 1001](#).

11. Anti-retaliation. It is unlawful for any person to discharge, demote, intimidate, threaten, restrain, coerce, blacklist, harass, or in any other manner discriminate against, or to cause any person to discharge, demote, intimidate, threaten, restrain, coerce, blacklist, harass, or in any other manner discriminate against, any worker or job applicant for:

a. Notifying any contractor of any conduct which the worker reasonably believes constitutes a violation of the DBA, Related Acts, this part, or [29 CFR part 1](#) or [3](#);

b. Filing any complaint, initiating or causing to be initiated any proceeding, or otherwise asserting or seeking to assert on behalf of themselves or others any right or protection under the DBA, Related Acts, this part, or [29 CFR part 1](#) or [3](#);

c. Cooperating in any investigation or other compliance action, or testifying in any proceeding under the DBA, Related Acts, this part, or [29 CFR part 1](#) or [3](#); or

d. Informing any other person about their rights under the DBA, Related Acts, this part, or [29 CFR part 1](#) or [3](#).

V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

Pursuant to 29 CFR 5.5(b), the following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchpersons and guards.

1. Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek. 29 CFR 5.5.

2. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph 1. of this section the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages and interest from the date of the underpayment. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or

mechanic, including watchpersons and guards, employed in violation of the clause set forth in paragraph 1. of this section, in the sum currently provided in 29 CFR 5.5(b)(2)* for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph 1. of this section.

* \$31 as of January 15, 2023 (See 88 FR 88 FR 2210) as may be adjusted annually by the Department of Labor, pursuant to the Federal Civil Penalties Inflation Adjustment Act of 1990.

3. Withholding for unpaid wages and liquidated damages

a. *Withholding process.* The FHWA or the contracting agency may, upon its own action, or must, upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor so much of the accrued payments or advances as may be considered necessary to satisfy the liabilities of the prime contractor or any subcontractor for any unpaid wages; monetary relief, including interest; and liquidated damages required by the clauses set forth in this section on this contract, any other Federal contract with the same prime contractor, or any other federally assisted contract subject to the Contract Work Hours and Safety Standards Act that is held by the same prime contractor (as defined in § 5.2). The necessary funds may be withheld from the contractor under this contract, any other Federal contract with the same prime contractor, or any other federally assisted contract that is subject to the Contract Work Hours and Safety Standards Act and is held by the same prime contractor, regardless of whether the other contract was awarded or assisted by the same agency, and such funds may be used to satisfy the contractor liability for which the funds were withheld.

b. *Priority to withheld funds.* The Department has priority to funds withheld or to be withheld in accordance with Section IV paragraph 2.a. or paragraph 3.a. of this section, or both, over claims to those funds by:

- (1) A contractor's surety(ies), including without limitation performance bond sureties and payment bond sureties;
- (2) A contracting agency for its procurement costs;
- (3) A trustee(s) (either a court-appointed trustee or a U.S. trustee, or both) in bankruptcy of a contractor, or a contractor's bankruptcy estate;
- (4) A contractor's assignee(s);
- (5) A contractor's successor(s); or
- (6) A claim asserted under the Prompt Payment Act, [31 U.S.C. 3901](#)–3907.

4. Subcontracts. The contractor or subcontractor must insert in any subcontracts the clauses set forth in paragraphs 1. through 5. of this section and a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor is responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs 1. through 5. In the

event of any violations of these clauses, the prime contractor and any subcontractor(s) responsible will be liable for any unpaid wages and monetary relief, including interest from the date of the underpayment or loss, due to any workers of lower-tier subcontractors, and associated liquidated damages and may be subject to debarment, as appropriate.

5. Anti-retaliation. It is unlawful for any person to discharge, demote, intimidate, threaten, restrain, coerce, blacklist, harass, or in any other manner discriminate against, or to cause any person to discharge, demote, intimidate, threaten, restrain, coerce, blacklist, harass, or in any other manner discriminate against, any worker or job applicant for:

a. Notifying any contractor of any conduct which the worker reasonably believes constitutes a violation of the Contract Work Hours and Safety Standards Act (CWHSSA) or its implementing regulations in this part;

b. Filing any complaint, initiating or causing to be initiated any proceeding, or otherwise asserting or seeking to assert on behalf of themselves or others any right or protection under CWHSSA or this part;

c. Cooperating in any investigation or other compliance action, or testifying in any proceeding under CWHSSA or this part; or

d. Informing any other person about their rights under CWHSSA or this part.

VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System pursuant to 23 CFR 635.116.

1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).

a. The term "perform work with its own organization" in paragraph 1 of Section VI refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions: (based on longstanding interpretation)

- (1) the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;
- (2) the prime contractor remains responsible for the quality of the work of the leased employees;

- (3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and
- (4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.

b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract. 23 CFR 635.102.

2. Pursuant to 23 CFR 635.116(a), the contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.

3. Pursuant to 23 CFR 635.116(c), the contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.

4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract. (based on long-standing interpretation of 23 CFR 635.116).

5. The 30-percent self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements. 23 CFR 635.116(d).

VII. SAFETY: ACCIDENT PREVENTION

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR Part 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract. 23 CFR 635.108.

2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and

health standards (29 CFR Part 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704). 29 CFR 1926.10.

3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).

VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR Part 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 11, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT (42 U.S.C. 7606; 2 CFR 200.88; EO 11738)

This provision is applicable to all Federal-aid construction contracts in excess of \$150,000 and to all related subcontracts. 48 CFR 2.101; 2 CFR 200.327.

By submission of this bid/proposal or the execution of this contract or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, subcontractor, supplier, or vendor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal Highway Administration and the Regional Office of the Environmental Protection Agency. 2 CFR Part 200, Appendix II.

The contractor agrees to include or cause to be included the requirements of this Section in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements. 2 CFR 200.327.

X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200. 2 CFR 180.220 and 1200.220.

1. Instructions for Certification – First Tier Participants:

- a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.
- b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction. 2 CFR 180.320.
- c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default. 2 CFR 180.325.
- d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances. 2 CFR 180.345 and 180.350.

e. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180, Subpart I, 180.900-180.1020, and 1200. "First Tier Covered Transactions" refers to any covered transaction between a recipient or subrecipient of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a recipient or subrecipient of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction. 2 CFR 180.330.

g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold. 2 CFR 180.220 and 180.300.

h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. 2 CFR 180.300; 180.320, and 180.325. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. 2 CFR 180.335. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the System for Award Management website (<https://www.sam.gov/>). 2 CFR 180.300, 180.320, and 180.325.

i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default. 2 CFR 180.325.

* * * * *

2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:

a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:

(1) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency, 2 CFR 180.335;.

(2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property, 2 CFR 180.800;

(3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification, 2 CFR 180.700 and 180.800; and

(4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default. 2 CFR 180.335(d).

(5) Are not a corporation that has been convicted of a felony violation under any Federal law within the two-year period preceding this proposal (USDOT Order 4200.6 implementing appropriations act requirements); and

(6) Are not a corporation with any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted, or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability (USDOT Order 4200.6 implementing appropriations act requirements).

b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant should attach an explanation to this proposal. 2 CFR 180.335 and 180.340.

3. Instructions for Certification - Lower Tier Participants:

(Applicable to all subcontracts, purchase orders, and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200). 2 CFR 180.220 and 1200.220.

a. By signing and submitting this proposal, the prospective lower tier participant is providing the certification set out below.

b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which

this transaction originated may pursue available remedies, including suspension and/or debarment.

c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances. 2 CFR 180.365.

d. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180, Subpart I, 180.900 – 180.1020, and 1200. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations. "First Tier Covered Transactions" refers to any covered transaction between a recipient or subrecipient of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a recipient or subrecipient of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated. 2 CFR 1200.220 and 1200.332.

f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold. 2 CFR 180.220 and 1200.220.

g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the System for Award Management website (<https://www.sam.gov/>), which is compiled by the General Services Administration. 2 CFR 180.300, 180.320, 180.330, and 180.335.

h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily

excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment. 2 CFR 180.325.

* * * * *

4. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:

a. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals:

(1) is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency, 2 CFR 180.355;

(2) is a corporation that has been convicted of a felony violation under any Federal law within the two-year period preceding this proposal (USDOT Order 4200.6 implementing appropriations act requirements); and

(3) is a corporation with any unpaid Federal tax liability that has been assessed, for which all judicial and administrative remedies have been exhausted, or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability. (USDOT Order 4200.6 implementing appropriations act requirements)

b. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant should attach an explanation to this proposal.

* * * * *

XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000. 49 CFR Part 20, App. A.

1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or

cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

XII. USE OF UNITED STATES-FLAG VESSELS:

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, or any other covered transaction. 46 CFR Part 381.

This requirement applies to material or equipment that is acquired for a specific Federal-aid highway project. 46 CFR 381.7. It is not applicable to goods or materials that come into inventories independent of an FHWA funded-contract.

When oceanic shipments (or shipments across the Great Lakes) are necessary for materials or equipment acquired for a specific Federal-aid construction project, the bidder, proposer, contractor, subcontractor, or vendor agrees:

1. To utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels. 46 CFR 381.7.

2. To furnish within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (b)(1) of this section to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Office of Cargo and Commercial Sealift (MAR-620), Maritime Administration, Washington, DC 20590. (MARAD requires copies of the ocean carrier's (master) bills of lading, certified onboard, dated, with rates and charges. These bills of lading may contain business sensitive information and therefore may be submitted directly to MARAD by the Ocean Transportation Intermediary on behalf of the contractor). 46 CFR 381.7.

**ATTACHMENT A - EMPLOYMENT AND MATERIALS
PREFERENCE FOR APPALACHIAN DEVELOPMENT
HIGHWAY SYSTEM OR APPALACHIAN LOCAL ACCESS
ROAD CONTRACTS (23 CFR 633, Subpart B, Appendix B)**

This provision is applicable to all Federal-aid projects funded under the Appalachian Regional Development Act of 1965.

1. During the performance of this contract, the contractor undertaking to do work which is, or reasonably may be, done as on-site work, shall give preference to qualified persons who regularly reside in the labor area as designated by the DOL wherein the contract work is situated, or the subregion, or the Appalachian counties of the State wherein the contract work is situated, except:

a. To the extent that qualified persons regularly residing in the area are not available.

b. For the reasonable needs of the contractor to employ supervisory or specially experienced personnel necessary to assure an efficient execution of the contract work.

c. For the obligation of the contractor to offer employment to present or former employees as the result of a lawful collective bargaining contract, provided that the number of nonresident persons employed under this subparagraph (1c) shall not exceed 20 percent of the total number of employees employed by the contractor on the contract work, except as provided in subparagraph (4) below.

2. The contractor shall place a job order with the State Employment Service indicating (a) the classifications of the laborers, mechanics and other employees required to perform the contract work, (b) the number of employees required in each classification, (c) the date on which the participant estimates such employees will be required, and (d) any other pertinent information required by the State Employment Service to complete the job order form. The job order may be placed with the State Employment Service in writing or by telephone. If during the course of the contract work, the information submitted by the contractor in the original job order is substantially modified, the participant shall promptly notify the State Employment Service.

3. The contractor shall give full consideration to all qualified job applicants referred to him by the State Employment Service. The contractor is not required to grant employment to any job applicants who, in his opinion, are not qualified to perform the classification of work required.

4. If, within one week following the placing of a job order by the contractor with the State Employment Service, the State Employment Service is unable to refer any qualified job applicants to the contractor, or less than the number requested, the State Employment Service will forward a certificate to the contractor indicating the unavailability of applicants. Such certificate shall be made a part of the contractor's permanent project records. Upon receipt of this certificate, the contractor may employ persons who do not normally reside in the labor area to fill positions covered by the certificate, notwithstanding the provisions of subparagraph (1c) above.

5. The provisions of 23 CFR 633.207(e) allow the contracting agency to provide a contractual preference for the use of mineral resource materials native to the Appalachian region.

6. The contractor shall include the provisions of Sections 1 through 4 of this Attachment A in every subcontract for work which is, or reasonably may be, done as on-site work.

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
HONOLULU, HAWAII

SPECIAL PROVISIONS

These Special Provisions shall supplement and/or amend the applicable provisions of the Hawaii Standard Specifications for Road and Bridge Construction, 2005, hereinafter referred to as the "Standard Specifications".

1 Amend **Section 101 - TERMS, ABBREVIATIONS, AND DEFINITIONS** to read as
 2 follows:

3
 4 **“DIVISION 100 - GENERAL PROVISIONS**

5
 6
 7 **SECTION 101 - TERMS, ABBREVIATIONS, AND DEFINITIONS**

8
 9 **101.01 Meaning of Terms.** The specifications are generally written in the
 10 imperative mood. In sentences using the imperative mood, the subject, “the
 11 Contractor shall”, is implied. In the material specifications, the subject may also
 12 be the supplier, fabricator, or manufacturer supplying material, products, or
 13 equipment for use on the project. The word “will” generally pertains to decisions
 14 or actions of the State.

15
 16 When a publication is specified, it refers to the most recent date of issue,
 17 including interim publications, before the bid opening date for the project, unless a
 18 specific date or year of issue is provided.

19
 20 **101.02 Abbreviations.** Meanings of abbreviations used in the specifications,
 21 on the plans, or in other contract documents are as follows:

22

23	AAN	American Association of Nurserymen
24		
25	AASHTO	American Association of State Highway and
26		Transportation Officials
27		
28	ACI	American Concrete Institute
29		
30	ADA	Americans with Disabilities Act
31		
32	ADAAG	Americans with Disabilities Act Accessibility Guidelines
33		
34	AGC	Associated General Contractors of America
35		
36	AIA	American Institute of Architects
37		
38	AISC	American Institute of Steel Construction
39		
40	AISI	American Iron and Steel Institute
41		
42	ANSI	American National Standards Institute
43		
44	APA	American Plywood Association
45		

46	ARA	American Railway Association
47		
48	AREA	American Railway Engineering Association
49		
50	ASA	American Standards Association
51		
52	ASCE	American Society of Civil Engineers
53		
54	ASLA	American Society of Landscape Architects
55		
56	ASTM	American Society for Testing and Materials
57		
58	AWG	American Wire Gauge
59		
60	AWPA	American Wood Preserver's Association
61		
62	AWS	American Welding Society
63		
64	AWWA	American Water Works Association
65		
66	BMP	Best Management Practice
67		
68	CCO	Contract Change Order
69		
70	CFR	Code of Federal Regulations
71		
72	CRSI	Concrete Reinforcing Steel Institute
73		
74	DCAB	Disability and Communication Access Board, Department of Health, State of Hawaii
75		
76		
77	DOTAX	Department of Taxation, State of Hawaii
78		
79	EPA	U.S. Environmental Protection Agency
80		
81	FHWA	Federal Highway Administration, U.S. Department of Transportation
82		
83		
84	FSS	Federal Specifications and Standards, General Services Administration, U.S. Department of Defense
85		
86		
87	HAR	Hawaii Administrative Rules
88		
89	HDOT	Department of Transportation, State of Hawaii
90		

91	HIOSH	Occupational Safety and Health, Department of Labor and Industrial Relations, State of Hawaii
92		
93		
94	HMA	Hot Mix Asphalt
95		
96	HRS	Hawaii Revised Statutes
97		
98	ICEA	Insulated Cable Engineers Association (formerly IPCEA)
99		
100	IMSA	International Municipal Signal Association
101		
102	IRS	Internal Revenue Service
103		
104	ITE	Institute of Transportation Engineers
105		
106	MUTCD	Manual on Uniform Traffic Control Devices for Streets and Highways, FHWA, U.S. Department of Transportation
107		
108		
109	NCHRP	National Cooperative Highway Research Program
110		
111	NEC	National Electric Code
112		
113	NEMA	National Electrical Manufacturers Association
114		
115	NFPA	National Forest Products Association
116		
117	NPDES	National Pollutant Discharge Elimination System
118		
119	OSHA	Occupational Safety and Health Administration/Act, U.S. Department of Labor
120		
121		
122	SAE	Society of Automotive Engineers
123		
124	SI	International Systems of Units
125		
126	UFAS	Uniform Federal Accessibility Standards
127		
128	UL	Underwriter's Laboratory
129		
130	USGS	U.S. Geological Survey
131		
132	VECP	Value Engineering Cost Proposal
133	101.02	
134		

135 **101.03 Definitions.** Whenever the following words, terms, or pronouns are
136 used in the contract documents, unless otherwise prescribed therein and without
137 regards to the use or omission of uppercase letters, the intent and meaning shall
138 be interpreted as follows:

139
140 **Addendum (plural - Addenda)** - A written or graphic document, including
141 drawings and specifications, issued by the Director during the bidding period. This
142 document modifies or interprets the bidding documents by additions, deletions,
143 clarifications or corrections.

144
145 **Addition** (to the contract sum) - Amount added to the contract sum by change
146 order.

147
148 **Advertisement** - A public announcement inviting bids for work to be performed or
149 materials to be furnished.

150
151 **Amendment** - A written document issued to amend the existing contract between
152 the State and Contractor and properly executed by the Contractor and Director.

153
154 **Award** - Written notification to the bidder that the bidder has been awarded a
155 contract.

156
157 **Bad Weather Day (or Unworkable Day)** - A day when weather or other conditions
158 prevent a minimum of four hours of work with the Contractor's normal work force
159 on critical path activities at the site.

160
161 **Bag** - 94 pounds of cement.

162
163 **Barrel** - 376 pounds of cement.

164
165 **Base Course** - The layer or layers of specified material or selected material of a
166 designed thickness placed on a subbase or subgrade to support a surface course.

167
168 **Basement Material** - The material in excavation or embankments underlying the
169 lowest layer of subbase, base, pavement, surfacing or other specified layer.

170
171 **Bid** - See Proposal.

172
173 **Bidder** - An individual, partnership, corporation, joint venture or other legal entity
174 submitting, directly or through a duly authorized representative or agent, a
175 proposal for the work or construction contemplated.

176
177 **Bidding Documents (or Solicitation Documents)** - The published solicitation
178 notice, bid requirements, bid forms and the proposed contract documents including
179 all addenda and clarifications issued prior to receipt of the bid.

180

181 **Bid Security** - The security furnished by the bidder from which the State may
182 recover its damages in the event the bidder breaches its promise to enter into a
183 contract with the State, or fails to execute the required bonds covering the work
184 contemplated, if its proposal is accepted.

185

186 **Blue Book** - EquipmentWatch Cost Recovery (formerly known as
187 EquipmentWatch Rental Rate Blue Book), available from EquipmentWatch, a
188 division of Penton, Inc.

189

190 **Calendar Day** - See Day.

191

192 **Change Order (or Contract Change Order)** - A written order signed by the
193 Engineer issued with or without the consent of the Contractor directing changes in
194 the work, contract time or contract price. The purposes of a change order include,
195 but are not limited to (1) establishing a price or time adjustment for changes in the
196 work; (2) establishing full payment for direct, indirect, and consequential costs,
197 including costs of delay; (3) establishing price adjustment or time adjustment for
198 work covered and affected by one or more field orders; or (4) settling Contractor's
199 claims for direct, indirect, and consequential costs, or for additional contract time,
200 in whole or in part.

201

202 **Completion** - See Substantial Completion and Final Completion.

203

204 **Completion Date** - The date specified by the contract for the completion of all
205 work on the project or of a designated portion of the project.

206

207 **Comptroller** - the Comptroller of the State of Hawaii, Department of Accounting
208 and General Services.

209

210 **Contract** - The written agreement between the Contractor and the State, by which
211 the Contractor shall provide all labor, equipment, and materials and perform the
212 specified work within the contract time stipulated, and by which the State of Hawaii
213 is obligated to compensate the Contractor at the prices set forth in the contract
214 documents.

215

216 **Contract Certification Date** - The Date on which the Deputy Comptroller for the
217 State of Hawaii (or authorized representative) signs the Contract Certification.

218

219 **Contract Completion Date** - The calendar day on which all work on the project,
220 required by the contract, must be completed. See CONTRACT TIME.

221

222 **Contract Documents** - The contract, solicitation, addenda, notice to bidders,
223 Contractor's bid proposal (including wage schedule, list of subcontractors and
224 other documentations accompanying the bid), notice to proceed, bonds, general
225 provisions, special provisions, specifications, drawings, all modifications, all written
226 amendments, change orders, field orders, orders for minor changes in the work,
227 the Engineer's written interpretations and clarifications issued on or after the
228 effective date of the contract.

229
230 **Contract Item (Pay Item)** - A specific unit of work for which there is a price in the
231 contract.

232
233 **Contract Modification (Modification)** - A change order that is mutually agreed to
234 and signed by the parties to the contract.

235
236 **Contract Price** - The amount designated on the face of the contract for the
237 performance of work.

238
239 **Contract Time (or Contract Duration)** - The number of calendar or working days
240 provided for completion of the contract, inclusive of authorized time extensions.
241 Contract time shall commence on the Start Work Date and end on the Substantial
242 Completion Date. If in lieu of providing a number of calendar or working days, the
243 contract requires completion by a certain date, the work shall be completed by that
244 date.

245
246 **Contracting Officer** - See Engineer.

247
248 **Contractor** - Any individual, partnership, firm, corporation, joint venture, or other
249 legal entity undertaking the execution of the work under the terms of the contract
250 with the State.

251
252 **Critical Path** - Longest logical sequence of activities that must be completed on
253 schedule for the entire project to be completed on schedule.

254
255 **Day** - Any day shown on the calendar, beginning at midnight and proceeding up
256 to, but not including, midnight the following day. If no designation of calendar or
257 working day is made, "day" shall mean calendar day.

258
259 **Department** - The Department of Transportation of the State of Hawaii
260 (abbreviated HDOT).

261
262 **Director** - The Director of the HDOT acting directly or through duly authorized
263 representatives.

264
265 **Plans (or Drawings)** - The contract drawings in graphic or pictorial form including
266 the notes, tables and other notations thereon indicating the design, location,
267 character, dimensions, and details of the work.

268

269 **Engineer** - The Highway Administrator, Highways Division, HDOT, or the
270 authorized person delegated to act on the Administrator's behalf.

271

272 **Equipment** - All machinery, tools, and apparatus needed to complete the contract.

273

274 **Field Order** - A written order issued by the Engineer or the Engineer's authorized
275 representative to the Contractor requiring a change or changes to the contract
276 work. A field order may (1) establish a price adjustment or time adjustment; or (2)
277 may declare that no adjustment will be made to contract price or contract time; or
278 (3) may request the Contractor to submit a proposal for an adjustment to the
279 contract price or contract time.

280

281 **Final Acceptance** - The Status of the project when the Engineer finds that the
282 Contractor has satisfactorily completed all contract work in compliance with the
283 contract including all plant establishment requirements, and all the materials have
284 been accepted by the State.

285

286 **Final Completion** - The date set by the Director that all work required by the
287 contract has been completed in full compliance with the contract documents.

288

289 **Final Inspection** - Inspection where all contract items (with the exception of
290 Planting Period and Plant Establishment Period) are accepted by the Engineer.
291 Substantial Completion will be issued by the Engineer based on the satisfactory
292 results of the Final Inspection.

293

294 **Float** - The amount of time between when an activity can start and when an activity
295 must start, i.e., the time available to complete non-critical activities required for the
296 performance of the work without affecting the critical path.

297

298 **Guarantee** - Legally enforceable assurance of the duration of satisfactory
299 performance of quality of a product or work.

300

301 **Hawaii Administrative Rules** - Rules adopted by the State in accordance with
302 Chapter 91 of the Hawaii Revised Statutes, as amended.

303

304 **Highway (Street, Road, or Roadway)** - A public way within a right-of-way
305 designed, intended, and set aside for use by vehicles, bicyclists, or pedestrians.

306

307 **HAWAII ePROCUREMENT SYSTEM (HiePRO)** - The State of Hawaii
308 eProcurement System for issuing solicitations, receiving proposals and responses,
309 and issuing notices of award.

310

311 **Highways Division** - The Highways Division of the Hawaii Department of
312 Transportation constituted under the laws of Hawaii for the administration of
313 highway work.

314

315 **Holidays** - The days of each year which are set apart and established as State
316 holidays pursuant to Chapter 8 of the Hawaii Revised Statutes, as amended.

317
318 **Inspector** - The Engineer's authorized representative assigned to make detailed
319 inspections of contract performance, prescribed work, and materials supplied.

320
321 **Laboratory** - The testing laboratory of the Highways Division or other testing
322 laboratories that may be designated by the Engineer.

323
324 **Laws** - All Federal, State, and local laws, executive orders and regulations having
325 the force of law.

326
327 **Leveling Course** - An aggregate mixture course of variable thickness used to
328 restore horizontal and vertical uniformity to existing pavements or shoulders.

329
330 **Liquidated Damages** - The amount prescribed in Subsection 108.08 - Liquidated
331 Damages for Failure to Complete the Work or Portions of the Work on Time, to be
332 paid to the State or to be deducted from any payments payable to or, which may
333 become payable to the Contractor.

334
335 **Lump Sum (LS)** - When used as a payment method means complete payment
336 for the item of work described in the contract documents.

337
338 **Material** - Any natural or manmade substance or item specified in the contract to
339 be incorporated in the work.

340
341 **Notice to Bidders** - The advertisement for proposals for all work or materials on
342 which bids are required. Such advertisement will indicate the location of the work
343 to be done or the character of the material to be furnished and the time and place
344 for the opening of proposals.

345
346 **Notice to Proceed** - Written notice from the Engineer to the Contractor identifying
347 the date on which the Contractor is to begin procuring materials and required
348 permits and adjusting work forces, equipment, schedules, etc. prior to beginning
349 physical work.

350
351 **Pavement** - The uppermost layer of material placed on the traveled way or
352 shoulders or both. Pavement and surfacing may be interchangeable.

353
354 **Pavement Structure** - The combination of subbase, base, pavement, surfacing or
355 other specified layer of a roadway constructed on a subgrade to support the traffic
356 load.

357
358 **Payment Bond** - The security executed by the Contractor and surety or sureties
359 furnished to the Department to guarantee payment by the Contractor to laborers,
360 material suppliers and subcontractors in accordance with the terms of the contract.

361

362 **Physical Work** - Physical construction activities on the project site or at
363 appurtenant facilities including staging areas. It includes; (i) building or installing
364 any structures or facilities including, but not limited to sign erection; BMP
365 installation; field office site grading and building; (ii) removal, adjustment, or
366 demolition of physical obstructions on site; (iii) any ground breaking activities; and
367 (iv) any utility work. It does not include pre-construction environmental testing
368 (such as water quality baseline measurements) that may be required as part of
369 contract.

370

371 **Pre-Final Inspection** - Inspection scheduled when Contractor notifies Engineer
372 that all physical work on the project, with the exception of planting period and plant
373 establishment period, has been completed. Notice from Contractor of substantial
374 completion will suspend contract time until Contractor receives punchlist from
375 Engineer.

376

377 **Profile Grade** - The elevation or gradient of a vertical plane intersecting the top
378 surface of the proposed pavement.

379

380 **Project Acceptance Date** - The calendar day on which the Engineer accepts the
381 project as completed. See Final Completion.

382

383 **Proposal (Bid)** - The offer of a Bidder, on the prescribed HDOT form, to perform
384 the work and to furnish the labor and materials at the prices quoted.

385

386 **Public Traffic** - Vehicular or pedestrian movement on a public way.

387

388 **Punchlist** - A list compiled by the Engineer specifying work yet to be completed or
389 corrected by the Contractor in order to substantially complete the contract.

390

391 **Questionnaire** - The specified forms on which the bidder shall furnish required
392 information as to its ability to perform and finance the work.

393

394 **Request for Change Proposal** - A written notice from the Engineer to the
395 Contractor requesting that the Contractor provide a price and/or time proposal for
396 contemplated changes preparatory to the issuance of a field order or change order.

397

398 **Right-of-Way** - Land, property, or property interests acquired by a government
399 agency for, or devoted to transportation purposes.

400

401 **Roadbed** - The graded portion of a highway within top and side slopes, prepared
402 as a foundation for the pavement structure and shoulders.

403

404 **Roadside** - The area between the outside edges of the shoulders and the right-of-
405 way boundaries. Unpaved median areas between inside shoulders of divided
406 highways and infield areas of interchanges are included.

407 **Section and Subsection** - Section or subsection shall be understood to refer to
408 these specifications unless otherwise specified.

409

410 **Shop Drawings** - All drawings, diagrams, illustrations, schedules and other data
411 or information which are specifically prepared or assembled by or for the
412 Contractor and submitted by the Contractor to illustrate some portion of the work.

413

414 **Shoulder** - The portion of the roadway next to the traveled way for:
415 accommodation of stopped vehicles, placement of underground facilities,
416 emergency use, and lateral support of base and surface courses.

417

418 **Sidewalk** - That portion of the roadway primarily constructed for use by
419 pedestrians.

420

421 **Solicitation** - An invitation to bid or request for proposals or any other document
422 issued by the Department to solicit bids or offers to perform a contract. The
423 solicitation may indicate the time and place to receive the bids or offers and the
424 location, nature and character of the work, construction or materials to be provided.

425

426 **Specifications** - Compilation of provisions and requirements to perform
427 prescribed work.

428

429 (A) **Standard Specifications.** Specifications by the State intended for
430 general application and repetitive use.

431

432 (B) **Special Provisions.** Revisions and additions to the standard
433 specifications applicable to an individual project.

434

435 **Standard Plans** - Drawings provided by the State for specific items of work
436 approved for repetitive use.

437

438 **State** - The State of Hawaii, its Departments and agencies, acting through its
439 authorized representative(s).

440

441 **State Waters** – All waters, fresh, brackish, or salt, around and within the State,
442 including, but not limited to, coastal waters, streams, rivers, drainage ditches,
443 ponds, reservoirs, canals, ground waters, and lakes; provided that drainage
444 ditches, ponds, and reservoirs required as a part of a water pollution control system
445 are excluded.

446

447 **Start Work Date** - Date on which Contractor begins physical work on the contract.
448 This date shall also be the beginning of Contract Time.

449

450 **Structures** - Bridges, culverts, catch basins, drop inlets, retaining walls, cribbing,
451 manholes, endwalls, buildings, sewers, service pipes, underdrains, foundation
452 drains, and other such features that may be encountered in the work.

453

454 **Subbase** - A layer of specified material of specified thickness between the
455 subgrade and a base.

456

457 **Subcontract** - Any written agreement between the Contractor and its
458 subcontractors which contains the conditions under which the subcontractor is to
459 perform a portion of the work for the Contractor.

460

461 **Subcontractor** - An individual, partnership, firm, corporation, joint venture or other
462 legal entity, as licensed or required to be licensed under Chapter 444, Hawaii
463 Revised Statutes, as amended, which enters into an agreement with the
464 Contractor to perform a portion of the work.

465

466 **Subgrade** - The top surface of completed earthwork on which subbase, base,
467 surfacing, pavement, or a course of other material is to be placed.

468

469 **Substantial Completion** - The Status of the project when the Contractor has
470 completed the work, except for the planting period and plant establishment period,
471 and each of the following requirements are met:

472

473 (1) All traffic lanes (including shoulders, ramps, sidewalks and bike
474 paths) are in their final configuration as designed and the final
475 wearing surface has been installed;

476

477 (2) All operational and safety devices have been installed in accordance
478 with the contract documents including guardrails, end treatments,
479 traffic barriers, required signs and pavement markings, drainage,
480 parapet, and bridge and pavement structures;

481

482 (3) All required illumination and lighting for normal and safe use and
483 operation is installed and functional in accordance with the contract
484 documents;

485

486 (4) All utilities and services are connected and working;

487

488 (5) The need for temporary traffic controls or lane closures at any time
489 has ceased, except for lane closures required for routine
490 maintenance;

491

492 (6) The building, structure, improvement or facility can be used for its
493 intended purpose.

494

495 **Substantial Completion Date** - The date the Substantial Completion is granted
496 by the Engineer in Writing and Contract Time stops.

497

498 **Superintendent** - The employee of the Contractor who is responsible for all the
499 work and is a Contractor's agent for communications to and from the State.

500

501 **Surety** - The qualified individual, firm or corporation other than the Contractor,
502 which executes a bond with and for the Contractor to insure its acceptable
503 performance of the contract.

504
505 **Surfacing** - The uppermost layer of material placed on the traveled way or
506 shoulders. This term is used interchangeably with pavement.

507
508 **Traveled Way** - The portion of the roadway for the movement of vehicles,
509 exclusive of shoulders.

510
511 **Unsuitable Material** - Materials that contain organic matter, muck, humus, peat,
512 sticks, debris, chemicals, toxic matter, or other deleterious materials not suitable
513 for use in earthwork.

514
515 **Utility** - A line, facility, or system for producing, transmitting, or distributing
516 communications, power, electricity, heat, gas, oil, water, steam, waste, or storm
517 water.

518
519 **Utility Owner** - The entity, whether private or owned by a State, Federal, or County
520 governmental body, that has the power and responsibility to grant approval for, or
521 undertake construction work involving a particular utility.

522
523 **Water Pollutant** - Dredged spoil, solid refuse, incinerator residue, sewage,
524 garbage, sewage sludge, munitions, chemical waste, biological materials,
525 radioactive materials, heat, wrecked or discarded equipment, rock, sand, soil,
526 sediment, cellar dirt and industrial, municipal, and agricultural waste.

527
528 **Water Pollution** - **(1)** Such contamination or other alteration of the physical,
529 chemical, or biological properties of any state waters, including change in
530 temperature, taste, color, turbidity, or odor of the waters, or **(2)** Such discharge of
531 any liquid, gaseous, solid, radioactive, or other substances into any state waters,
532 as will or is likely to create a nuisance or render such waters unreasonably harmful,
533 detrimental, or injurious to public health, safety, or welfare, including harm,
534 detriment, or injury to public water supplies, fish and aquatic life and wildlife,
535 recreational purposes and agricultural and industrial research and scientific uses
536 of such waters or as will or is likely to violate any water quality standards, effluent
537 standards, treatment and pretreatment standards, or standards of performance for
538 new sources adopted by the Department of Health.

539
540 **Work** - The furnishing of all labor, material, equipment, and other incidentals
541 necessary or convenient for the successful execution of all the duties and
542 obligations imposed by the contract.

543
544 **Working Day** - A calendar day in which a Contractor is capable of working four or
545 more hours with its normal work force, exclusive of:

546

547 (1) Saturdays, Sundays, and recognized legal State holidays and such
548 other days specified by the contract documents as non-working days,
549

550 (2) Day in which the Engineer suspends work for four or more hours
551 through no fault of the Contractor.”
552

553

554

555

556

END OF SECTION 101

1 Make this section a part of the Standard Specifications:

2
3 **“SECTION 102 - BIDDING REQUIREMENTS AND CONDITIONS**

4
5
6 **102.01 Prequalification of Bidders.** Prospective bidders shall be capable of
7 performing the work for which they are bidding.

8
9 In accordance with HRS Chapter 103D-310, the Department may require
10 any prospective bidder to submit answers to questions contained in the 'Standard
11 Qualification Questionnaire For Prospective Bidders On Public Works Contracts'
12 furnished by the Department, properly executed and notarized, setting forth a
13 complete statement of the experience of such prospective bidder and its
14 organization in performing similar work and a statement of the equipment
15 proposed to be used, together with adequate proof of the availability of such
16 equipment. Whenever it appears to the Department, from answers to the
17 questionnaire or otherwise, that the prospective bidder is not fully qualified and
18 able to perform the intended work, the Department will, after affording the
19 prospective bidder an opportunity to be heard and if still of the opinion that the
20 bidder is not fully qualified to perform the work, refuse to receive or consider any
21 bid offered by the prospective bidder. All information contained in the answers to
22 the questionnaire shall be kept confidential. Questionnaire so submitted shall be
23 returned to the bidders after serving their purpose.

24
25 No person, firm or corporation may bid where (1) the person, firm, or
26 corporation, or (2) a corporation owned substantially by the person, firm, or
27 corporation, or (3) a substantial stockholder or an officer of the corporation, or (4)
28 a partner or substantial investor in the firm is in arrears in payments owed to the
29 State or its political subdivisions or is in default as a surety or failure to do
30 faithfully and diligently previous contracts with the State.

31
32 **102.02 Contents of Proposal Forms.** The Department will furnish
33 prospective bidders with proposal forms posted in HlePRO stating:

- 34
35 (1) The location,
36
37 (2) Description of the proposed work,
38
39 (3) The approximate quantities,
40
41 (4) Items of work to be done or materials to be furnished,
42
43 (5) A schedule of items, and
44
45 (6) The time in which the work shall be completed.
46

47 Papers bound with or attached to the proposal form are part of the
48 proposal. The bidder shall not detach or alter the papers bound with or attached
49 to the proposal when the bidder submits its proposal through HlePRO.
50

51 Also, the bidder shall consider other documents including the plans and
52 specifications a part of the proposal form whether attached or not.
53

54 **102.03 (Unassigned).**
55

56 **102.04 Estimated Quantities.** The quantities shown in the contract are
57 approximate and are for the comparison of bids only. The actual quantity of work
58 may not correspond with the quantities shown in the contract. The Department
59 will make payment to the Contractor for unit price items in accordance with the
60 contract for only the following:
61

62 (1) Actual quantities of work done and accepted, not the estimated
63 quantities; or
64

65 (2) Actual quantities of materials furnished, not the estimated
66 quantities.
67

68 The Department may increase, decrease, or omit each scheduled
69 quantities of work to be done and materials to be furnished. When the
70 Department increases or decreases the estimated quantity of a contract item by
71 more than 15% the Department will make payment for such items in accordance
72 with Subsection 104.06 - Methods of Price Adjustment.
73

74 **102.05 Examination of Contract and Site of Work.** The bidder shall
75 examine carefully the site of the proposed work and contract before submitting a
76 proposal.
77

78 By the act of submitting a bid for the proposed contract, the bidder
79 warrants that:
80

81 (1) The bidder and its Subcontractors have reviewed the contract
82 documents and found them free from ambiguities and sufficient for the
83 purpose intended;
84

85 (2) The bidder and its workers, employees and subcontractors have
86 the skills and experience in the type of work required by the contract
87 documents bid upon;
88

89 (3) Neither the bidder nor its employees, agents, suppliers or
90 subcontractors have relied upon verbal representations from the
91 Department, its employees or agents, including architects, engineers or
92 consultants, in assembling the bid figure; and

93 (4) The basis for the bid figure are solely on the construction contract
94 documents.

95
96 Also, the bidder warrants that the bidder has examined the site of the
97 work. From its investigations, the bidder acknowledges satisfaction on:
98

- 99 (1) The nature and location of the work;
100
101 (2) The character, quality, and quantity of materials;
102
103 (3) The difficulties to be encountered; and
104
105 (4) The kind and amount of equipment and other facilities needed;
106

107 Subsurface information or hydrographic survey data furnished are for the
108 bidders' convenience only. The data and information furnished are the product of
109 the Department's interpretation gathered in investigations made at the specific
110 locations. These conditions may not be typical of conditions at other locations
111 within the project area or that such conditions remain unchanged. Also,
112 conditions found at the time of the subsurface explorations may not be the same
113 conditions when work starts. The bidder shall be solely responsible for
114 assumptions, deductions, or conclusions the bidder may derive from the
115 subsurface information or data furnished.
116

117 If the Engineer determines that the natural conditions differ from that
118 originally anticipated or contemplated by the Contractor in the items of
119 excavation, the State may treat the difference in natural conditions, as falling
120 within the meaning of Subsection 104.02 – Changes.
121

122 **102.06 Preparation of Proposal.** The submittal of its proposal shall be on
123 forms furnished by the Department. The bidder shall specify in words or figures:
124

- 125 (1) A unit price for each pay item with a quantity given;
126
127 (2) The products of the respective unit prices and quantities
128
129 (3) The lump sum amount; and
130
131 (4) The total amount of the proposal obtained by adding the amounts
132 of the several items.
133

134 The words and figures shall be in ink or typed. If a discrepancy occurs
135 between the prices written in words and those written in figures, the prices written
136 in words shall govern.
137

138 When an item in the proposal contains an option to be made, the bidder
139 shall choose in accordance with the contract for that particular item.
140 Determination of an option will not permit the Contractor to choose again.

141
142 The bidder shall sign the proposal properly in ink. A duly authorized
143 representatives of the bidder or by an agent of the bidder legally qualified and
144 acceptable to the Department shall sign, including one or more partners of the
145 bidder and one or more representatives of each entity comprising a joint venture.

146
147 When an agent, other than the officer(s) of a corporation authorized to
148 sign contracts for the corporation or a partner of a partnership, signs the
149 proposals, a 'Power of Attorney' shall be on file with the Department or submitted
150 with the proposal. Otherwise, the Department will reject the proposal as irregular
151 and unauthorized.

152
153 The bidder shall submit acceptable evidence of the authority of the
154 partner, member(s) or officer(s) to sign for the partnership, joint venture, or
155 corporation respectively with the proposal. Otherwise, the Department will reject
156 the proposal as irregular and unauthorized.

157
158 **102.07 Irregular Proposals.** The Department may consider proposals
159 irregular and may reject the proposals for the following reasons:

- 160
161 (1) The proposal is a form not furnished by the Department, altered, or
162 detached;
- 163
164 (2) The proposal contains unauthorized additions, conditions, or
165 alternates. Also, the proposal contains irregularities that may tend to
166 make the proposal incomplete, indefinite, or ambiguous to its meaning;
- 167
168 (3) The bidder adds provisions reserving the right to accept or reject an
169 award. Also, the bidder adds provisions into a contract before an award;
- 170
171 (4) The proposal does not contain a unit price for each pay item listed
172 except authorized optional pay items; and
- 173
174 (5) Prices for some items are out of proportion to the prices for other
175 items.
- 176
177 (6) If in the opinion of the Director, the bidder and its listed
178 subcontractors do not have the Contractor's licenses or combination of
179 Contractor's licenses necessary to complete the work.
- 180

181 Where the prospective bidder is bidding on multiple projects
182 simultaneously and the proposal limits the maximum gross amount of awards
183 that the bidder can accept at one bid letting, the proposal is not irregular if the
184 limit on the gross amount of awards is clear, and the Department selects the
185 awards that can be given.

186
187 **102.08 Proposal Guaranty.** The Department will not consider a proposal of
188 \$25,000 or more unless accompanied by:

189
190 (1) A deposit of legal tender; or

191
192 (2) A valid surety bid bond, underwritten by a company licensed to
193 issue bonds in the State of Hawaii, in the form and composed,
194 substantially, with the same language as provided herewith and signed by
195 both parties; or

196
197 (3) A certificate of deposit, share certificate, cashier's check,
198 treasurer's check, teller's check, or official check drawn by, or a certified
199 check accepted by and payable on demand to the State by a bank,
200 savings institution, or credit union insured by the Federal Deposit
201 Insurance Corporation (FDIC) or the National Credit Union Administration
202 (NCUA).

203
204 (a) The bidder may use these instruments only to a maximum of
205 \$100,000.

206
207 (b) If the required security or bond amount totals over \$100,000
208 more than one instrument not exceeding \$100,000 each and issued
209 by different financial institutions shall be acceptable.

210
211 (c) The instrument shall be made payable at sight to the
212 Department.

213
214 (d) If bidder elects options (1) or (3) above for its bid security,
215 said bid security shall be in its **original form** and shall be
216 **submitted before the bid deadline** to the Contract Office,
217 Department of Transportation, Aliiaimoku Hale, 869 Punchbowl
218 Street, Room 105, Honolulu, Hawaii 96813. Original surety bid
219 bonds do **not** need to be submitted to the Contracts Office. Bidders
220 are reminded that a copy of its surety bid bond shall be **included**
221 **with its bid** submitted and uploaded to HlePRO.

222
223 In accordance with HRS Chapter 103D-323, the above shall be in a sum
224 not less than 5% of the amount bid.

226 **102.09 Delivery of Proposal.** Bidders shall submit and upload the
227 complete proposal to HlePRO prior to the bid opening date and time.
228 **Proposals received after said due date and time shall not be considered.**
229 Original (wet ink, hard copy) proposal documents are not required to be
230 submitted. Contract award shall be based on evaluation of proposals submitted
231 and uploaded to HlePRO. **Any additional support documents explicitly**
232 **designated as confidential and/or proprietary shall be uploaded as a**
233 **separate file to HlePRO. Do not include confidential and/or proprietary**
234 **documents with the proposal.** The record of each bidder and respective bid
235 shall be open to public inspection.

236
237 **FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HlePRO SHALL BE**
238 **GROUNDS FOR REJECTION OF THE BID.**

239
240 If there is a conflict between the specification document and the HlePRO
241 solicitation, the specifications shall govern and control, unless otherwise
242 specified.”

243
244 **102.10 Withdrawal or Revision of Proposals.** Bids may be modified or
245 withdrawn prior to the bid opening date and time. Withdrawal or revision of
246 proposal shall be completed, and submitted and uploaded to HlePRO prior to the
247 bid opening date and time.

248 **102.11 Public Opening of Proposals.** Not applicable.

249
250 **102.12 Disqualification of Bidders.** The Department may disqualify a bidder
251 and reject its proposal for the following reasons:

- 252
- 253 (1) Submittal of more than one proposal whether under the same or
254 different name.
 - 255
 - 256 (2) Evidence of collusion among bidders. The Department will not
257 recognize participants in collusion as bidders for any future work of the
258 Department until such participants are reinstated as qualified bidders.
 - 259
 - 260 (3) Lack of proposal guaranty.
 - 261
 - 262 (4) Submittal of an unsigned or improperly signed proposal.
 - 263
 - 264 (5) Submittal of a proposal without a listing of subcontractors or
265 containing only a partial or incomplete listing of subcontractors.
 - 266
 - 267 (6) Submittal of an irregular proposal in accordance with Subsection
268 102.07 - Irregular Proposals.
 - 269
 - 270 (7) Evidence of assistance from a person who has been an employee
271 of the agency within the preceding two years and who participated while in

272 State office or employment in the matter with which the contract is directly
273 concerned, pursuant to HRS Chapter 84-15.

274
275 (8) Suspended or debarred in accordance with HRS Chapter 104-25.

276
277 (9) Failure to complete the prequalification questionnaire, if applicable.

278
279 (10) Failure to attend the mandatory pre-bid meeting, if applicable.

280
281 **102.13 Material Guaranty.** The successful bidder may be required to furnish
282 a statement of the composition, origin, manufacture of materials, and samples.

283
284 **102.14 Substitution of Materials and Equipment Before Bid Opening.** See
285 Subsection 106.13 for Substitution Of Materials and Equipment After Bid
286 Opening.

287
288 (A) **General.** When brand names of materials or equipment are
289 specified in the contract documents, they are to indicate a quality, style,
290 appearance, or performance and not to limit competition. The bidder shall base
291 its bid on one of the specified brand names unless alternate brands are qualified
292 as equal or better in an addendum. Qualification of such proposed alternate
293 brands shall be submitted via email to the Contact person listed in HlePRO for
294 the solicitation and also post a question in HlePRO under the question/answer
295 tab referencing the email with the request. The request must be posted in
296 HlePRO no later than 14 calendar days before the bid opening date.

297
298 An addendum will be issued to inform all prospective bidders of any
299 accepted substitution in accordance with Subsection 102.17 – Addenda.

300
301 (B) **Statement of Variances.** The statement of variances must list all
302 features of the proposed substitution that differ from the contract
303 documents and must further certify that the substitution has no other
304 variant features. The brochure and information submitted shall be clearly
305 marked showing make, model, size, options, and any other features
306 requested by the Engineer and must include sufficient evidence to
307 evaluate each feature listed as a variance. A request will be denied if
308 submitted without sufficient evidence. If after installing the substituted
309 product, an unlisted variance is discovered, the Contractor shall
310 immediately replace the product with a specified product at no increase in
311 contract price and contract time.

312
313 (C) **Substitution Denial.** Any substitution request not complying with
314 the above requirements will be denied.

315
316 **102.15 Preferences.** Preferences shall not apply to this project.

317

318 **102.16 Certification for Safety and Health Program for Bids in excess of**
319 **\$100,000.** In accordance with HRS Chapter 396-18, the bidder or offeror, by
320 signing and submitting this proposal, certifies that a written safety and health plan
321 for this project will be available and implemented by the notice to proceed date
322 for this project. Details of the requirements of this plan may be obtained from the
323 State Department of Labor and Industrial Relations, Occupational Safety and
324 Health Division (HIOSH).

325
326 **102.17 Addenda.** Addenda issued shall become part of the contract
327 documents. Addenda to the bid documents will be provided to all prospective
328 bidders via HlePRO. Each addendum shall be an addition to the contract
329 documents. The terms and requirements of the bid documents (i.e., drawings,
330 specifications and other bid and contract documents) cannot be changed prior to
331 the bid opening except by a duly issued addendum.”

332
333
334

END OF SECTION 102

1 Make this section a part of the Standard Specifications:
2

3 **“SECTION 103 - AWARD AND EXECUTION OF CONTRACT**
4

5
6 **103.01 Consideration of Proposals.** The Department will compare the
7 proposals in terms of the summation of the products of the approximate quantities
8 and the unit bid prices after the submittal date and time established in HlePRO. If
9 a discrepancy occurs between the unit bid price and the bid price, the unit bid price
10 shall govern.
11

12 The “Buy America” provisions in the Surface Transportation Assistance Act
13 of 1982 is applicable to Federal-aid projects. Bidders may submit a bid based
14 upon the furnishing and use of domestic steel or foreign steel. Manufacturing
15 processes for domestic steel shall occur in the United States.
16

17 The Department reserves the right to reject proposals, waive technicalities
18 or advertise for new proposals, if the rejection, waiver, or new advertisement favors
19 the Department.
20

21 **103.02 Award of Contract.** The award of contract, if it be awarded, will be
22 made within 60 calendar days after the opening of bids, to the lowest responsible
23 and responsive bidder whose proposal complies with all the prescribed
24 requirements. The Department may request the bidders to allow the Department
25 to consider the bids for the issuance of an award beyond the 60-calendar day
26 period. Agreement to such an extension must be made by a bidder in writing. Only
27 bidders who have agreed to such an extension will be eligible for the award.
28
29

30 **(1) Requirement for Award.** The Bidder, as proof of compliance
31 with the requirements of section 103D-310(c), HRS, upon award of a
32 contract made pursuant to section 103D-302, HRS, shall provide the
33 documents listed below. The documents shall be submitted promptly
34 to the Department. If a valid certificate/clearance is not submitted on
35 a timely basis upon award, the Bidder may be deemed non-
36 responsible. See also Subsection 108.03 – Preconstruction Data
37 Submittal.
38
39

40 **(A) Tax Clearance.** Pursuant to §103D-310(c), 103-53 and 103D-328,
41 HRS, the bidder shall submit a tax clearance certificate from the State of
42 Hawaii Department of Taxation (DOTAX) and the Internal Revenue Service
43 (IRS), subject to section 103D-328, HRS, current within six months of
44 issuance date.

45
46 FORM A6, TAX CLEARANCE CERTIFICATE, is available at
47 the following website:

48
49 <https://tax.hawaii.gov/>

50
51 To receive DOTAX Forms by fax or mail, phone
52 (808)587-4242 or 1-800-222-3229.

53
54 The application for the Tax Clearance Certificate is the responsibility of the
55 bidder. Bidder shall submit directly to the DOTAX or IRS. The approved
56 certificate may then be submitted to the Department.

57
58 **(B) DLIR Certificate of Compliance.** Pursuant to §103D-310(c), HRS,
59 the bidder shall submit a certificate of compliance for Hawaii Employment
60 Security Law (Chapter 383, HRS), Workers' Compensation Law (Chapter
61 386, HRS), Temporary Disability Insurance (Chapter 392, HRS), and
62 Prepaid Health Care Act (Chapter 393, HRS), from the State of Hawaii
63 Department of Labor and Industrial Relations (DLIR), current within six
64 months of issuance date.

65
66 FORM LIR#27, APPLICATION FOR CERTIFICATE OF
67 COMPLIANCE WITH SECTION 3-122-112, HAR, is available at the
68 following website:

69
70 <http://labor.hawaii.gov/>

71
72 Contact the DLIR Unemployment Insurance Division at (808) 586-8926 for
73 additional information.

74
75 Inquiries regarding the status of a LIR#27 Form may be made by calling the
76 DLIR Disability Compensation Division at (808) 586-9200.

77
78 The application for the Certificate of Compliance is the responsibility of the
79 bidder. Bidder shall submit directly to the DLIR. The approved certificate
80 may then be submitted to the Department.

81
82 **(C) DCCA Certificate of Good Standing.** Pursuant to §103D-310(c),
83 HRS, the bidder shall submit a certificate of good standing from the
84 business registration division (BREG) of the State of Hawaii Department of

85 Commerce and Consumer Affairs (DCCA), current within six months of
86 issuance date, to demonstrate it is either:

87
88 (1) Incorporated or organized under the laws of the State; or

89
90 (2) Registered to do business in the State as a separate branch
91 or division that is capable of fully performing under the contract.

92
93 A Hawaii business that is a sole proprietorship, is not required to register
94 with the BREG, and therefore not required to submit a certificate of good
95 standing. Bidders are advised of costs associated with registering and
96 obtaining a Certificate of Good Standing from the DCCA.

97
98 To purchase a CERTIFICATE OF GOOD STANDING, go to On-Line
99 Services at the following website:

100
101 <http://cca.hawaii.gov/>

102
103 The application for the Certificate of Good Standing is the responsibility of
104 the bidder. Bidder shall submit directly to the DCCA. The approved
105 certificate may then be submitted to the Department.

106
107 (D) **Hawaii Compliance Express (HCE).** In lieu of the certificates
108 referenced in subsection A, B, and C, the bidder may make available proof
109 of compliance through a state procurement office designated certification
110 process.

111
112 **103.03 Cancellation of Award.** The Department reserves the right to cancel
113 the award of contracts before the execution of said contract by the parties. There
114 will be no liability to the awardee and to other bidders.

115
116 **103.04 Return of Proposal Guaranty.** The Department will return the proposal
117 guaranties, except those of the three lowest bidders, after the Department checks
118 the proposals. The Department will return the proposal guaranties of the remaining
119 two lowest bidders, not awarded the contract, within five working days following
120 the execution of the contract. The Department will return the successful bidder's
121 proposal guaranty after the successful bidder furnishes a bond and executes the
122 contract.

123
124 **103.05 Requirement of Contract Bond.** At the time of execution of the
125 contract, the successful bidder shall file a good and sufficient performance bond
126 and a payment bond on the forms furnished by the Department conditioned for the
127 full and faithful performance of the contract in accordance with the terms and intent
128 thereof and for the prompt payment to all others for all labor and material furnished
129 by them to the bidder and used in the prosecution of the work provided for in the
130 contract. The bonds shall be of an amount equal to 100 percent of the amount of

131 the contract price and include 5 percent of the contract amount estimated to be
132 required for extra work. The bidder shall limit the acceptable performance and
133 payment bonds to the following:

- 134
- 135 (a) Legal tender;
- 136
- 137 (b) Surety bond underwritten by a company licensed to issue bonds in
138 the State of Hawaii; or
- 139
- 140 (c) A certificate of deposit; share certificate; cashier's check; treasurer's
141 check, teller's check drawn by or a certified check accepted by and payable
142 on demand to the State by a bank savings institution or credit union insured
143 by the Federal Deposit Insurance Corporation (FDIC) or the National Credit
144 Union Administration (NCUA).
- 145
- 146 1. The bidder may use these instruments only to a maximum of
147 \$100,000.
- 148
- 149 2. If the required security or bond amount totals over \$100,000
150 more than one instrument not exceeding \$100,000 each and issued
151 by different financial institutions shall be acceptable.

152

153 Such bonds shall also by the terms insure to the benefit of any and all
154 persons entitled to file claims for labor done or material furnished in the work so as
155 to give them a right of action as contemplated by HRS Section 103D-324.

156

157 **103.06 Execution of the Contract.** The contract bond and HRS Chapter 104
158 - Compliance Certificate, similar to a copy of the same annexed hereto, shall be
159 executed by the successful bidder and returned within ten days after the award
160 of the contract or within such further time as the Director may allow after the
161 bidder has received the contract for execution.

162 The contract shall not bind the Department unless said parties execute
163 the contract and the Director of Finance endorses the bidder's certificate in
164 accordance with HRS Section 103-39.

165

166 **103.07 Failure to Execute Contract.** Failure to execute the contract and file
167 acceptable bonds shall be cause for the cancellation of the award in accordance
168 with Subsection 103.06 - Execution of the Contract. Also, the Contractor forfeits
169 the proposal guaranty which becomes the property of the Department. This is not
170 a penalty, but liquidated damages sustained by the State. The Department may
171 then make award to the next lowest responsible and responsive bidder or the
172 Department may readvertise and construct the work under contract.”

173

174

175

176

END OF SECTION 103

48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84

submission by the contractor of proper documentation of completed force account work, whether periodic (conforming to the applicable billing cycle) or final. The Engineer shall return any documentation that is defective, to the contractor within fifteen days after receipt, with a statement identifying the defect; or

(B) For change orders with value exceeding \$50,000 by a unilateral determination by the Engineer of the costs attributable to the events or situations with adjustment of profit and fee, all as computed by the Engineer in accordance with applicable sections of HAR Chapters 3-123 and 3-126, and Section 109.05 - Allowances for Overhead and Profit. When a unilateral determination has been made, a unilateral change order shall be issued within ten days. Upon receipt of the unilateral change order, if the contractor does not agree with any of the terms or conditions, or the adjustment or nonadjustment of the contract time or contract price, the contractor shall file a notice of intent to claim within thirty days after the receipt of the written unilateral change order. Failure to file a protest within the time specified shall constitute agreement on the part of the contractor with the terms, conditions, amounts, and adjustment or nonadjustment of the contract time or the contract price set forth in the unilateral change order.

A contractor shall be required to submit cost or pricing data if any adjustment in contract price is subject to the provisions of HAR Chapter 3-122, Subchapter 15. A fully executed change order or other document permitting billing for the adjustment in price under any method listed in Subsections 104.06(1) through 104.06(7) shall be issued within ten days after agreement on the method of adjustment."

END OF SECTION 104

1 **SECTION 105 – CONTROL OF WORK**

2
3 Make the following amendments to said Section:

4
5
6 **(I)** Amend **105.01 – Authority** to read as follows:

7
8 **“105.01 Authority.**

9
10 **(A) Authority of the Engineer.** The Engineer is the representative of
11 the Director and has all the authority of the Director with respect to the
12 contract. The Engineer will make decisions on all questions that may
13 arise regarding the contract, such as, but not limited to:

- 14
15 (1) Interpretation of the contract documents.
- 16
17 (2) Acceptability of the materials furnished and work performed.
- 18
19 (3) Manner of performance and rate of progress of the work.
- 20
21 (4) Acceptable fulfillment of the contract on the part of the
22 Contractor.
- 23
24 (5) Compensation under the contract.

25
26 The Engineer’s decisions on questions, claims, and disputes will be
27 final and conclusive subject to Subsection 107.15 – Disputes and Claims.

28
29 The Engineer may delegate specific authority to act for the
30 Engineer to a specific person or persons. Such delegation of authority
31 shall be established in writing and shall become effective upon delivery to
32 the Contractor.

33
34 **(B) Authority of the Inspectors.** Inspectors, as a representative of
35 the Engineer or other agencies, will inspect the work done and materials
36 furnished. Such inspection may extend to the preparation, fabrication or
37 manufacture of the materials to be used. The Inspector does not have
38 authority vested in the Engineer unless specifically delegated in writing.
39 The Inspector may not alter or waive the provisions of the contract, issue
40 instructions contrary to the contract, or act as agent or representative of
41 the Contractor.

42
43 Failure of an Inspector at any time to reject non-conforming work
44 shall not be considered a waiver of the State’s right to require work in strict
45 conformity with the contract documents as a condition of final acceptance.

47 **(C) Authority of the Consultant and Construction Management.**
48 The State may engage consultants and construction managements to
49 perform duties in connection with the work. Unless otherwise specified in
50 writing to the Contractor, such retained consultants and construction
51 managements shall have no greater authority than an Inspector.”
52

53 **(II) Amend Subsection 105.02 - Submittals** by revising the first paragraph
54 from lines 52 to 61 to read as follows:
55

56 **“105.02 Submittals.** The contract contains the description of various items
57 that the Contractor must submit to the Engineer for review and acceptance. The
58 Contractor shall review all submittals for correctness, conformance with the
59 requirements of the contract documents and completeness before submitting
60 them to the Engineer. The submittal shall indicate the contract items and
61 specifications subsections for which the submittal is provided. The submittal
62 shall be legible and clearly indicate what portion of the submittal is being
63 submitted for review. The Contractor shall provide six copies of the required
64 submissions at the earliest possible date.”
65

66 **(III) Amend Subsection 105.08 (A) - Furnishing Drawings and Special**
67 **Provisions** to read as follows:
68

69 **“(A) Furnishing Drawings and Special Provisions.** The State will
70 furnish the Contractor an electronic set of the special provisions and
71 plans.” The Contractor shall have and maintain at least one set of plans
72 and specifications on the work site, at all times.”
73

74 **(IV) Amend Subsection 105.14(D) – No Designated Storage Area** from lines
75 421 to 432 to read as follows:
76

77 **“(D) No Designated Storage Area.** If no storage area is designated
78 within the contract documents, materials and equipment may be stored
79 anywhere within the State highway right-of-way, provided such storage
80 and access to and from such site, within the sole discretion of the
81 Engineer, does not create a public or traffic hazard or an impediment to
82 the movement of traffic.”
83

84 **(V) Amend 105.16(A) – Subcontract Requirements** by adding the following
85 paragraph after line 483:
86

87 The 'Specialty Items' of work for this project are as follows:
88

	Section No.	Description
89		
90		
91		
92		
93	401	Contract Item No. 401.0410 under Section 401 – PMA Pavement, Mix No. IV PG 64E-22
94		
95		
96	606	All Contract Items under Section 606 - Guardrail
97		
98	629	All Contract Items under Section 629 - Pavement Markings
99		
100	630	All Contract Items under Section 630 - Traffic Control Guide Signs
101		
102		
103	631	All Contract Items under Section 631 - Traffic Control Regulatory, Warning, and Miscellaneous Signs
104		
105		
106	632	All Contract Items under Section 632 - Markers
107		
108	645	Contract Item No. 645.1000 under Section 645 – Work Zone Traffic Control”
109		
110		

111 **(VI)** Amend **Subsection 105.16(B) – Substituting Subcontractors** from line
 112 487 to line 494 to read:

113
 114 **“(B) Substituting Subcontractors.** Under HRS Chapter 103D-302, the
 115 Contractor is required to list the names of persons or firms to be engaged
 116 by the Contractor as a subcontractor or joint contractor in the performance
 117 of the contract. No subcontractor may be added or deleted, unless
 118 authorized by the Engineer. Substitutions will be allowed only if the
 119 subcontractor:

120
 121
 122
 123
 124 **END OF SECTION 105**

1 Make the following amendment to said Section:
2

3 **SECTION 106 – MATERIAL RESTRICTIONS AND REQUIREMENTS**
4
5

6 **(I)** Amend **106.05(B) – Deviation** by revising the third sentence from line 106
7 to 108 to read as follows:
8

9 “Any deviations will be subject to Subsection 102.14 – Substitution of
10 Materials and Equipment Before Bid Opening.
11

12 **(II)** Amend **Section 106 – Material Restrictions and Requirements** by
13 adding the following after line 334
14

15 **106.14 Construction Materials.**
16

17 **(A)** Buy America requirements apply to the following construction
18 materials if permanently incorporated into the project unless otherwise
19 specified:
20

- 21 **(1)** Non-ferrous metals.
- 22 **(2)** Plastic and polymer-based products such as:
 - 23 **(a)** High Density Polyethylene
 - 24 **(b)** Polyvinylchloride.
 - 25 **(c)** Composite building materials.
 - 26 **(d)** Polymers used in fiber optic cables.
- 27 **(3)** Glass (including optic glass).
- 28 **(4)** Fiber optic cable (including drop cable).
- 29 **(5)** Optical fiber.
- 30 **(6)** Lumber.
- 31 **(7)** Engineered wood.
- 32 **(8)** Drywall.
- 33 **(9)** Manufactured products containing steel and iron material
34
35
36
37
38
39
40
41
42
43
44
45
46

47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89

Where one or more of these construction materials have been combined by a manufacturer with other materials through a manufacturing process, Buy America requirements do not apply unless otherwise specified. Furnish construction materials to be incorporated into the work with certificates of compliance with each project delivery. Manufacturer's certificate of compliance must identify where the construction material was manufactured and attest specifically to Buy America compliance. All manufacturing processes for these materials must occur in the United States.

Non-ferrous metals, such as aluminum, copper, lead, nickel, tin, titanium, zinc, brass, and bronze, are subject to Buy America requirements if used as construction materials in various shapes, sizes, and gauges including channels, bars, pipe, couplers, fittings, bolts, nuts, and products made of 100 percent of the non-ferrous metal. If the non-ferrous metal is combined with other construction materials during a manufacturing process, the product is considered a manufactured product and not subject to Buy America requirements.

One hundred percent plastic or polymer materials are subject to Buy America requirements. This includes high-density polyethylene or polyvinyl chloride pipe and fittings. Plastics or polymers that are combined with other construction materials in a manufacturing process are considered a manufactured product and not subject to these requirements.

Glass construction materials subject to Buy America requirements are composed solely of glass. This includes glass beads incorporated into pavement striping and 100 percent Fiberglass material.

Fiber optic cable (including drop cable) and optical fiber are subject to Buy America requirements.

Lumber products including engineered lumber are subject to Buy America requirements.

Manufactured products containing steel or iron including pre-cast concrete products are subject to Buy America requirements.

END OF SECTION 106

1 **SECTION 107 - LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC**

2
3 Make the following amendments to said Section:

4
5 **(I)** Amend **Section 107.01 Insurance Requirements** from lines 5 to 81 to
6 read as follows:

7
8 **“(A) Obligation of Contractor.** Contractor shall not commence any
9 work until it obtains, at its own expense, all required insurance described
10 herein. Such insurance shall be provided by an insurance company
11 authorized by the laws of the State to issue such insurance in the State of
12 Hawaii. Coverage by a “Non-Admitted” carrier is permissible provided the
13 carrier has a Best’s Rating of “A-VII” or better. The Contractor shall
14 maintain and ensure all insurance policies are current for the full period of
15 the contract until final acceptance of the work by the State.
16

17 The Certificate of Insurance shall contain: a clause that it is agreed
18 that any insurance maintained by the State of Hawaii will apply in excess
19 of, and not contribute with, insurance provided by this policy; and shall be
20 accompanied by endorsement form CG2010 or equivalent naming the
21 State as an additional insured to the policy which status shall be
22 maintained for the full period of the contract until final acceptance of the
23 work by State.
24

25 The Contractor shall obtain all required insurance as part of the
26 contract price. Where there is a requirement for the State of Hawaii and
27 its officers and employees to be named as additional insureds under any
28 Contractor’s insurance policy, before the State of Hawaii issues the Notice
29 to Proceed, the Contractor shall obtain and submit to the Engineer a
30 Certificate of Insurance and a written policy endorsement that confirms the
31 State of Hawaii and its officers and employees are additional insureds for
32 the specific State project number and project title under such insurance
33 policies. The written policy endorsement must be issued by the insurance
34 company insuring the Contractor for the specified policy type or by an
35 agent of such insurance company who is vested with the authority to issue
36 a written policy endorsement. The insurer’s agent shall also submit
37 written confirmation of such authority to bind the insurer. Any delays in
38 the issuance of the Notice to Proceed attributed to the failure to obtain the
39 proof of the State of Hawaii and its officers and employees’ additional
40 insured status shall be charged to the Contractor.
41

42 A mere Certificate of Insurance issued by a broker who represents
43 the Contractor (but not the Contractor’s insurer), or by any other party who
44 is not authorized to contractually name the State as an additional insured
45 under the Contractor’s insurance policy, is not sufficient to meet the
46 Contractor’s insurance obligations.

47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91

Certificates shall contain a provision that coverages being certified will not be cancelled or materially changed without giving the Engineer at least thirty (30) days prior written notice. Contractor will immediately provide written notice to the Director should any of the insurance policies evidenced on its Certificate of Insurance form be cancelled, reduced in scope or coverage, or not renewed upon expiration. Should any policy be canceled before final acceptance of the work by the State, and the Contractor fails to immediately procure replacement insurance as specified, the State, in addition to all other remedies it may have for such breach, reserves the right to procure such insurance and deduct the cost thereof from any money due or to become due to the Contractor.

Nothing contained in these insurance requirements is to be construed as limiting the extent of Contractor's responsibility for payment of damages resulting from its operations under this contract, including the Contractor's obligation to pay liquidated damages, nor shall it affect the Contractor's separate and independent duty to defend, indemnify and hold the State harmless pursuant to other provisions of this contract. In no instance will the State's exercise of an option to occupy and use completed portions of the work relieve the Contractor of its obligation to maintain the required insurance until the date of final acceptance of the work.

All insurance described herein shall be primary and cover the insured for all work to be performed under the contract, all work performed incidental thereto or directly or indirectly connected therewith, including but not limited to traffic detour work, barricades, warnings, diversions, lane closures, and other work performed outside the work area and all change order work.

The Contractor shall, from time to time, furnish the Engineer, when requested, satisfactory proof of coverage of each type of insurance required covering the work. Failure to comply with the Engineer's request may result in suspension of the work, and shall be sufficient grounds to withhold future payments due the Contractor and to terminate the contract for Contractor's default.

(B) Types of Insurance. Contractor shall purchase and maintain insurance described below which shall provide coverage against claims arising out of the Contractor's operations under the contract, whether such operations be by the Contractor itself or by any subcontractor or by anyone directly or indirectly employed by any of them or by anyone for whose acts any of them may be liable.

92 (1) **Workers' Compensation.** The Contractor shall obtain
93 worker's compensation insurance for all persons whom they
94 employ in carrying out the work under this contract. This insurance
95 shall be in strict conformity with the requirements of the most
96 current and applicable State of Hawaii Worker's Compensation
97 Insurance laws in effect on the date of the execution of this contract
98 and as modified during the duration of the contract.
99

100 (2) **Auto Liability.** The Contractor shall obtain Auto Liability
101 Insurance covering all owned, non-owned and hired autos with a
102 Combined single Limit of not less than \$1,000,000 per occurrence
103 for bodily injury and property damage with the State of Hawaii
104 named as additional insured. Refer to SPECIAL CONDITIONS for
105 any additional requirements.
106

107 (3) **General Liability.** The Contractor shall obtain General
108 Liability insurance with a limit of not less than \$2,000,000 per
109 occurrence and in the Aggregates for each of the following:
110

- 111 (a) Products - Completed/Operations Aggregate,
- 112
- 113 (b) Personal & Advertising Injury, and
- 114
- 115 (c) Bodily Injury & Property Damage
116

117 The General Liability insurance shall include the State as an
118 Additional Insured. The required limit of insurance may be provided
119 by a single policy or with a combination of primary and excess
120 policies. Refer to SPECIAL CONDITIONS for any additional
121 requirements.
122

123 (4) **Builders Risk For All Work.** The Contractor shall take out
124 a policy of builder's risk insurance for the full replacement value of
125 the project work; from a company licensed or otherwise authorized
126 to do business in the State of Hawaii; naming the State as an
127 additional insured under each policy; and covering all work, labor,
128 and materials furnished by such Contractor and all its
129 subcontractors against loss by fire, windstorm, tsunamis,
130 earthquakes, lightning, explosion, other perils covered by the
131 standard Extended Coverage Endorsement, vandalism, and
132 malicious mischief. Refer to SPECIAL CONDITIONS for any
133 additional requirements."
134

135 (II) Amend **107.03 – Working Hours; Night Work** by adding the following
136 after line 142.
137

138
139
140
141
142
143
144
145
146
147
148
149
150

“Perform night work only as follows:

Sunday thru Thursday nights, from 6:00 P.M. to 12:00 midnight
Monday thru Friday mornings, from 12:00 midnight to 7:00 A.M.

The Engineer has secured a Noise Variance from the Department of Health according to Administrative Rules Title 11, Chapter 11-46, Section 11-46-8 for this work.”

END OF SECTION 107

1 Amend **Section 108 – PROSECUTION AND PROGRESS** to read as follows:
2

3 **“SECTION 108 – PROSECUTION AND PROGRESS**
4

5
6 **108.01 Notice to Proceed (NTP).** A Notice To Proceed will be issued to the
7 Contractor not more than thirty (30) calendar days after the contract certification
8 date. The Engineer may suspend the contract before issuing the Notice To
9 Proceed, in which case the Contractor’s remedies are exclusively those set forth in
10 Subsection 108.10 – Suspension of Work.
11

12 The Contractor shall be allowed up to fourteen (14) calendar days after the
13 Notice to Proceed to begin physical work. The Start Work Date will be established
14 when this period ends or on the actual day that physical work begins, whichever is
15 first. Charging of Contract Time will begin on the Start Work Date. The Contractor
16 shall notify the Engineer, in writing, at least five (5) working days before beginning
17 physical work.
18

19 In the event that the Contractor fails to start physical work within the time
20 specified, the Engineer may terminate the contract in accordance with Subsection
21 108.11 – Termination of Contract for Cause.
22

23 During the period between the Notice to Proceed and the Start Work Date
24 the Contractor should adjust work forces, equipment, schedules, and procure
25 materials and required permits, prior to beginning physical work.
26

27 Any physical work done prior to the Start Work Date will be considered
28 unauthorized work. If the Engineer does not direct that the unauthorized work be
29 removed, it shall be paid for after the Start Work Date and only if it is acceptable.
30

31 In the event that the Engineer establishes, in writing, a Start Work Date that
32 is beyond fourteen (14) calendar days from the Notice to Proceed date, the
33 Contractor may submit a claim in accordance with, Subsection 107.15 – Disputes
34 and Claims for increased labor and material costs which are directly attributable to
35 the delay beyond the first fourteen (14) calendar days after the Notice to Proceed
36 date.
37

38 The Contractor shall notify the Engineer at least twenty four (24) hours
39 before restarting physical work after a suspension of work pursuant to Subsection
40 108.10 – Suspension of Work.
41

42 Once physical work has begun, the Contractor shall work expeditiously and
43 pursue the work diligently to completion with the contract time. If a portion of the
44 work is to be done in stages, the Contractor shall leave the area safe and usable
45 for the user agency and the public at the end of each stage.
46

47 **108.02 Prosecution of Work.** Unless otherwise permitted by the Engineer, in
48 writing, the Contractor shall not commence with physical construction unless
49 sufficient materials and equipment are available for either continuous construction
50 or completion of a specified portion of the work.

51
52 **108.03 Preconstruction Submittals.** The awardee shall submit to the
53 Engineer for information and review the pre-construction submittals within twenty
54 one (21) calendar days from award. Until the items listed below are received and
55 found acceptable by the Engineer, the Contractor shall not start physical work
56 unless otherwise authorized to do so in writing and subject to such conditions set
57 by the Engineer. Charging of Contract Time will not be delayed, and additional
58 contract time will not be granted due to Contractor delay in submitting acceptable
59 preconstruction submittals. No progress payment will be made to the Contractor
60 until the Engineer acknowledges, in writing, receipt of the following
61 preconstruction submittals acceptable to the Engineer:

- 62
- 63 (1) List of the Superintendent and other Supervisory Personnel, and
64 their contact information.
 - 65
 - 66 (2) Name of person(s) authorized to sign for the Contractor.
 - 67
 - 68 (3) Work Schedule including hours of operation.
 - 69
 - 70 (4) Initial Progress Schedule (See Subsection 108.06 – Progress
71 Schedule).
 - 72
 - 73 (5) Water Pollution and Siltation Control Submittals, including Site-
74 Specific Best Management Practice Plan.
 - 75
 - 76 (6) Solid Waste Disposal form.
 - 77
 - 78 (7) Tax Rates.
 - 79
 - 80 (8) Insurance Rates.
 - 81
 - 82 (9) Certificate of Insurance, satisfactory to the Engineer, indicating that
83 the Contractor has in place all insurance coverage required by the contract
84 documents.
 - 85
 - 86 (10) Schedule of agreed prices.
 - 87
 - 88 (11) List of suppliers.
 - 89
 - 90 (12) Traffic Control Plan, if applicable.

91 **108.04 Character and Proficiency of Workers.** The Contractor shall at all
92 times provide adequate supervision and sufficient labor and equipment for
93 prosecuting the work to full completion in the manner and within the time required
94 by the contract. The superintendent and all other representatives of the
95 Contractor shall act in a civil and honest manner in all dealings with the Engineer,
96 all other State officials and representatives, and the public, in connection with the
97 work.

98
99 All workers shall possess the proper license, certification, job classification,
100 skill, training, and experience necessary to properly perform the work assigned to
101 them.

102
103 The Engineer may direct the removal of any worker(s) who does not carry
104 out the assigned work in a proper and skillful manner or who is disrespectful,
105 intemperate, violent, or disorderly. The worker shall be removed forthwith by the
106 Contractor and will not work again without the written permission of the Engineer.

107
108 **108.05 Contract Time.**

109
110 **(A) Calculation of Contract Time.** When the contract time is on a
111 working day basis, the total contract time allowed for the performance of
112 the work will be the number of working days shown in the contract plus any
113 additional working days authorized in writing as provided hereinafter. The
114 count of elapsed working days to be charged against contract time, will
115 begin from the Start Work Date and will continue consecutively to the date
116 of Substantial Completion. When multiple shifts are used to perform the
117 work, the State will not consider the hours worked over the normal eight (8)
118 working hours per day or night as an additional working day.

119
120 When the contract is on a calendar day basis, the total contract time
121 allowed for the performance of the work will be the number of days shown
122 in the contract plus any additional days authorized in writing as provided
123 hereinafter. The count of elapsed days to be charged against contract time
124 will begin from the Start Work Date and will continue consecutively to the
125 date of Substantial Completion. The Engineer will exclude days elapsing
126 between the orders of the Engineer to suspend work and resume work for
127 suspensions not the fault of the Contractor.

128
129 **(B) Modifications of Contract Time.** Whenever the Contractor
130 believes that an extension of contract time is justified, the Contractor shall
131 serve written notice on the Engineer not more than five (5) working days
132 after the occurrence of the event that causes a delay or justifies a contract
133 time extension. Contract time may be adjusted for the following reasons or
134 events, but only if and to the extent the critical path has been affected:
135

136 **(1) Changes in the Work, Additional Work, and Delays**
137 **Caused by the State.** If the Contractor believes that an extension of
138 time is justified on account of any act or omission by the State, and is
139 not adequately provided for in a field order or change order, it must
140 request the additional time as provided above. At the request of the
141 Engineer, the Contractor must show how the critical path will be
142 affected and must also support the time extension request with
143 schedules, as well as statements from its subcontractors, suppliers,
144 or manufacturers, as necessary. Claims for compensation for any
145 altered or additional work will be determined pursuant to Subsection
146 104.02 – Changes.

147
148 Additional time to perform the extra work will be added to the
149 time allowed in the contract without regard to the date the change
150 directive was issued, even if the contract completion date has
151 passed. A change requiring time issued after contract time has
152 expired will not constitute an excusal or waiver of pre-existing
153 Contractor delay.

154
155 **(2) Delay for Permits.** For delays in the routine application and
156 processing time required to obtain necessary permits, including
157 permits to be obtained from State agencies, the Engineer may grant
158 an extension provided that the permit takes longer than thirty (30)
159 days to acquire and the delay is not caused by the Contractor, and
160 provided that as soon as the delay occurs, the Contractor notifies the
161 Engineer in writing that the permits are not available. Permits
162 required by the contract that take less than thirty (30) days to acquire
163 from the time which the appropriate documents are granted shall be
164 acquired between Notice to Proceed and Start Work Date or
165 accounted for in the contractor's progress schedule. Time
166 extensions will be the exclusive relief granted on account of such
167 delays.

168
169 **(3) Delays Beyond Contractor's Control.** For delays caused by
170 acts of God, a public enemy, fire, inclement weather days or
171 adverse conditions resulting therefrom, earthquakes, floods,
172 epidemics, quarantine restrictions, labor disputes impacting the
173 Contractor or the State, freight embargoes and other reasons
174 beyond the Contractor's control, the Contractor may be granted an
175 extension of time provided that:

176
177 **(a)** In the written notice of delay to the Engineer, the
178 Contractor describes possible effects on the completion date
179 of the contract. The description of delays shall:
180

- 181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
1. State specifically the reason or reasons for the delay and fully explain in a detailed chronology how the delay affects the critical path.
 2. Include copies of pertinent documentation to support the time extension request.
 3. Cite the anticipated period of delay and the time extension requested.
 4. State either that the above circumstances have been cleared and normal working conditions restored as of a certain day or that the above circumstances will continue to prevent completion of the project.

196
197
198
199
200

(b) The Contractor shall notify the Engineer in writing when the delay ends. Time extensions will be the exclusive relief granted and no additional compensation will be paid the Contractor for such delays.

201
202
203
204
205
206
207
208
209
210
211

(4) Delays in Delivery of Materials or Equipment. For delays in delivery of materials or equipment, which occur as a result of unforeseeable causes beyond the control and without fault of the Contractor, its subcontractor(s) or supplier(s), time extensions shall be the exclusive relief granted and no additional compensation will be paid the Contractor on account of such delay. The delay shall not exceed the difference between the originally scheduled delivery date and the actual delivery date. The Contractor may be granted an extension of time provided that it complies with the following procedures:

212
213
214
215

(a) The Contractor's written notice to the Engineer must describe the delays and state the effect such delays may have on the critical path.

216
217
218
219
220
221

(b) The Contractor, if requested, must submit to the Engineer within five (5) days after a firm delivery date for the material and equipment is established, a written statement regarding the delay. The Contractor must justify the delay as follows:

- 222
223
224
225
1. State specifically all reasons for the delay. Explain in a detailed chronology the effect of the delay on the critical path.

226 2. Submit copies of purchase order(s), factory
227 invoice(s), bill(s) of lading, shipping manifest(s),
228 delivery tag(s), and any other documents to support the
229 time extension request.

230
231 3. Cite the start and end date of the delay and the
232 time extension requested.

233
234 **(5) Delays for Suspension of Work.** When the performance of
235 the work is totally suspended for one (1) or more days (calendar or
236 working days, as appropriate) by order of the Engineer in
237 accordance with Subsections 108.10(A)(1), 108.10(A)(2), or
238 108.10(A)(5) the number of days from the effective date of the
239 Engineer's order to suspend operations to the effective date of the
240 Engineer's order to resume operations shall not be counted as
241 contract time and the contract completion date will be adjusted.
242 During periods of partial suspensions of the work, the Contractor will
243 be granted a time extension only if the partial suspension affects the
244 critical path. If the Contractor believes that an extension of time is
245 justified for a partial suspension of work, it must request the
246 extension in writing at least five (5) working days before the partial
247 suspension will affect the critical operation(s) in progress. The
248 Contractor must show how the critical path was increased based on
249 the status of the work and must also support its claim if requested,
250 with statements from its subcontractors. A suspension of work will
251 not constitute a waiver of pre-existing Contractor delay.

252
253 **(6) Contractor Caused Delays.** No time extension will be
254 granted under the following circumstances:

255
256 **(a)** Delays within the Contractor's control in performing the
257 work caused by the Contractor, subcontractor, supplier, or any
258 combination thereof.

259
260 **(b)** Delays within the Contractor's control in arrival of
261 materials and equipment caused by the Contractor,
262 subcontractor, supplier, or any combination thereof, in
263 ordering, fabricating, and delivery.

264
265 **(c)** Delays requested for changes which do not affect the
266 critical path.

267 (d) Delays caused by the failure of the Contractor to make
 268 submittals in a timely manner for review and acceptance by
 269 the Engineer, such as but not limited to shop drawings,
 270 descriptive sheets, material samples, and color samples
 271 except as covered in Subsection 108.05(B)(3) – Delays
 272 Beyond Contractor’s Control and 108.05(B)(4) – Delays in
 273 Delivery of Materials or Equipment.

274
 275 (e) Delays caused by the failure to submit sufficient
 276 information and data in a timely manner in the proper form in
 277 order to obtain necessary permits related to the work.

278
 279 (f) Failure to follow the procedure within the time allowed
 280 by contract to request a time extension.

281
 282 (g) Failure of the Contractor to provide evidence sufficient
 283 to support the time extension request.

284
 285 (7) **Reduction in Time.** If the State deletes or modifies any
 286 portion of the work, an appropriate reduction of contract time may be
 287 made in accordance with Subsection 104.02 - Changes.

288
 289 **108.06 Progress Schedules.**

290
 291 (A) **Forms of Schedule.** All schedules shall be submitted using the
 292 specific computer program designated in the bid documents. If no such
 293 scheduling software program is designated, then all schedules shall be
 294 submitted using the latest version of Microsoft Project by Microsoft or
 295 approved equivalent software program.

296
 297 Schedule submittals shall be as follows:

298
 299 (1) **For Contracts \$2,000,000 or less or For Contract Time**
 300 **One Hundred (100) Working Days or One Hundred Forty (140)**
 301 **Calendar Days or Less.** For contracts of \$2,000,000 or less or for
 302 contract time of one hundred (100) working days or one hundred
 303 forty (140) calendar days or less, the progress schedule will be a
 304 Time Scaled Logic Diagram (TSLD). The Contractor shall submit a
 305 TSLD submittal package meeting the following requirements and
 306 having these essential and distinctive elements:

307
 308 (a) The major features of work, such as but not limited to
 309 BMP installation, grubbing, roadway excavation, structure
 310 excavation, structure construction, shown in the chronological
 311 order in which the Contractor proposes to work that feature or
 312 work and its location on the project. The schedule shall

- 313 account for normal inclement weather, unusual soil or other
314 conditions that may influence the progress of the work,
315 schedules, and coordination required by any utility, off or on
316 site fabrications, and other pertinent factors that relate to
317 progress;
- 318
- 319 **(b)** All features listed or not listed in the contract
320 documents that the Contractor considers a controlling factor
321 for the timely completion of the contract work.
- 322
- 323 **(c)** The time span and sequence of the activities or events
324 for each feature, and its interrelationship and
325 interdependencies in time and logic to other features in order
326 to complete the project.
- 327
- 328 **(d)** The total anticipated time necessary to complete work
329 required by the contract.
- 330
- 331 **(e)** A chronological listing of critical intermediate dates or
332 time periods for features or milestones or phases that can
333 affect timely completion of the project.
- 334
- 335 **(f)** Major activities related to the location on the project.
- 336
- 337 **(g)** Non-construction activities, such as submittal and
338 acceptance periods for shop drawings and material,
339 procurement, testing, fabrication, mobilization, and
340 demobilization or order dates of long lead material.
- 341
- 342 **(h)** Set schedule logic for out of sequence activities to
343 retain logic. In addition, open ends shall be non-critical.
- 344
- 345 **(i)** Show target bars for all activities.
- 346
- 347 **(j)** Vertical and horizontal sight lines both major and minor
348 shall be used as well as a separator line between groups.
349 The Engineer will determine frequency and style.
- 350
- 351 **(k)** The file name, print date, revision number, data and
352 project title and number shall be included in the title block.
- 353
- 354 **(l)** Have columns with the appropriate data in them for
355 activity ID, description, original duration, remaining duration,
356 early start, early finish, total float, percent complete,
357 resources. The resource column shall list who is responsible

358 for the work to be done in the activity. These columns shall
359 be to the left of the bar chart.

360
361 **(2) For Contracts Which Have A Contract Amount**
362 **More Than \$2,000,000 Or Having A Contract Time Of More**
363 **Than One Hundred (100) Working Days Or One Hundred**
364 **Forty (140) Calendar Days.** For contracts which have a
365 contract amount more than \$2,000,000 or contract time of
366 more than one hundred (100) working days or one hundred
367 forty (140) calendar days, the Contractor shall submit a
368 Timed-Scaled Logic Diagram (TSLD) meeting the following
369 requirements and having these essential and distinctive
370 elements:

371
372 **(a)** The information and requirements listed in Subsection
373 108.06(A)(1) – For Contracts \$2,000,000 or Less or For
374 Contract Time One Hundred (100) Working Days or One
375 Hundred Forty (140) Calendar Days or Less.

376
377 **(b)** Additional reports and graphics available from the
378 software as requested by the Engineer.

379
380 **(c)** Sufficient detail to allow at least weekly monitoring of
381 the Contractor and subcontractor's operations.

382
383 **(d)** The time scaled schematic shall be on a calendar or
384 working days basis. What will be used shall be determined by
385 how the contract keeps track of time. It will be the same. Plot
386 the critical calendar dates anticipated.

387
388 **(e)** Breakdown of activity, such as forming, placing
389 reinforcing steel, concrete pouring and curing, and stripping
390 in concrete construction. Indicate location of work to be done
391 in such detail that it would be easily determined where work
392 would be occurring within approximately 200 feet.

393
394 **(f)** Latest start and finish dates for critical path activities.

395
396 **(g)** Identify responsible subcontractor, supplier, and others
397 for their respective activity.

398
399 **(h)** No individual activity shall have duration of more than
400 twenty (20) calendar days unless requested and approved by
401 the Engineer.
402

403 (i) All activities shall have work breakdown structure
404 codes and activity codes. The activity codes shall have
405 coding that incorporates information for phase, location, who
406 is responsible for doing work and type of operation and
407 activity description.

408
409 (j) Incorporate all physical access and availability
410 restraints.

411
412 **(B) Inspection and Testing.** All schedules shall provide reasonable
413 time and opportunity for the Engineer to inspect and test each work activity.
414

415 **(C) Engineer's Acceptance of Progress Schedule.** The submittal of,
416 and the Engineer's receipt of any progress schedule, shall not be deemed
417 an agreement to modify any terms or conditions of the contract. Any
418 modifications to the contract terms and conditions that appear in or may be
419 inferred from an acceptable schedule will not be valid or enforceable unless
420 and until the Engineer exercises discretion to issue an appropriate change
421 order. Nor shall any submittal or receipt imply the Engineer's approval of
422 the schedule's breakdown, its individual elements, any critical path that may
423 be shown, nor shall it obligate the State to make its personnel available
424 outside normal working hours or the working hours established by the
425 Contract in order to accommodate such schedule. The Contractor has the
426 risk of all elements (whether or not shown) of the schedule and its
427 execution. No claim for additional compensation, time, or both, shall be
428 made by the Contractor or recognized by the Engineer for delays during
429 any period for which an acceptable progress schedule or an updated
430 progress schedule as required by Subsection 108.06(E) – Contractor's
431 Continuing Schedule Submittal Requirements had not been submitted. Any
432 acceptance or approval of the schedule shall be for general format only and
433 shall not be deemed an agreement by the State that the construction
434 means, methods, and resources shown on the schedule will result in work
435 that conforms to the contract requirements or that the sequences or
436 durations indicated are feasible.

437
438 **(D) Initial Progress Schedule.** The Contractor shall submit an initial
439 progress schedule. The initial progress schedule shall consist of the
440 following:

441
442 (1) Four sets of the TSLD schedule.

443
444 (2) All the software files and data to re-create the TSLD in a
445 computerized software format as specified by the Engineer.

446
447 (3) A listing of equipment that is anticipated to be used on the
448 project. Including the type, size, make, year of manufacture, and all

449 information necessary to identify the equipment in the Rental Rate
450 Blue Book for Construction Equipment.

451
452 **(4)** An anticipated manpower requirement graph plotting contract
453 time and total manpower requirement. This may be superimposed
454 over the payment graph.

455
456 **(5)** A Method Statement that is a detailed narrative describing the
457 work to be done and the method by which the work shall be
458 accomplished for each major activity. A major activity is an activity
459 that:

460
461 **(a)** Has a duration longer than five (5) days.

462
463 **(b)** Is a milestone activity.

464
465 **(c)** Is a contract item that exceeds \$10,000 on the contract
466 cost proposal.

467
468 **(d)** Is a critical path activity.

469
470 **(e)** Is an activity designated as such by the Engineer.

471
472 Each Method Statement shall include the following items
473 needed to fulfill the schedule:

474
475 **(a)** Quantity, type, make, and model of equipment.

476
477 **(b)** The manpower to do the work, specifying worker
478 classification.

479
480 **(c)** The production rate per eight (8) hour day, or the
481 working hours established by the contract documents needed
482 to meet the time indicated on the schedule. If the production
483 rate is not for eight (8) hours, the number of working hours
484 shall be indicated.

485
486 **(6)** Two sets of color time-scaled project evaluation and review
487 technique charts ("PERT") using the activity box template of Logic –
488 Early Start or such other template designated by the Engineer.

489
490 If the contract documents establish a sequence or order for the work,
491 the initial progress schedule shall conform to such sequence or order.

492
493 **(E) Contractor's Continuing Schedule Submittal Requirements.**
494 After the acceptance of the initial TSLD and when construction starts, the

495 Contractor shall submit four plotted progress schedules, two PERT charts,
496 and reports on all construction activities every two (2) weeks (bi-weekly).
497 This scheduled bi-weekly submittal shall also include an updated version of
498 the project schedule in a computerized software format as specified by the
499 Engineer. The submittal shall have all the information needed to re-create
500 that time period's TSLD plot and reports. The bi-weekly submittal shall
501 include, but not limited to, an update of activities based on actual durations,
502 all new activities and any changes in duration or start or finish dates of any
503 activity.

504
505 The Contractor shall submit with every update, in report form
506 acceptable to the Engineer, a list of changes to the progress schedule since
507 the previous schedule submittal. The Engineer may change the frequency
508 of the submittal requirements but may not require a submittal of the
509 schedule to be more than once a week. The Engineer may decrease the
510 frequency of the submittal of the bi-weekly schedule.

511
512 The Contractor shall submit updates of the anticipated work
513 completion graph, equipment listing, manpower requirement graph or
514 method statement when requested by the Engineer. The Contractor shall
515 submit such updates within four (4) calendar days from the date of the
516 request by the Engineer.

517
518 The Engineer may withhold progress payment until the Contractor is
519 in compliance with all schedule update requirements

520
521 **(F) Float.** All float appearing on a schedule is a shared commodity.
522 Float does not belong to or exist for the exclusive use or benefit of either
523 the State or the Contractor. The State or the Contractor has the opportunity
524 to use available float until it is depleted. Float has no monetary value.

525
526 **(G) Scheduled Meetings.** The Contractor shall meet on a bi-weekly
527 basis with the Engineer to review the progress schedule. The Contractor
528 shall have someone attending the meeting that can answer all questions on
529 the TSLD and other schedule related submittals.

530
531 **(H) Accelerated Schedule; Early Completion.** If the Contractor
532 submits an accelerated schedule (shorter than the contract time), the
533 Engineer's review and acceptance of an accelerated schedule does not
534 constitute an agreement or obligation by the State to modify the contract
535 time or completion date. The Contractor is solely responsible for and shall
536 accept all risks and any delays, other than those that can be directly and
537 solely attributable to the State, that may occur during the work, until the
538 contract completion date. The contract time or completion date is
539 established for the benefit of the State and cannot be changed without an
540 appropriate change order or Substantial Completion granted by the State.

541 The State may accept the work before the completion date is established,
542 but is not obligated to do so.

543
544 If the TSLD indicates an early completion of the project, the
545 Contractor shall, upon submittal of the schedule, cooperate with the
546 Engineer in explaining how it will be achieved. In addition, the Contractor
547 shall submit the above explanation in writing which shall include the State's
548 part, if any, in achieving the early completion date. Early completion of the
549 project shall not rely on changes to the Contract Documents unless
550 approved by the Engineer.

551
552 **(I) Contractor Responsibilities.** The Contractor shall promptly
553 respond to any inquiries from the Engineer regarding any schedule
554 submission. The Contractor shall adjust the schedule to address directives
555 from the Engineer and shall resubmit the TSLD package to the Engineer
556 until the Engineer finds it acceptable.

557
558 The Contractor shall perform the work in accordance with the
559 submitted TSLD. The Engineer may require the Contractor to provide
560 additional work forces and equipment to bring the progress of the work into
561 conformance with the TSLD at no increase in contract price or contract time
562 whenever the Engineer determines that the progress of the work does not
563 insure completion within the specified contract time.

564
565 **108.07 Weekly Meeting.** In addition to the bi-weekly schedule meetings, the
566 Contractor shall be available to meet once a week with the Engineer at the time
567 and place as determined by the Engineer to discuss the work and its progress
568 including but not limited to, the progress of the project, potential problems,
569 coordination of work, submittals, erosion control reports, etc. The Contractor's
570 personnel attending shall have the authority to make decisions and answer
571 questions.

572
573 The Contractor shall bring to weekly meetings a detailed work schedule
574 showing the next three (3) weeks' work. Number of copies of the detailed work
575 schedule to be submitted will be determined by the Engineer. The three (3) week
576 schedule is in addition to the TSLD and shall in no way be considered as a
577 substitute for the TSLD or vice versa. The three (3) week schedule shall show:

578
579 **(a)** All construction events, traffic control and BMP related activities in
580 such detail that the Engineer will be able to determine at what location and
581 type of work will be done for any day for the next three (3) weeks. This is
582 for the State to use to plan its manpower requirements for that time period.

583
584 **(b)** The duration of all events and delays.

585

586 (c) The critical path clearly marked in red or marked in a manner that
 587 makes it clearly distinguishable from other paths and is acceptable to the
 588 Engineer.

589
 590 (d) Critical submittals and requests for information (RFI's).

591
 592 (e) The project title, project number, date created, period the schedule
 593 covers, Contractor's name and creator of the schedule on each page.

594
 595 Two (2) days prior to each weekly meeting, the Contractor shall
 596 submit a list of outstanding submittals, RFIs and issues that require
 597 discussion.

598
 599 **108.08 Liquidated Damages for Failure to Complete the Work or Portions**
 600 **of the Work on Time.** The actual amount of damages resulting from the
 601 Contractor's failure to complete the contract in a timely manner is difficult to
 602 accurately determine. Therefore, the amount of such damages shall be liquidated
 603 damages as set forth herein and in the special provisions. The State may, at its
 604 discretion, deduct the amount from monies due or that may become due under the
 605 contract.

606
 607 When the Contractor fails to reach substantial completion of the work for
 608 which liquidated damages are specified, within the time or times fixed in the
 609 contract or any extension thereof, in addition to all other remedies for breach that
 610 may be available to the State, the Contractor shall pay liquidated damages to the
 611 State, in the amount of \$ 5,000.00 per working day.

612
 613 (A) **Liquidated Damages Upon Termination.** If the State terminates
 614 on account of Contractor's default, liquidated damages may be charged
 615 against the defaulting Contractor and its surety until final completion of
 616 work.

617
 618 (B) **Liquidated Damages for Failure to Complete the Punchlist.** The
 619 Contractor shall complete the work on any punchlist created after the pre-
 620 final inspection, within the contract time or any extension thereof.

621
 622 When the Contractor fails to complete the work on such punchlist
 623 within the contract time or any extension thereof, the Contractor shall pay
 624 liquidated damages to the State of 20 percent of the amount of liquidated
 625 damages established for failure to substantially complete the work within
 626 contract time. Liquidated damages shall not be assessed for the period
 627 between:

628
 629 (1) Notice from the Contractor that the project is substantially
 630 complete and the time the punchlist is delivered to the Contractor.

631

632 (2) The date of the completion of punchlist as determined by the
633 Engineer and the date of the successful final inspection, and

634
635 (3) The date of the Final Inspection that results in Substantial
636 Completion and the receipt by the Contractor of the written notice of
637 Substantial Completion.

638
639 **(C) Actual Damages Recoverable If Liquidated Damages Deemed**
640 **Unenforceable.** In the event a court of competent jurisdiction holds that
641 any liquidated damages assessed pursuant to this contract are
642 unenforceable, the State will be entitled to recover its actual damages for
643 Contractor's failure to complete the work, or any designated portion of the
644 work within the time set by the contract.

645
646 **108.09 Rental Fees for Unauthorized Lane Closure or Occupancy.** In
647 addition to all other remedies available to the State for Contractor's breach of the
648 terms of the contract, the Engineer will assess the rental fees in the amount of
649 \$2,500 for every one-to fifteen-minute increment for each roadway lane closed to
650 public use or occupied beyond the time periods authorized in the contract or by the
651 Engineer. The State may, at its discretion, deduct the amount from monies due or
652 that may become due under the contract. The rental fee may be waived in whole
653 or part if the Engineer determines that the unauthorized period of lane closure or
654 occupancy was due to factors beyond the control of the Contractor. Equipment
655 breakdown is not a cause to waive liquidated damages.

656
657 **108.10 Suspension of Work.**

658
659 **(A) Suspension of Work.** The Engineer may, by written order, suspend
660 the performance of the work, either in whole or in part, for such periods as
661 the Engineer may deem necessary, for any cause, including but not limited
662 to:

663
664 (1) Weather or soil conditions considered unsuitable for
665 prosecution of the work.

666
667 (2) Whenever a redesign that may affect the work is deemed
668 necessary by the Engineer.

669
670 (3) Unacceptable noise or dust arising from the construction even
671 if it does not violate any law or regulation.

672
673 (4) Failure on the part of the Contractor to:

674
675 (a) Correct conditions unsafe for the general public or for
676 the workers.

677

- 678 (b) Carry out orders given by the Engineer.
 679
 680 (c) Perform the work in strict compliance with the
 681 provisions of the contract.
 682
 683 (d) Provide adequate supervision on the jobsite.
 684 (5) The convenience of the State.
 685

686 **(B) Partial and Total Suspension.** Suspension of work on some but
 687 not all items of work shall be considered a "partial suspension".
 688 Suspension of work on all items shall be considered "total suspension".
 689 The period of suspension shall be computed from the date set out in the
 690 written order for work to cease until the date of the order for work to
 691 resume.
 692

693 **(C) Reimbursement to Contractor.** In the event that the Contractor is
 694 ordered by the Engineer in writing as provided herein to suspend all work
 695 under the contract for the reasons specified in Subsections 108.10(A)(2),
 696 108.10(A)(3), or 108.10(A)(5) of the "Suspension of Work" paragraph, the
 697 Contractor may be reimbursed for actual direct costs incurred on work at
 698 the jobsite, as authorized in writing by the Engineer, including costs
 699 expended for the protection of the work. An allowance of 5 percent for
 700 indirect categories of delay costs will be paid on any reimbursed direct
 701 costs, including extended branch and home-office overhead and delay
 702 impact costs. No allowance will be made for anticipated profits. Payment
 703 for equipment which is ordered to standby during such suspension of work
 704 shall be made as described in Subsection 109.06(H) - Idle and Standby
 705 Equipment.
 706

707 **(D) Cost Adjustment.** If the performance of all or part of the work is
 708 suspended for reasons beyond the control of the Contractor except an
 709 adjustment shall be made for any increase in cost of performance of this
 710 contract (excluding profit) necessarily caused by such suspension, and the
 711 contract modified in writing accordingly.
 712

713 However, no adjustment to the contract price shall be made for any
 714 suspension, delay, or interruption:

- 715 (1) For weather related conditions.
 716
 717 (2) To the extent that performance would have been so
 718 suspended, delayed, or interrupted by any other cause, including the
 719 fault or negligence of the Contractor.
 720
 721 (3) Or, for which an adjustment is provided for or excluded under
 722 any other provision of this Contract.
 723

724
725 **(E) Claims for Adjustment.** Any adjustment in contract price made
726 shall be determined in accordance with Subsections 104.02 – Changes and
727 104.06 – Methods of Price Adjustment.
728

729 Any claims for such compensation shall be filed in writing with the
730 Engineer within thirty (30) days after the date of the order to resume work or
731 the claim will not be considered. The claim shall conform to the
732 requirements of Subsection 107.15(D) – Making of a Claim. The Engineer
733 will take the claim under consideration, may make such investigations as
734 are deemed necessary and will be the sole judge as to the equitability of the
735 claim. The Engineer’s decision will be final.
736

737 **(F) No Adjustment.** No provision of this clause shall entitle the
738 Contractor to any adjustments for delays due to failure of its surety, the
739 cancellation or expiration of any insurance coverage required by the
740 contract documents, for suspensions made at the request of the Contractor,
741 for any delay required under the contract, for suspensions, either partial or
742 whole, made by the Engineer under Subsection 108.10(A)(4) of the
743 “Suspension of work” paragraph.
744

745 **108.11 Termination of Contract for Cause.**
746

747 **(A) Default.** If the Contractor refuses or fails to perform the work, or any
748 separable part thereof, with such diligence as will assure its completion
749 within the time specified in this contract, or any extension thereof, or
750 commits any other material breach of this contract, and further fails within
751 seven (7) days after receipt of written notice from the Engineer to
752 commence and continue correction of the refusal or failure with diligence
753 and promptness, the Engineer may, by written notice to the Contractor,
754 declare the Contractor in breach and terminate the Contractor’s right to
755 proceed with the work or the part of the work as to which there has been
756 delay or other breach of contract. In such event, the State may take over
757 the work, perform the same to completion, by contract or otherwise, and
758 may take possession of, and utilize in completing the work, the materials,
759 appliances, and plants as may be on the site of the work and necessary
760 therefore. Whether or not the Contractor’s right to proceed with the work is
761 terminated, the Contractor and the Contractor’s sureties shall be liable for
762 any damage to the State resulting from the Contractor’s refusal or failure to
763 complete the work within the specified time.
764

765 **(B) Additional Rights and Remedies.** The rights and remedies of the
766 State provided in this contract are in addition to any other rights and
767 remedies provided by law.
768

769 **(C) Costs and Charges.** All costs and charges incurred by the State,
 770 together with the cost of completing the work under contract, will be
 771 deducted from any monies due or which would or might have become due
 772 to the Contractor had it been allowed to complete the work under the
 773 contract. If such expense exceeds the sum which would have been
 774 payable under the contract, then the Contractor and the surety shall be
 775 liable and shall pay the State the amount of the excess.
 776

777 In case of termination, the Engineer will limit any payment to the
 778 Contractor to the part of the contract satisfactorily completed at the time of
 779 termination. Payment will not be made until the work has satisfactorily been
 780 completed and all required documents, including the tax clearance required
 781 by Subsection 109.11 – Final Payment are submitted by the Contractor.
 782 Termination shall not relieve the Contractor or Surety from liability for
 783 liquidated damages.
 784

785 **(D) Erroneous Termination for Cause.** If, after notice of termination of
 786 the Contractor's right to proceed under this section, it is determined for any
 787 reason that good cause did not exist to allow the State to terminate as
 788 provided herein, the rights and obligations of the parties shall be the same
 789 as, and the relief afforded the Contractor shall be limited to, the provisions
 790 contained in Subsection 108.12 – Termination for Convenience.
 791

792 **108.12 Termination For Convenience.**

793
 794 **(A) Terminations.** The Director may, when the interests of the State so
 795 require, terminate this contract in whole or in part, for the convenience of
 796 the State. The Director will give written notice of the termination to the
 797 Contractor specifying the part of the contract terminated and when
 798 termination becomes effective.
 799

800 **(B) Contractor's Obligations.** The Contractor shall incur no further
 801 obligations in connection with the terminated work and on the date set in
 802 the notice of termination the Contractor shall stop work to the extent
 803 specified. The Contractor shall also terminate outstanding orders and
 804 subcontracts as they relate to the terminated work. The Contractor shall
 805 settle the liabilities and claims arising out of the termination of subcontracts
 806 and orders connected with the terminated work subject to the State's
 807 approval. The Engineer may direct the Contractor to assign the
 808 Contractor's right, title, and interest under terminated orders or subcontracts
 809 to the State. The Contractor must still complete the work not terminated by
 810 the notice of termination and may incur obligations as necessary to do so.
 811

812 **(C) Right to Construction and Goods.** The Engineer may require the
 813 Contractor to transfer title and to deliver to the State in the manner and to
 814 the extent directed by the Engineer, the following:

- 815 (1) Any completed work.
816
- 817 (2) Any partially completed construction, goods, materials, parts,
818 tools, dies, jigs, fixtures, drawings, information, and contract rights
819 (hereinafter called "construction material") that the Contractor has
820 specifically produced or specially acquired for the performance of the
821 terminated part of this contract.
822
- 823 (3) The Contractor shall protect and preserve all property in the
824 possession of the Contractor in which the State has an interest. If
825 the Engineer does not elect to retain any such property, the
826 Contractor shall use its best efforts to sell such property and
827 construction materials for the State's account in accordance with the
828 standards of HRS Chapter 490:2-706.
829
- 830 **(D) Compensation.**
831
- 832 (1) The Contractor shall submit a termination claim specifying the
833 amounts due because of the termination for convenience together
834 with cost or pricing data, submitted to the extent required by HAR
835 Subchapter 15, Chapter 3-122. If the Contractor fails to file a
836 termination claim within one (1) year from the effective date of
837 termination, the Engineer may pay the Contractor, if at all, an amount
838 set in accordance with Subsection 108.12(D)(3).
839
- 840 (2) The Engineer and the Contractor may agree to a settlement
841 provided the Contractor has filed a termination claim supported by
842 cost or pricing data submitted as required and that the settlement
843 does not exceed the total contract price plus settlement costs
844 reduced by payments previously made by the State, the proceeds of
845 any sales of construction, supplies, and construction materials under
846 Subsection 108.12(C)(3), and the proportionate contract price of the
847 work not terminated.
848
- 849 (3) Absent complete agreement, the Engineer will pay the
850 Contractor the following amounts less any payments previously
851 made under the contract:
852
- 853 (a) The cost of all contract work performed prior to the
854 effective date of the notice of termination work plus a 5
855 percent markup on the actual direct costs, including amounts
856 paid to subcontractor, less amounts paid or to be paid for
857 completed portions of such work; provided, however, that if it
858 appears that the Contractor would have sustained a loss if the
859 entire contract would have been completed, no markup shall
860 be allowed or included and the amount of compensation shall

861 be reduced to reflect the anticipated rate of loss. No
 862 anticipated profit or consequential damage will be due or paid.

863
 864 **(b)** Subcontractors shall be paid a markup of 10 percent on
 865 their direct job costs incurred to the date of termination. No
 866 anticipated profit or consequential damage will be due or paid
 867 to any subcontractor. These costs must not include payments
 868 made to the Contractor for subcontract work during the
 869 contract period.

870
 871 **(c)** The total sum to be paid the Contractor shall not
 872 exceed the total contract price reduced by the amount of any
 873 sales of construction supplies, and construction materials.

874
 875 **(4)** Cost claimed, agreed to, or established by the State shall be
 876 in accordance with HAR Chapter 3-123.

877

878 **108.13 Pre-Final and Final Inspections.**

879

880 **(A) Inspection Requirements.** Before the Engineer undertakes a final
 881 inspection of any work, a pre-final inspection must first be conducted. The
 882 Contractor shall notify the Engineer that the work has reached substantial
 883 completion and is ready for pre-final inspection.

884

885 **(B) Pre-Final Inspection.** Before notifying the Engineer that the work
 886 has reached substantial completion, the Contractor shall inspect the project
 887 and test all installed items with all of its subcontractors as appropriate. The
 888 Contractor shall also submit the following documents as applicable to the
 889 work:

890

891 **(1)** All written guarantees required by the contract.

892

893 **(2)** Two accepted final field-posted drawings as specified in
 894 Section 648 – Field-Posted Drawings;

895

896 **(3)** Complete weekly certified payroll records for the Contractor
 897 and Subcontractors.

898

899 **(4)** Certificate of Plumbing and Electrical Inspection.

900

901 **(5)** Certificate of building occupancy as required.

902

903 **(6)** Certificate of Soil and Wood Treatments.

904

905 **(7)** Certificate of Water System Chlorination.

906

907 (8) Certificate of Elevator Inspection, Boiler and Pressure Pipe
908 Inspection.

909
910 (9) Maintenance Service Contract and two copies of a list of all
911 equipment installed.

912
913 (10) Current Tax clearance. The contractor will be required to
914 submit an additional tax clearance certificate when the final payment
915 is made.

916
917 (11) And any other final items and submittals required by the
918 contract documents.

919
920 **(C) Procedure.** When in compliance with the above requirements, the
921 Contractor shall notify the Engineer in writing that the project has reached
922 substantial completion and is ready for pre-final inspection.

923
924 The Engineer will then make a preliminary determination as to
925 whether or not the project is substantially complete and ready for pre-final
926 inspection. The Engineer may, in writing, postpone until after the pre-final
927 inspection the Contractor's submittal of any of the items listed in Subsection
928 108.13(B) – Pre-Final Inspection, herein, if in the Engineer's discretion it is
929 in the interest of the State to do so.

930
931 If, in the opinion of the Engineer, the project is not substantially
932 complete, the Engineer will provide the Contractor a punchlist of specific
933 deficiencies in writing which must be corrected or finished before the work
934 will be ready for a pre-final inspection. The Engineer may add to or
935 otherwise modify this punchlist from time to time. The Contractor shall take
936 immediate action to correct the deficiencies and must repeat all steps
937 described above including written notification that the work is ready for pre-
938 final inspection.

939
940 After the Engineer is satisfied that the project appears substantially
941 complete a final inspection shall be scheduled within ten (10) working days
942 after receipt of the Contractor's latest letter of notification that the project is
943 ready for final inspection.

944
945 If, as a result of the pre-final inspection, the Engineer determines the
946 work is not substantially complete, the Engineer will inform the Contractor in
947 writing as to specific deficiencies which must be corrected before the work
948 will be ready for another pre-final inspection. If the Engineer finds the work
949 is substantially complete but finds deficiencies that must be corrected
950 before the work is ready for final inspection, the Engineer will prepare in
951 writing and deliver to the Contractor a punchlist describing such
952 deficiencies.

953 At any time before final acceptance, the Engineer may revoke the
 954 determination of substantial completion if the Engineer finds that it was not
 955 warranted and will notify the Contractor in writing the reasons therefore
 956 together with a description of the deficiencies negating the declaration.
 957

958 When the date of substantial completion has been determined by the
 959 State, liquidated damages for the failure to complete the punchlist, if due to
 960 the State will be assessed in pursuant to Subsection 108.08(B) - Liquidated
 961 Damages for Failure to Complete the Punchlist.
 962

963 **(D) Punchlist; Clean Up and Final Inspection.** Upon receiving a
 964 punchlist after pre-final inspection, the Contractor shall promptly devote all
 965 required time, labor, equipment, materials and incidentals to correct and
 966 remedy all punchlist deficiencies. The Engineer may add to or otherwise
 967 modify this punchlist until substantial completion of the project.
 968

969 Before final inspection of the work, the Contractor shall clean all
 970 ground occupied by the Contractor in connection with the work of all
 971 rubbish, excess materials temporary structures and equipment, shall
 972 remove all graffiti and defacement of the work and all parts of the work and
 973 the worksite must be left in a neat and presentable condition to the
 974 satisfaction of the Engineer.
 975

976 Final inspection will occur within ten (10) working days after the
 977 Contractor notifies the Engineer in writing that all punchlist deficiencies
 978 remaining after the pre-final inspection have been completed and the
 979 Engineer concurs. If the Engineer determines that deficiencies still remain
 980 at the final inspection, the work will not be accepted and the Engineer will
 981 notify the Contractor, in writing, of the deficiencies which shall be corrected
 982 and the steps above repeated.
 983

984 If the Contractor fails to correct the deficiencies and complete the
 985 work by the established or agreed date, the State may correct the
 986 deficiencies by whatever method it deems appropriate and deduct the cost
 987 from any payments due the Contractor.
 988

989 **108.14 Substantial Completion and Final Acceptance.**

990
 991 **(A) Substantial Completion.** When the Engineer finds that the
 992 Contractor has satisfactorily completed all work for the project in
 993 compliance with the contract, with the exception of the planting period and
 994 the plant establishment period, the Engineer will notify the Contractor, in
 995 writing, of the project's substantial completion, effective as of the date of the
 996 final inspection. The substantial completion date shall determine end of
 997 contract time and relieve contractor of any additional accumulation of
 998 liquidated damages for failure to complete the punchlist.

999

1000

1001

1002

1003

1004

1005

1006

1007

(B) Final Acceptance. When the Engineer finds that the Contractor has satisfactorily completed all contract work in compliance with the contract including all plant establishment requirements, and all the materials have been accepted by the State, the Engineer will issue a Final Acceptance Letter. The Final Acceptance date shall determine the commencement of all guaranty periods subject to Subsection 108.16 – Contractor’s Responsibility for Work; Risk of Loss or Damage.

1008

1009

1010

1011

1012

1013

1014

108.15 Use of Structure or Improvement. The State has the right to use the structure, equipment, improvement, or any part thereof, at any time after it is considered by the Engineer as available. In the event that the structure, equipment or any part thereof is used by the State before final acceptance, the Contractor is not relieved of its responsibility to protect and preserve all the work until final acceptance.

1015

1016

1017

1018

1019

1020

1021

1022

1023

108.16 Contractor’s Responsibility for Work; Risk of Loss or Damage. Until the written notice of final acceptance has been received, the Contractor shall take every precaution against loss or damage to any part of the work by the action of the elements or from any other cause whatsoever, whether arising from the performance or from the non-performance of the work. The Contractor shall rebuild, repair, restore and make good all loss or damage to any portion of the work resulting from any cause before its receipt of the written notice of final acceptance and shall bear the risk and expense thereof.

1024

1025

1026

1027

1028

The risk of loss or damage to the work from any hazard or occurrence that may or may not be covered by a builder’s risk policy is that of the Contractor and Surety, unless such risk of loss is placed elsewhere by express language in the contract documents.

1029

1030

108.17 Guarantee of Work.

1031

1032

1033

1034

1035

(1) Regardless of, and in addition to, any manufacturers’ warranties, all work and equipment shall be guaranteed by the Contractor against defects in materials, equipment or workmanship for one (1) year from the date of final acceptance or as otherwise specified in the contract documents.

1036

1037

1038

1039

1040

1041

1042

(2) When the Engineer determines that repairs or replacements of any guaranteed work and equipment is necessary due to materials, equipment, or workmanship which are inferior, defective, or not in accordance with the terms of the contract, the Contractor shall, at no increase in contract price or contract time, and within five (5) working days of receipt of written notice from the State, commence to all of the following:

1043

1044

(a) Correct all noted defects and make replacements, as directed by the Engineer, in the equipment and work.

1045
 1046
 1047
 1048
 1049
 1050
 1051
 1052
 1053
 1054
 1055
 1056
 1057
 1058
 1059
 1060
 1061
 1062
 1063
 1064
 1065
 1066
 1067
 1068
 1069
 1070
 1071
 1072
 1073
 1074
 1075
 1076
 1077
 1078
 1079
 1080
 1081
 1082
 1083
 1084
 1085
 1086
 1087
 1088
 1089
 1090

(b) Repair or replace to new or pre-existing condition any damages resulting from such defective materials, equipment or installation thereof.

(3) The State will be entitled to the benefit of all manufacturers and installers warranties that extend beyond the terms of the Contractor's guaranty regardless of whether or not such extended warranty is required by the contract documents. The Contractor shall prepare and submit all documents required by the providers of such warranties to make them effective, and submit copies of such documents to the Engineer. If an available extended warranty cannot be transferred or assigned to the State as the ultimate user, the Contractor shall notify the Engineer who may direct that the warranted items be acquired in the name of the State as purchaser.

(4) If a defect is discovered during a guarantee period, all repairs and corrections to the defective items when corrected shall be guaranteed for a new duration equal to the original full guarantee period. The running of the guarantee period shall be suspended for all other work affected by any defect. The guarantee period for all other work affected by any such defect shall restart for its remaining duration upon confirmation by the Engineer that the deficiencies have been repaired or remedied.

(5) Nothing in this section is intended to limit or affect the State's rights and remedies arising from the discovery of latent defects in the work after the expiration of any guarantee period.

108.18 No Waiver of Legal Rights. The following will not operate or be considered as a waiver of any portion of the contract, or any power herein reserved, or any right to damages provided herein or by law:

- (1) Any payment for, or acceptance of, the whole or any part of the work.
- (2) Any extension of time.
- (3) Any possession taken by the Engineer.

A waiver of any notice requirement or of any noncompliance with the contract will not be held to be a waiver of any other notice requirement or any other noncompliance with the contract.

108.19 Final Settlement of Contract.

(A) **Closing Requirements.** The contract will be considered settled after the project acceptance date and when the following items have been satisfactorily submitted, where applicable:

- 1091 (1) All written guarantees required by the contract.
1092
1093 (2) Complete and certified weekly payrolls for the Contractor and
1094 its subcontractor's.
1095
1096 (3) Certificate of plumbing and electrical inspection.
1097
1098 (4) Certificate of building occupancy.
1099
1100 (5) Certificate for soil treatment and wood treatment.
1101
1102 (6) Certificate of water system chlorination.
1103
1104 (7) Certificate of elevator inspection, boiler and pressure pipe
1105 installation.
1106
1107 (8) Tax clearance.
1108
1109 (9) All other documents required by the Contract or by law.
1110

1111 **(B) Failure to Meet Closing Requirements.** The Contractor shall meet
1112 the applicable closing requirements within sixty (60) days from the date of
1113 Project Acceptance or the agreed to Punchlist complete date. Should the
1114 Contractor fail to comply with these requirements, the Engineer may
1115 terminate the contract for cause.”
1116
1117
1118
1119
1120

END OF SECTION 108

49
50
51
52
53
54
55

claims have been fully and completely discharged or otherwise satisfied.”

END OF SECTION 109

47	Pay Item	Pay Unit
48		
49	(A) Roadway Excavation	Cubic Yard
50		
51	The Engineer will pay for:	
52		
53	(1) 15 percent of the contract bid price upon completion of	
54	obliterating old roadways and hauling.	
55		
56	(2) 30 percent of the contract bid price upon completion of	
57	preparing subgrade.	
58		
59	(3) 40 percent of the contract bid price upon completion of placing	
60	selected material in final position, rounding of slopes, and using water	
61	for compaction.	
62		
63	(4) 15 percent of the contract bid price upon completion of	
64	disposing of surplus excavation material.	
65		
66	(B) Ditch Backfill	Cubic yard
67		
68	The Engineer will pay for accepted quantities of subexcavation, as	
69	roadway excavation at the contract unit price per cubic yard, when ordered by	
70	the Engineer, for work prescribed in Subsection 203.03(A)(4) – Subexcavation.	
71	Payment will be full compensation for the work prescribed therein and in the	
72	contract documents.	
73		
74	The Engineer will not pay for stockpiling selected material, placing	
75	selected material in final position, or placing selected material in windrows along	
76	tops of roadway slopes for erosion control work, separately and will consider the	
77	cost as included in the unit prices for the various excavation contract pay items.	
78	The cost is for work prescribed in this section and the contract documents.	
79		
80	The Engineer will not pay for overhaul separately and will consider the	
81	cost as included in the unit prices for the various excavation contract pay items.	
82	The cost is for work prescribed in this section and the contract documents.	
83		
84	The Engineer will not pay for embankment separately and will consider the	
85	cost as included in the unit price for roadway excavation. The cost is for work	
86	prescribed in this section and the contract documents.”	
87		
88		
89		
90	END OF SECTION 203	

1 Amend **Section 209 - TEMPORARY WATER POLLUTION, DUST, AND EROSION**
2 **CONTROL** to read as follows:

3
4
5 **“SECTION 209 - TEMPORARY WATER POLLUTION, DUST, AND EROSION**
6 **CONTROL**

7
8
9 **209.01 Description.** This section describes the following:

10
11 **(A)** Including detailed plans, diagrams, and written Site-Specific Best
12 Management Practices (BMP); constructing, maintaining, and repairing
13 temporary water pollution, dust, and erosion control measures at the project
14 site, including local material sources, work areas and haul roads; removing
15 and disposing hazardous wastes; control of fugitive dust (defined as
16 uncontrolled emission of solid airborne particulate matter from any source
17 other than combustion); and complying with applicable State and Federal
18 permit conditions.

19
20 **(B)** Work associated with construction stormwater, dewatering, and
21 hydrotesting activities and complying with conditions of the National Pollutant
22 Discharge Elimination System (NPDES) permit(s) authorizing discharges
23 associated with construction stormwater, dewatering, and hydrotesting
24 activities.

25
26 **(C)** Potential pollutant identification and mitigation measures are listed in
27 Appendix A for use in the development of the Contractor’s Site-Specific BMP.

28
29 Requirements of this section also apply to construction support
30 activities including concrete or asphalt batch plants, rock crushing plants,
31 equipment staging yards/areas, material storage areas, excavated material
32 disposal areas, and borrow areas located outside the State Right-of-Way.
33 For areas serving multiple construction projects, or operating beyond the
34 completion of the construction project in which it supports, the Contractor
35 shall be responsible for securing the necessary permits, clearances, and
36 documents, and following the conditions of the permits and clearances, at no
37 cost to the State.

38
39 **209.02 Materials.** Comply with applicable materials described in Chapters 2 and
40 3 of the current HDOT “Construction Best Management Practices Field Manual”. In
41 addition, the materials shall comply with the following:

42
43 **(A) Grass.** Grass shall be a quick growing species such as rye grass,
44 Italian rye grass, or cereal grasses. Grass shall be suitable to the area and
45 provide a temporary cover that will not compete later with permanent cover.
46 Alternative grasses are allowable if acceptable to the Engineer.

47 **(B) Fertilizer and Soil Conditioners.** Fertilizer and soil conditioners shall
48 be a standard commercial grade acceptable to the Engineer. Fertilizer shall
49 conform to Subsection 619.02(H)(1) - Commercial Fertilizer.
50

51 **(C) Hydro-mulching.** Hydro-mulching used as a temporary vegetative
52 stabilization measure shall consist of materials in Subsections 209.02(A) -
53 Grass, and 209.02(B) – Fertilizer and Soil Conditioners. Mulches shall be
54 recycled materials including bagasse, hay, straw, wood cellulose bark, wood
55 chips, or other material acceptable to the Engineer. Mulches shall be clean
56 and free of noxious weeds and deleterious materials. Potable water shall
57 meet the requirements of Subsection 712.01 - Water. Submit alternate
58 sources of irrigation water for the Engineer’s acceptance if deviating from
59 712.01 - Water. Installation and other requirements shall be in accordance
60 with portions of Section 641- Hydro-Mulch Seeding including 641.02(D) - Soil
61 and Mulch Tackifier, 641.03(A) – Seeding, and 641.03(B) - Planting Period.
62 Install non-vegetative controls including mulch or rolled erosion control
63 products while the vegetation is being established. Water and fertilize grass.
64 Apply fertilizer as recommended by the manufacturer. Replace grass the
65 Engineer considers unsuitable or sick. Remove and dispose of trash and
66 debris. Remove invasive species. Mow as needed to prevent site or signage
67 obstructions, fire hazard, or nuisance to the public. Do not remove down
68 stream sediment control measures until the vegetation is uniformly
69 established, including no large bare areas, and provides 70 percent of the
70 density of pre-disturbance vegetation. Temporary vegetative stabilization
71 shall not be used longer than one year.
72

73 **(D) Silt Fences.** Comply with ASTM D6462, Standard Practice for Silt
74 Fence Installation.
75

76 Alternative materials or methods to control, prevent, remove and dispose
77 pollution are allowable if acceptable to the Engineer.
78

79 **209.03 Construction.**
80

81 **(A) Preconstruction Requirements.**
82

83 **(1) Water Pollution, Dust, and Erosion Control Meeting.**
84 Schedule a water pollution, dust, and erosion control meeting with the
85 Engineer after Site-Specific BMP is accepted in writing by the
86 Engineer. Meeting shall be scheduled a minimum of 7 calendar days
87 prior to the Start Work Date. Discuss sequence of work, plans and
88 proposals for water pollution, dust, and erosion control.
89

90 **(2) Water Pollution, Dust, and Erosion Control Submittals.**

91 Submit a Site-Specific BMP Plan within 21 calendar days of date of
92 award. Submission of complete and acceptable Site-Specific BMP
93 Plan is the sole responsibility of the Contractor and additional contract
94 time will not be issued for delays due to incompleteness. Include the
95 following:

96
97 **(a)** Written description of activities to minimize water
98 pollution and soil erosion into State waters, drainage or sewer
99 systems. BMP shall include the following:

- 100
101 **1.** An identification of potential pollutants and their
102 sources.
- 103
104 **2.** A list of all materials and heavy equipment to be
105 used during construction.
- 106
107 **3.** Descriptions of the methods and devices used to
108 minimize the discharge of pollutants into State waters,
109 drainage or sewer systems.
- 110
111 **4.** Details of the procedures used for the
112 maintenance and subsequent removal of any erosion or
113 siltation control devices.
- 114
115 **5.** Methods of removing and disposing hazardous
116 wastes encountered or generated during construction.
- 117
118 **6.** Methods of removing and disposing concrete and
119 asphalt pavement cutting slurry, concrete curing water,
120 and hydrodemolition water.
- 121
122 **7.** Spill Control and Prevention and Emergency Spill
123 Response Plan.
- 124
125 **8.** Fugitive dust control, including dust from grinding,
126 sweeping, or brooming off operations or combination
127 thereof.
- 128
129 **9.** Methods of storing and handling of oils, paints
130 and other products used for the project.
- 131
132 **10.** Material storage and handling areas, and other
133 staging areas.
- 134
135 **11.** Concrete truck washouts.

136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180

- 12.** Concrete waste control.
- 13.** Fueling and maintenance of vehicles and other equipment.
- 14.** Tracking of sediment offsite from project entries and exits.
- 15.** Litter management.
- 16.** Toilet facilities.
- 17.** Other factors that may cause water pollution, dust and erosion control.

(b) Provide plans indicating location of water pollution, dust and erosion control devices; provide plans and details of BMPs to be installed or utilized; show areas of soil disturbance in cut and fill, indicate areas used for construction staging and storage including items (1) through (17) above, storage of aggregate (indicate type of aggregate), asphalt cold mix, soil or solid waste, equipment and vehicle parking, and show areas where vegetative practices are to be implemented. Indicate intended drainage pattern on plans. Include flow arrows. Include separate drawing for each phase of construction that alters drainage patterns. Indicate approximate date when device will be installed and removed.

(c) Construction schedule.

(d) Name(s) of specific individual(s) designated responsible for water pollution, dust, and erosion controls on the project site. Include home, cellular, and business telephone numbers, fax numbers, and e-mail addresses.

(e) Description of fill material to be used.

(f) For projects with an NPDES Permit for Construction Activities, submit information to address all sections in the Storm Water Pollution Prevention Plan (SWPPP).

(g) For projects with an NPDES Permit, information required for compliance with the conditions of the Notice of General Permit Coverage (NGPC)/NPDES Permit.

181 (h) Site-Specific BMP Review Checklist. The checklist may
182 be downloaded from HDOT's Stormwater Management
183 website at <http://stormwaterhawaii.com>.
184

185 Date and sign Site-Specific BMP Plan. Keep accepted
186 copy on site or at an accessible location so that it can be made
187 available at the time of an on-site inspection or upon request by
188 the Engineer, HDOT Third-Party Inspector, and/or DOH/EPA
189 Representative. Amendments to the Site-Specific BMP Plan
190 shall be included with original Site-Specific BMP Plan. Modify
191 SWPPP if necessary to conform to revisions. Include date of
192 installation and removal of Site-Specific BMP measures.
193 Obtain written acceptance by the Engineer before
194 implementing revised Site-Specific BMPs in the field.
195

196 Follow the guidelines in the current HDOT "Construction
197 Best Management Practices Field Manual", in developing,
198 installing, and maintaining Site-Specific BMPs for all projects.
199 For any conflicting requirements between the Manual and
200 applicable bid documents, the applicable bid documents will
201 govern. Should a requirement not be clearly described within
202 the applicable bid documents, notify the Engineer immediately
203 for interpretation. For the purposes of clarification "applicable
204 bid documents" include the construction plans, standard
205 specifications, special provisions, Permits, and the SWPPP
206 when applicable.
207

208 Follow Honolulu's City and County "Rules for Soil
209 Erosion Standards and Guidelines" for all projects on Oahu.
210 Use respective Soil Erosion Guidelines for Maui, Kauai and
211 Hawaii projects.
212

213 **(B) Construction Requirements.** Do not begin work until submittals
214 detailed in Subsection 209.03(A)(2) - Water Pollution, Dust, and Erosion
215 Control Submittals are completed and accepted in writing by the Engineer.
216

217 Install, maintain, monitor, repair and replace site-specific BMP
218 measures, such as for water pollution, dust and erosion control; installation,
219 monitoring, and operation of hydrotesting activities; removal and disposal of
220 hazardous waste indicated on plans, concrete cutting slurry, concrete curing
221 water; or hydrodemolition water. Site-Specific BMP measures shall be in
222 place, functional and accepted by HDOT personnel prior to initiating any
223 ground disturbing activities.
224

225 If necessary, furnish and install rain gage in a secure location prior to
226 field work including installation of site-specific BMP. Provide rain gage with
227 a tolerance of at least 0.05 inches of rainfall. Install rain gage on project site
228 in an area that will not deter rainfall from entering the gate opening. Do not
229 install in a location where rain water may splash into rain gage. The rain
230 gage installation shall be stable and plumbed. Maintain rain gage and
231 replace rain gage that is stolen, does not function properly or accurately, is
232 worn out, or needs to be relocated. Do not begin field work until rain gage is
233 installed and Site-Specific BMPs are in place. Rain gage data logs shall be
234 readily available. Submit rain gage data logs weekly to the Engineer.
235

236 Address all comments received from the Engineer.
237

238 Modify and resubmit plans and construction schedules to correct
239 conditions that develop during construction which were unforeseen during
240 the design and pre-construction stages.
241

242 Coordinate temporary control provisions with permanent control
243 features throughout the construction and post-construction period.
244

245 Limit maximum surface area of earth material exposed at any time to
246 300,000 square feet. Do not expose or disturb surface area of earth material
247 (including clearing and grubbing) until BMP measures are installed and
248 accepted in writing by the Engineer. Protect temporarily or permanently
249 disturbed soil surface from rainfall impact, runoff and wind before end of the
250 work day.
251

252 Immediately initiate stabilizing exposed soil areas upon completion of
253 earth disturbing activities for areas permanently or temporarily ceased on any
254 portion of the site. Earth-disturbing activities have permanently ceased when
255 clearing and excavation within any area of the construction site that will not
256 include permanent structures has been completed. Earth-disturbing
257 activities have temporarily ceased when clearing, grading, and excavation
258 within any area of the site that will not include permanent structures will not
259 resume for a period of 14 or more calendar days, but such activities will
260 resume in the future. The term "immediately" is used in this section to define
261 the deadline for initiating stabilization measures. "Immediately" means as
262 soon as practicable, but no later than the end of the next work day, following
263 the day when the earth-disturbing activities have temporarily or permanently
264 ceased.
265

266 For projects with an NPDES Permit for Construction activities:
267

268 (1) For construction areas discharging into waters not impaired for
269 nutrients or sediments, complete initial stabilization within 14 calendar
270 days after the temporary or permanent cessation of earth-disturbing
271 activities.

272
273 (2) For construction areas discharging into nutrient or sediment
274 impaired waters, complete initial stabilization within 7 calendar days
275 after the temporary or permanent cessation of earth-disturbing
276 activities.

277
278 For projects without an NPDES Permit for Construction activities,
279 complete initial stabilization within 14 calendar days after the temporary or
280 permanent cessation of earth-disturbing activities.

281
282 Any of the following types of activities constitutes initiation of
283 stabilization:

- 284
285 (1) Prepping the soil for vegetative or non-vegetative stabilization;
286
287 (2) Applying mulch or other non-vegetative product to the exposed
288 area;
289
290 (3) Seeding or planting the exposed area;
291
292 (4) Starting any of the activities in items (1) – (3) above on a portion
293 of the area to be stabilized, but not on the entire area; and
294
295 (5) Finalizing arrangements to have stabilization product fully
296 installed in compliance with the deadline for completing initial
297 stabilization activities.

298
299 Any of the following types of activities constitutes completion of initial
300 stabilization activities:

- 301
302 (1) For vegetative stabilization, all activities necessary to initially
303 seed or plant the area to be stabilized; and/or
304
305 (2) For non-vegetative stabilization, the installation or application
306 of all such non-vegetative measures.

307
308 If the Contractor is unable to meet the deadlines above due to
309 circumstances beyond the Contractor's control, and the Contractor is using
310 vegetative cover for temporary or permanent stabilization, the Contractor
311 may comply with the following stabilization deadlines instead as agreed to by
312 the Engineer:

313

314 (1) Immediately initiate, and complete within the timeframe shown
315 above, the installation of temporary non-vegetative stabilization
316 measures to prevent erosion;

317
318 (2) Complete all soil conditioning, seeding, watering or irrigation
319 installation, mulching, and other required activities related to the
320 planting and initial establishment of vegetation as soon as conditions
321 or circumstances allow it on the site; and

322
323 (3) Notify and provide documentation to the Engineer the
324 circumstances that prevent the Contractor from meeting the deadlines
325 above for stabilization and the schedule the Contractor will follow for
326 initiating and completing initial stabilization and as agreed to by the
327 Engineer.

328
329 Follow the applicable requirements of the specifications and special
330 provisions including Section 619 Planting and Section 641 Hydro-Mulch
331 Seeding.

332
333 Immediately after seeding or planting the area to be vegetatively
334 stabilized, to the extent necessary to prevent erosion on the seeded or
335 planted area, select, design, and install non-vegetative erosion controls that
336 provide cover (e.g., mulch, rolled erosion control products) to the area while
337 vegetation is becoming established.

338
339 Protect exposed or disturbed surface area with mulches, grass seeds
340 or hydromulch. Spray mulches at a rate of 2,000 pounds per acre. Add
341 tackifier to mix at a rate of 85 pounds per acre. Apply grass seeds at a rate
342 of 125 pounds per acre. For hydromulch, use the ingredients and rates
343 required for mulches and grass seeds. Submit recommendations from a
344 licensed Landscape Architect when deviating from the application rates
345 above.

346
347 Apply fertilizer to mulches, grass seed or hydromulch per
348 manufacturer's recommendations. Submit recommendations from a licensed
349 Landscape Architect when deviating from the manufacturer's
350 recommendations.

351
352 Install velocity dissipation measures when exposing erodible surfaces
353 greater than 15 feet in height.

354
355 BMP measures shall be in place and operational at the end of work
356 day or as required by Section 209.03(B) Construction Requirements.

357

358 Install and maintain either or both stabilized construction entrances
359 and wheel washes to minimize tracking of dirt and mud onto roadways.
360 Restrict traffic to stabilized construction areas only. Clean dirt, mud, or other
361 material tracked onto the road, sidewalk, or other paved area by the end of
362 the same day in which the track-out occurs. Modify stabilized construction
363 entrances to prevent mud from being tracked onto road. Stabilize entire
364 access roads if necessary.

365
366 Chemicals may be used as soil stabilizers for either or both erosion
367 and dust control if acceptable to the Engineer.

368
369 Provide temporary slope drains of rigid or flexible conduits to carry
370 runoff from cuts and embankments. Provide portable flume at the entrance.
371 Shorten or extend temporary slope drains to ensure proper function.

372
373 Protect ditches, channels, and other drainageways leading away from
374 cuts and fills at all times by either:

- 375
376 (1) Hydro-mulching the lower region of embankments in the
377 immediate area.
378
379 (2) Installing check dams and siltation control devices.
380
381 (3) Other methods acceptable to the Engineer.

382
383 Provide for controlled discharge of waters impounded, directed, or
384 controlled by project activities or erosion control measures.

385
386 Cover exposed surface of materials completely with tarpaulin or
387 similar device when transporting aggregate, soil, excavated material or
388 material that may be source of fugitive dust.

389
390 Cleanup and remove any pollutant that can be attributed to the
391 Contractor.

392
393 Install or modify Site-Specific BMP measures due to change in the
394 Contractor's means and methods, or for omitted condition that should have
395 been allowed for in the accepted Site-Specific BMP or a Site-Specific BMP
396 that replaces an accepted Site-Specific BMP that is not satisfactorily
397 performing. Modifications to Site-Specific BMP measures shall be accepted
398 in writing by the Engineer prior to implementation.

399
400 Properly maintain all Site-Specific BMP measures.

401
402 For projects with an NPDES Permit for Construction Activities:
403

404 (1) For construction areas discharging into nutrient or sediment
405 impaired waters, inspect, prepare a written report, and make repairs
406 to BMP measures at the following intervals:

- 407
408 (a) Weekly.
409
410 (b) Within 24 hours of any rainfall of 0.25 inch or greater
411 which occurs in a 24-hour period.
412
413 (c) When existing erosion control measures are damaged
414 or not operating properly as required by Site-Specific BMP.
415

416 (2) For construction areas discharging to waters not impaired for
417 nutrients or sediments, inspect, prepare a written report, and make
418 repairs to BMP measures at the following intervals:

- 419
420 (a) Weekly.
421
422 (b) When existing erosion control measures are damaged
423 or not operating properly as required by Site-Specific BMP.
424

425 For projects without an NPDES Permit for Construction activities,
426 inspect, prepare a written report, and make repairs to BMP measures at the
427 following intervals:

- 428
429 (a) Weekly.
430
431 (b) When existing erosion control measures are damaged
432 or not operating properly as required by Site-Specific BMP.
433

434 Temporarily remove, replace or relocate any Site-Specific BMP that
435 must be removed, replaced or relocated due to potential or actual flooding,
436 or potential danger or damage to project or public.
437

438 Maintain records of inspections of Site-Specific BMP work. Keep
439 continuous records for duration of the project. Submit copy of Inspection
440 Report to the Engineer within 24 hours after each inspection.
441

442 The Contractor's designated representative specified in Subsection
443 209.03(A)(2)(d) shall address any Site-Specific BMP deficiencies brought up
444 by the Engineer immediately, including weekends and holidays, and
445 complete work to fix the deficiencies by the close of the next work day if the
446 problem does not require significant repair or replacement, or if the problem
447 can be corrected through routine maintenance. Address any Site-Specific
448 BMP deficiencies brought up by the State's Third-Party Inspector in the
449 timeframe above or as specified in the Consent Decree or MS4 NPDES

450 Permit, whichever is more stringent. The Consent Decree timeframe
451 requirement applies statewide. The MS4 NPDES Permit only applies to
452 Oahu. In this section, "immediately" means the Contractor shall take all
453 reasonable measures to minimize or prevent discharge of pollutants until a
454 permanent solution is installed and made operational. If a problem is
455 identified at a time in the day in which it is too late to initiate repair, initiation
456 of repair shall begin on the following work day. When installation of a new
457 pollution prevention control or a significant repair is needed, complete
458 installation or repair no later than 7 calendar days from the time of
459 notification/Contractor discovery. Notify the Engineer and document why it
460 is infeasible to complete the installation or repair within 7 calendar days and
461 complete the work as soon as practicable and as agreed to by the Engineer.
462 Address Site-Specific BMP deficiencies discovered by the Contractor within
463 the timeframe above. The Contractor's failure to satisfactorily address these
464 Site-Specific BMP deficiencies, the Engineer reserves the right to employ
465 outside assistance or use the Engineer's own labor forces to provide
466 necessary corrective measures. The Engineer will charge the Contractor
467 such incurred costs plus any associated project engineering costs. The
468 Engineer will make appropriate deductions from the Contractor's monthly
469 progress estimate. Failure to apply Site-Specific BMP measures may result
470 in one or more of the following: assessment of liquidated damages,
471 suspension, or cancellation of Contract with the Contractor being fully
472 responsible for all additional costs incurred by the State.

473
474 **(C) Discharges of Storm Water Associated with Construction**
475 **Activities.** If work includes disturbance of one acre or more, an NPDES
476 Permit authorizing Discharges of Storm Water Associated with Construction
477 Activity (CWB-NOI Form C) or Individual Permit authorizing storm water
478 discharges associated with construction activity is required from the
479 Department of Health Clean Water Branch (DOH-CWB).

480
481 Do not begin construction activities until all required conditions of the
482 permit are met and submittals detailed in Subsection 209.03(A)(2) – Water
483 Pollution, Dust, and Erosion Control Submittals are completed and accepted
484 in writing by the Engineer.

485
486 **(D) Discharges Associated with Hydrotesting Activities.** If
487 hydrotesting activities require effluent discharge into State waters or drainage
488 systems, an NPDES Hydrotesting Waters Permit (CWB-NOI Form F) or
489 Individual Permit authorizing discharges associated with hydrotesting from
490 DOH-CWB is required from the DOH-CWB.

491
492 Do not begin hydrotesting activities until the DOH-CWB has issued an
493 Individual NPDES Permit or Notice of General Permit Coverage (NGPC).
494 Conduct Hydrotesting operations in accordance with the conditions of the
495 permit or NGPC.

496 **(E) Discharges Associated with Dewatering Activities.** If dewatering
497 activities require effluent discharge into State waters or drainage systems, an
498 NPDES Dewatering Permit (CWB-NOI Form G) or Individual Permit
499 authorizing discharges associated with dewatering from DOH-CWB is
500 required from the DOH-CWB.
501

502 Do not begin dewatering activities until the DOH-CWB has issued an
503 Individual NPDES Permit or Notice of General Permit Coverage (NGPC).
504 Conduct dewatering operations in accordance with the conditions of the
505 permit or NGPC.
506

507 **(F) Solid Waste.** Submit the Solid Waste Disclosure Form for
508 Construction Sites to the Engineer within 21 calendar days of date of award.
509 Provide a copy of all the disposal receipts from the facility permitted by the
510 Department of Health to receive solid waste to the Engineer monthly. This
511 should also include documentation from any intermediary facility where solid
512 waste is handled or processed, or as directed by the Engineer.
513

514 **(G) Construction BMP Training.** The Contractor's representative
515 responsible for development of the Site-Specific BMP Plan and
516 implementation of Site-Specific BMPs in the field shall attend the State's
517 Construction Best Management Practices Training. The Contractor shall
518 keep training logs updated and readily available.
519

520 **209.04 Measurement.**
521

522 **(A)** Installation, maintenance, monitoring, and removal of BMP will be paid
523 on a lump sum basis. Measurement for payment will not apply.
524

525 **(B)** The Engineer will only measure additional water pollution, dust and
526 erosion control required and requested by the Engineer on a force account
527 basis in accordance with Subsection 109.06 – Force Account Provisions and
528 Compensation.
529

530 **209.05 Payment.** The Engineer will pay for accepted pay items listed below at
531 contract price per pay unit, as shown in the proposal schedule. Payment will be full
532 compensation for work prescribed in this section and contract documents.
533

534 The Engineer will pay for each of the following pay items when included in
535 proposal schedule:
536

537 Pay Item	538 Pay Unit
539 Installation, Maintenance, Monitoring, and Removal of BMP	Lump Sum
540 Additional Water Pollution, Dust, and Erosion Control	Force Account

541
542

543 An estimated amount for force account is allocated in proposal schedule
544 under 'Additional Water Pollution, Dust, and Erosion Control', but actual amount to
545 be paid will be the sum shown on accepted force account records, whether this sum
546 be more or less than estimated amount allocated in proposal schedule. The
547 Engineer will pay for BMP measures requested by the Engineer that are beyond
548 scope of accepted Site-Specific BMP on a force account basis.

549
550 No progress payment will be authorized until the Engineer accepts in writing
551 Site-Specific BMP or when the Contractor fails to maintain project site in accordance
552 with accepted BMP.

553
554 For all citations or fines received by the Department for non-compliance,
555 including compliance with NPDES Permit conditions, the Contractor shall reimburse
556 State within 30 calendar days for full amount of outstanding cost State has incurred,
557 or the Engineer will deduct cost from progress payment.

558
559 The Engineer will assess liquidated damages up to \$27,500 per day for non-
560 compliance of each BMP requirement and all other requirements in this section.
561

562 **Appendix A**

563

564 The following list identifies potential pollutant sources and corresponding
565 BMPs used to mitigate the pollutants. Each BMP is referenced to the corresponding
566 section of the current HDOT Construction Best Management Practices Field Manual
567 or appropriate Supplemental Sheets. The Manual may be obtained from the HDOT
568 Statewide Stormwater Management Program Website at
569 <http://www.stormwaterhawaii.com/resources/contractors-and-consultants/> under
570 Construction Best Management Practices Field Manual. Supplemental BMP sheets
571 are located at <http://www.stormwaterhawaii.com/resources/contractors-and-consultants/storm-water-pollution-prevention-plan-swppp/> under Concrete Curing
572 and Irrigation Water.
573
574

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<p><i>Construction debris, green waste, general litter</i></p>	<ul style="list-style-type: none"> • <i>Separate contaminated clean up materials from construction and demolition (C&D) wastes.</i> • <i>Provide waste containers (e.g., dumpster or trash receptacle) of sufficient size and number to contain construction and domestic wastes.</i> • <i>Inspect construction waste and recycling areas regularly.</i> • <i>Schedule solid waste collection regularly.</i> • <i>Schedule recycling activities based on construction/demolition phases.</i> • <i>Empty waste containers weekly or when they are two-thirds full, whichever is sooner.</i> • <i>Do not allow containers to overflow. Clean up immediately if they do.</i> • <i>On work days, clean up and dispose of waste in designated waste containers.</i> • <i>See Solid Waste Management Section SM-6 for additional requirements.</i> • <i>Provide Storm Drain Inlet Protection and/or Perimeter Sediment Controls as applicable.</i> • <i>Collect and dispose of all waste materials in trash dumpsters. Place dumpsters, with secure watertight lids, away from storm water conveyances and drains, in a covered materials storage area.</i> • <i>Dispose of construction and non- construction solid waste in accordance with State DOH regs.</i> • <i>Load removed non- recyclable vegetation directly onto trucks; cover and transport to a licensed facility</i> 	<p><i>See Solid Waste Management Section SM-6. Storm Drain Inlet Protection SC-1, and Perimeter Sediment Controls where applicable.</i></p>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<p><i>Materials associated with the operation and maintenance of equipment, such as oil, fuel, and hydraulic fluid leakage</i></p>	<ul style="list-style-type: none"> • <i>Use off-site wash racks, repair and maintenance facilities, and fueling sites when practical.</i> • <i>Designate bermed wash area if cleaning on site is necessary.</i> • <i>Place drip pans or drop cloths under vehicles and equipment to absorb spills or leaks.</i> • <i>Provide an ample supply of readily available spill cleanup materials.</i> • <i>Clean up spills immediately, using dry cleanup methods where possible, and dispose of used materials properly.</i> • <i>Do not clean surfaces or spills by hosing the area down.</i> • <i>Eliminate the source of the spill to prevent a discharge or a continuation of an ongoing discharge.</i> • <i>Inspect on-site vehicles and equipment regularly and immediately repair leaks.</i> • <i>Regularly inspect fueling areas and storage tanks.</i> • <i>Train employees on proper maintenance and spill practices and procedures and fueling and cleanup procedures.</i> • <i>Store diesel fuel, oil, hydraulic fluid, or other petroleum products or other chemicals in water-tight containers and provide cover or secondary containment.</i> • <i>Do not remove original product labels and comply with manufacturer's labels for proper disposal.</i> • <i>Dispose of containers only after all the product has been used.</i> • <i>Dispose of or recycle oil or oily wastes according to Federal, State, and Local requirements.</i> • <i>Store soaps, detergents, or solvents under cover or other means to prevent contact with rainwater.</i> • <i>See Vehicle and Equipment Cleaning, Maintenance, and Refueling, Sections SM-11, SM-12, and SM-13 and Material Storage and Handling Section SM-2 for additional requirements.</i> 	<p><i>See Vehicle and Equipment Cleaning, Maintenance, and Refueling, Sections SM-11, SM-12, and SM-13, and Material Storage and Handling, Section SM-2, and Spill Prevention and Control SM-10.</i></p>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<p>Soil erosion from the disturbed areas</p>	<ul style="list-style-type: none"> • Provide Soil Stabilization, Slope Protection, Storm Drain Inlet Protection SC-1, Perimeter Controls and Sediment Barriers, Sediment Basins and Detention Ponds, Check Dams SC-3 ,Level Spreader EC-6, Paving Operations SM-20, Construction Roads and Parking Area Stabilization SC-10, Controlling Storm Water Flowing Onto and Through the Project, Post-Construction BMPs, and Non-Structural BMPs (Construction BMP Training SM-1, Scheduling SM-14, Location of Potential Sources of Sediment SM-15, Preservation of Existing Vegetation SM-17). • Delineate, and clearly mark off, with flags, tape, or other similar marking device all natural buffer areas defined in the SWPPP. • Preserve native topsoil where practicable. • In areas where vegetative stabilization will occur, restrict vehicle/equipment use in areas to avoid soil compaction or condition soil to promote vegetative growth. • For Storm Drain Inlet Protection, clean, or remove and replace, the protection measures as sediment accumulates, the filter becomes clogged, and/or performance is compromised. • Where there is evidence of sediment accumulation adjacent to the inlet protection measure, remove the deposited sediment by the end of the same day in which it is found or by the end of the following work day if removal by the same day is not feasible. • Sediment basins shall be designed and maintained in accordance with HAR Chapter 11-55. • Minimize disturbance on steep slopes (Greater than 15% in grade). • If disturbance of steep slopes are unavoidable, phase disturbances and use stabilization techniques designed for steep grades. • For temporary drains and swales use velocity dissipation devices within and at the outlet to minimize erosive flow velocities. 	<p>Soil Stabilization</p> <ol style="list-style-type: none"> 1. SM-22 Topsoil Management 2. EC-12 Seeding and Planting 3. EC-14 Mulching 4. EC-11 Geotextiles and Mats <p>Slope Protection</p> <ol style="list-style-type: none"> 1. EC-12 Seeding and Planting 2. EC-14 Mulching 3. EC-11 Geotextiles and Mats 4. EC-4 Slope Roughening, Terracing, and Rounding 5. EC-7 Slope Drains and Subsurface Drains 6. EC-9 Slope Interceptor or Diversion Ditches/Berms <p>SC-1 Storm Drain Inlet Protection</p>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
		<p><i>Perimeter Controls and Sediment Barriers</i></p> <ol style="list-style-type: none"> 1. <i>SC-7 Silt Fence or Filter Fabric Fence</i> 2. <i>SC-2 Vegetated Filter Strips and Buffers</i> 3. <i>SC-6 Compost Filter Berm/Sock</i> 4. <i>SC-8 Sandbag Barrier</i> 5. <i>SC-9 Brush or Rock Filter</i> <p><i>Sediment Basins and Detention Ponds</i></p> <ol style="list-style-type: none"> 1. <i>SC-4 Sediment Trap</i> 2. <i>SC-5 Sediment Basin</i> <p><i>SC-3 Check Dams</i></p> <p><i>EC-6 Level Spreader</i> <i>SM-20 Paving Operations</i> <i>SC-10 Construction Roads and Parking Area Stabilization</i></p>

579

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
		<p><i>Controlling Storm Water Flowing onto and Through the Project</i></p> <ol style="list-style-type: none"> 1. <i>EC-3 Run-On Diversion</i> 2. <i>EC-5 Earth Dike, Swales and Ditches</i> <p><i>Post Construction BMPs</i></p> <ol style="list-style-type: none"> 1. <i>EC-2 Flared Culvert End Sections</i> 2. <i>EC-10 Rip-Rap and Gabion Inflow Protection</i> 3. <i>EC-8 Outlet Protection and Velocity Dissipation Devices</i> 4. <i>SM-22 Topsoil Management</i> <p><i>Non-Structural BMPs</i></p> <ol style="list-style-type: none"> 1. <i>SM-1 Construction BMP Training</i> 2. <i>SM-14 Scheduling</i> 3. <i>SM-15 Location of Potential Sources of Sediment</i> 4. <i>SM-17 Preservation of Existing Vegetation</i>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<i>Sediment from soil stockpiles</i>	<ul style="list-style-type: none"> • <i>Locate stockpiles a minimum of 50 feet or as far as practicable from concentrated runoff or outside of any natural buffers identified on the SWPPP.</i> • <i>Place bagged materials on pallets and under cover.</i> • <i>Provide physical diversion to protect stockpiles from concentrated runoff.</i> • <i>Cover stockpiles with plastic or comparable material when practicable.</i> • <i>Place silt fence, fiber filtration tubes, or straw wattles around stockpiles.</i> • <i>Do not hose down or sweep soil or sediment accumulated on pavement or other impervious surfaces into any storm water conveyance (unless connected to a sediment basin, sediment trap, or similarly effective control), storm drain inlet, or state water.</i> • <i>Unless infeasible, contain and securely protect stockpiles from the wind.</i> • <i>Provide Storm Drain Inlet Protection and/or Perimeter Sediment Controls as applicable. See Stockpile Management Section SM-3 for additional requirements.</i> 	<p><i>See Stockpile Management Section SM-3. Storm Drain Inlet Protection SC-1, and Perimeter Sediment Controls where applicable.</i></p>
<i>Emulsified asphalt or prime/tack coat</i>	<ul style="list-style-type: none"> • <i>Provide training for employees and contractors on proper material delivery and storage practices and procedures.</i> • <i>Restrict paving operations during wet weather to prevent paving materials from being discharged.</i> • <i>Use asphalt emulsions such as prime coat when possible.</i> • <i>Protect drain inlet structures and manholes during application of tack coat, seal coat, slurry seal, and fog seal.</i> • <i>Keep ample supplies of drip pans and absorbent materials on site.</i> • <i>Inspect inlet protection devices.</i> • <i>See Material Storage and Handling Section SM-2 and Paving Operations Section SM-20 for additional requirements.</i> • <i>Provide Storm Drain Inlet Protection and/or Perimeter Sediment Controls as applicable.</i> 	<p><i>See Material Storage and Handling Section SM-2, and Stockpile Management Section SM-3, Paving Operations Section SM-20, Storm Drain Inlet Protection SC-1, and Perimeter Sediment Controls where applicable.</i></p>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<p><i>Materials associated with painting, such as paint and paint wash solvent</i></p>	<ul style="list-style-type: none"> • <i>Hazardous chemicals shall be well-labeled and stored in original containers.</i> • <i>Keep ample supply of cleanup materials on site.</i> • <i>Dispose container only after all of the product has been used.</i> • <i>Remove as much paint from brushes on painted surface.</i> • <i>Rinse from water-based paints shall be discharged into the sanitary sewer system where possible. If not, direct all washwater into a leak-proof container or leak-proof pit. The container or pit must be designed so that no overflows can occur due to inadequate sizing or precipitation.</i> • <i>Locate on-site wash area a minimum of 50 feet away or as far as practicable from storm drain inlets, open drainage facilities, or water bodies.</i> • <i>Do not dump liquid wastes into the storm drainage system.</i> • <i>Filter and re-use solvents and thinners.</i> • <i>Dispose of oil-based paints and residue as a hazardous waste.</i> • <i>Ensure collection, removal, and disposal of hazardous waste complies with regulations.</i> • <i>Immediately clean up spills and leaks.</i> • <i>Properly store paints, solvents, and epoxy compounds.</i> • <i>Properly store and dispose waste materials generated from painting and structure repair and construction activities.</i> • <i>Mix paints in a covered and contained area, when possible, to minimize adverse impacts from spills.</i> • <i>Do not apply traffic paint or thermoplastic if rain is forecasted.</i> • <i>See Material Storage and Handling Use SM-2, Hazardous Materials and Waste Management Section SM-9, Spill Prevention and Control Section SM-10, and Structure Construction and Painting Section SM-21 for additional requirements.</i> <p><i>Provide Storm Drain Inlet Protection and/or Perimeter Sediment Controls as applicable.</i></p>	<p><i>See Material Storage and Handling Use Section SM-2, Stockpile Management Section SM-3, Hazardous Materials and Waste Management Section SM-9, Waste Management, Spill Prevention and Control Section SM-10, and Structure Construction and Painting Section SM-21, Storm Drain Inlet Protection SC-1, and Perimeter Sediment Controls where applicable.</i></p>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<p><i>Industrial chemicals, fertilizers, and/or pesticides</i></p>	<ul style="list-style-type: none"> • <i>Hazardous chemicals shall be well-labeled and stored in original containers.</i> • <i>Keep ample supply of cleanup materials on site.</i> • <i>Clean up spills immediately, using dry clean-up methods where possible, and dispose of used materials properly.</i> • <i>Do not clean surfaces or spills by hosing the area down.</i> • <i>Eliminate the source of the spill to prevent a discharge or a furtherance of an ongoing discharge.</i> • <i>Dispose container only after all of the product has been used.</i> • <i>Retain a complete set of safety data sheets (formerly MSDS) on site.</i> • <i>Store industrial chemicals in water-tight containers and provide either cover or secondary containment.</i> • <i>Provide cover when storing fertilizers or pesticides to prevent these chemicals from coming into contact with rainwater.</i> • <i>Restrict amount of pesticide prepared to quantity necessary for the current application.</i> • <i>Do not apply fertilizers or pesticides during or just before a rain event.</i> • <i>Do not apply to stormwater conveyance channels with flowing water.</i> • <i>Comply with fertilizer and pesticide manufacturer's recommended usage and disposal instructions. Document departures from manufacturer's specifications in Attachment J.</i> • <i>Apply fertilizers at the appropriate time of year for the location, and preferably timed to coincide as closely as possible to the period of maximum vegetation uptake and growth.</i> • <i>Follow federal, state, and local laws regarding fertilizer application.</i> • <i>Do not dispose of toxic liquid wastes (solvents, used oils, and paints) or chemicals (additives, acids, and curing compounds) in dumpsters allocated for construction debris.</i> 	<p><i>See Material Storage and Handling Use Section SM-2, Stockpile Management Section SM-3, and Hazardous Materials and Waste Management Section SM-9, and Spill Prevention and Control SM-10</i></p>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
	<ul style="list-style-type: none"> • <i>Ensure collection, removal, and disposal of hazardous waste complies with regulations. Hazardous waste that cannot be reused or recycled shall be disposed of by a licensed hazardous waste hauler.</i> • <i>See Material Storage and Handling Use SM-2, and Hazardous Materials and Waste Management Section SM-9 for additional requirements.</i> 	
<p><i>Hazardous waste (Batteries, Solvents, Treated Lumber, etc.)</i></p>	<ul style="list-style-type: none"> • <i>Do not dispose of toxic materials in dumpsters allocated for construction debris.</i> • <i>Ensure collection, removal, and disposal of hazardous waste complies with regulations.</i> • <i>Hazardous waste that cannot be reused or recycled shall be disposed of by a licensed hazardous waste hauler.</i> • <i>Segregate and recycle wastes from vehicle/equipment maintenance activities such as used oil or oil filters, greases, cleaning solutions, antifreeze, automotive batteries, and hydraulic and transmission fluids.</i> • <i>Store waste in sealed containers, which are constructed of suitable materials to prevent leakage and corrosion, and which are labeled in accordance with applicable Resource Conservation and Recovery Act (RCRA) requirements and all other applicable federal, state, and local requirements.</i> • <i>All containers stored outside shall be kept away from surface waters and within appropriately sized secondary containment (e.g., spill berms, decks, spill containment pallets). Provide cover if possible.</i> • <i>Clean up spills immediately, using dry clean-up methods where possible, and dispose of used materials properly.</i> • <i>Do not clean surfaces or spills by hosing the area down.</i> • <i>Eliminate the source of the spill to prevent a discharge or a continuation of an ongoing discharge.</i> 	<p><i>See Hazardous Materials and Waste Management Section SM-9 and Vehicle and Equipment Maintenance SM-12</i></p>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
	<ul style="list-style-type: none"> • <i>Ensure collection, removal, and disposal of hazardous waste complies with manufacturer's recommendations and is in compliance with federal, state, and local requirements.</i> • <i>See Hazardous Materials and Waste Management Section SM-9 and Vehicle and Equipment Management, Vehicle and Equipment Maintenance SM-12 for additional requirements.</i> 	
<i>Metals and Building Materials</i>	<ul style="list-style-type: none"> • <i>Inspect construction waste and recycling areas regularly.</i> • <i>Schedule solid waste collection regularly.</i> • <i>If building materials or metals are stored on site (such as rebar or galvanized poles) store under cover under tarps or in containers.</i> • <i>Minimize the amount of material stored on site.</i> • <i>Do not stockpile uncovered metals or other building materials in close proximity to discharge points.</i> • <i>See Solid Waste Management Section SM-6 for additional requirements.</i> 	<i>See Solid Waste Management Section SM-6</i>
<i>Contaminated Soil</i>	<ul style="list-style-type: none"> • <i>See Waste Management, Contaminated Soil Management Section SM-8 and/or Hazardous Materials and Waste Management Section SM-9 for additional requirements.</i> • <i>At minimum contain contaminated material soil by surrounding with impermeable lined berms or cover exposed contaminated material with plastic sheets.</i> 	<i>See Waste Management, Contaminated Soil Management Section SM-8 and/or Hazardous Materials and Waste Management Section SM-9</i>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<i>Fugitive Dust Control and Dust Control Water</i>	<ul style="list-style-type: none"> • <i>Do not over spray water for dust control purposes which will result in runoff from the area.</i> • <i>Apply water as conditions require.</i> • <i>Washing down of debris or dirt into drainage, sewage systems, or State waters is not allowed.</i> • <i>Minimize exposed areas through the schedule of construction activities.</i> • <i>Utilize vegetation, mulching, sprinkling, and stone/gravel layering to quickly stabilize exposed soil.</i> • <i>Direct construction vehicle traffic to stabilized roadways.</i> • <i>Cover dump trucks hauling material from the site with a tarpaulin.</i> <p><i>See Dust Control Section SM-19 for additional requirements.</i></p>	<i>See Dust Control Section SM-19</i>
<i>Concrete Truck Wash Water</i>	<ul style="list-style-type: none"> • <i>Disposal of concrete truck wash water via percolation is prohibited.</i> • <i>Wash concrete-coated vehicles or equipment off-site or in the designated wash area.</i> • <i>Locate on-site wash area a minimum of 50 feet away or as far as practicable from storm drain inlets, open drainage facilities, or water bodies.</i> • <i>Runoff from the on-site concrete wash area shall be contained in a temporary pit or level bermed area where the concrete can set.</i> • <i>Design the area so that no overflow can occur due to inadequate wash area sizing or precipitation.</i> • <i>The temporary pit shall be lined with plastic to prevent seepage of wash water into the ground.</i> • <i>Allow wash water to evaporate or collect wash water and all concrete debris in a concrete washout system bin.</i> • <i>Do not dump liquid wastes into storm drainage system.</i> • <i>Dispose of liquid and solid concrete wastes in compliance with federal, state, and local standards.</i> • <i>See Waste Management, Concrete Wash and Waste Management Section SM-4 for additional requirements.</i> 	<i>See Waste Management, Concrete Wash and Waste Management Section SM-4</i>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<i>Sediment Track-Out</i>	<ul style="list-style-type: none"> • <i>Include Stabilized Construction Entrance at all points that exit onto paved roads.</i> • <i>A sediment trapping device is required if a wash rack is used in conjunction with the stabilized construction entrance/exit.</i> • <i>The pavement shall not be cleaned by washing down the street.</i> • <i>If sweeping is ineffective or it is necessary to wash the streets, wash water must be contained either by construction of a sump, diverting the water to an acceptable disposal area, or vacuuming the wash water.</i> • <i>Use BMPs for adjacent drainage structures.</i> • <i>Remove sediment tracked onto the street by the end of the day in which the track-out occurs.</i> • <i>Restrict vehicle use to properly designated exit points.</i> • <i>Include additional BMPs that remove sediment prior to exit when minimum dimensions cannot be met.</i> <p><i>See Stabilized Construction Entrance/Exit Section SC-11 for additional requirements.</i></p>	<i>See Stabilized Construction Entrance/Exit Section SC-11</i>
<i>Irrigation Water</i>	<ul style="list-style-type: none"> • <i>Consider irrigation requirements.</i> • <i>Where possible, avoid species which require irrigation.</i> • <i>Design, timing and application methods of irrigation water to eliminate the runoff of excess irrigation water into the storm water drainage system.</i> <p><i>See Seeding and Planting Section EC-12 and California Stormwater BMP Handbook SD-12 Efficient Irrigation included in SWPPP Attachment A for additional requirements.</i></p>	<i>See Seeding and Planting Section EC-12 and California Stormwater BMP Handbook SD-12 Efficient Irrigation</i>
<i>Hydrotesting Effluent</i>	<ul style="list-style-type: none"> • <i>If work includes removing, relocation or installing waterlines, and Contractor elects to flush waterline or discharge hydrotesting effluent into State waters or drainage systems, the Contractor shall prepare and obtain HDOT acceptance of a NOI/NPDES Permit Form F application for HDOT submittal to DOH CWB at least 30 calendar days prior to the start of Hydrotesting Activities if necessary. Site specific BMPs will be included in the NOI/NPDES Permit Form F submittal.</i> 	<i>Site specific BMPs will be included in the NOI/NPDES Permit Form F submittal.</i>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<i>Dewatering Effluent</i>	<i>If excavation or backfilling operations require dewatering, and Contractor elects to discharge dewatering effluent into State waters or existing drainage systems, Contractor shall prepare and obtain HDOT acceptance of a NOI/NPDES Permit Form G application for HDOT submittal to DOH CWB at least 30 calendar days prior to the start of Dewatering Activities if necessary. See Site Planning and General Practices, Dewatering Operations Section SM-18 for additional requirements.</i>	<i>See Dewatering Operations SM-18. Site specific BMPs will be included in the NOI/NPDES Permit Form G submittal.</i>
<i>Saw-cutting Slurry</i>	<ul style="list-style-type: none"> • <i>Saw cut slurry shall be removed from the site by vacuuming.</i> • <i>Provide storm drain protection during saw cutting. See Paving Operations Section SM-20 for additional requirements.</i> <i>Provide Storm Drain Inlet Protection and/or Perimeter Sediment Controls as applicable.</i>	<i>See Paving Operations Section SM-20, Storm Drain Inlet Protection SC-1, Perimeter sediment controls where applicable</i>
<i>Concrete Curing Water</i>	<ul style="list-style-type: none"> • <i>Avoid overspraying of curing compounds.</i> • <i>Apply an amount of compound that covers the surface, but does not allow any runoff of the compound.</i> <i>See California Stormwater BMP Handbook NS-12 Concrete Curing included in SWPPP Attachment A for additional requirements.</i>	<i>See California Stormwater BMP Handbook NS-12 Concrete Curing</i>

Pollutant Source	Appropriate Site-Specific BMP to be Implemented	BMP Requirements
<i>Plaster Waste Water</i>	<ul style="list-style-type: none"> • <i>Direct all wastewater into a leak-proof container or leak-proof pit. The container or pit must be designed so that no overflows can occur due to inadequate sizing or precipitation.</i> • <i>Locate on-site wash area a minimum of 50 feet away or as far as practicable from storm drain inlets, open drainage facilities, or water bodies.</i> • <i>Any significant residual materials remaining on the ground after the completion of construction shall be removed and properly disposed. If the residual materials contaminate the soil, then the contaminated soil shall also be removed and properly disposed of.</i> • <i>Plaster waste water shall not be allowed to flow into drainage structures or State waters. See Material, Storage and Handling Use SM-2, Stockpile Management Use Section SM-3, and Hazardous Materials and Waste Management Section SM-9 for additional requirements.</i> 	<i>See Material, Storage and Handling Use Section SM-2, Stockpile Management Use Section SM-3, and Hazardous Materials and Waste Management Section SM-9</i>
<i>Water-Jet Wash Water</i>	<ul style="list-style-type: none"> • <i>For Water-Jet Wash Water used to clean vehicles, use off site wash racks or commercial washing facilities when practical.</i> • <i>See Vehicle and Equipment Cleaning Section SM-11 for additional information.</i> • <i>For Water-Jet Wash Water used to clean impervious surfaces, the runoff shall not be allowed to flow into drainage structures or State Waters.</i> 	<i>See Vehicle and Equipment Cleaning Section SM-11</i>
<i>Sanitary/Septic Waste</i>	<ul style="list-style-type: none"> • <i>Locate Sanitary facilities in a convenient place away from drainage facilities.</i> • <i>Position sanitary facilities so they are secure and will not be tipped over or knocked down.</i> • <i>Wastewater shall not be discharged to the ground or buried.</i> • <i>A licensed service provider shall maintain sanitary/septic facilities in good working order.</i> • <i>Schedule regular waste collection by a licensed transporter.</i> • <i>See Sanitary Waste Section SM-7 for additional requirements.</i> 	<i>See Sanitary Waste Section SM-7.</i>

590
591
592

“

END OF SECTION 209

**STP-0550(006)
209-28a**

1/14/22

47
48
49
50
51
52
53

The Engineer may, in lieu of requiring removal and replacement, use the sliding scale factor to accept HMAB compacted below 92.0 percent. The Engineer will make payment for the material in that production day at a reduced price arrived at by multiplying the contract unit price by the pay factor shown in Table 301.05-1.

Table 301.05-1 – Sliding Scale Pay Factor	
Percent Compaction	Percent Payment
92.0 or greater	100
90.0 – 91.9	80
<90.0	Removal

54
55
56
57

END OF SECTION 301

1 **SECTION 305 – AGGREGATE SUBBASE COURSE**

2
3 Make the following amendments to said Section:

4
5 **(I)** Amend **305.04 – Measurement** by revising lines 54 to 55 to read as
6 follows:

7
8 **“305.04 Measurement.**

9
10 The Engineer will measure aggregate subbase per cubic yard in
11 accordance with the contract documents.”

12
13 **(II)** Amend **305.05 – Payment** by revising lines 57 to 66 to read as follows:

14
15 **“305.05 Payment.** The Engineer will pay for the accepted aggregate
16 subbase at the contract price per pay unit, as shown in the proposal schedule.
17 Payment will be full compensation for the work prescribed in this section and the
18 contract documents.

19
20 The Engineer will pay for the following pay item when included in the
21 proposal schedule:

22

Pay Item	Pay Unit
Aggregate Subbase	Cubic Yard

23
24
25
26
27
28
29
30
31

32 **END OF SECTION 305**

1 Make this section a part of the Standard Specifications:
2

3 **“SECTION 307 – LITHIFIED RECYCLED BASE**
4
5

6 **307.01 Description.** This section describes the treatment of the existing
7 asphalt pavement and granular base with LithTec or equivalent product. The
8 lithified recycled base is composed of a compacted mixture of existing base
9 course, existing AC, Lith Tec product (or equivalent), water, and slurry seal
10 coating.
11

12
13 **307.02 Materials.**
14

15 **(A) Lith Tec product (or equivalent)** Cementation product with a 6-
16 hour window for compaction.
17

18 **(B) Water.** Water that is clean and free of oil, salt, or other
19 substances deleterious to hardening or performance of the lithified
20 recycled base, and conforms to Section 712.01 - Water.
21

22 **(C) On-Site Recycled Base.** Existing asphalt pavement, base
23 course, and subbase mechanically ground-up or pulverized, and mixed
24 with an asphalt reclaimer type equipment. The material shall have no
25 particles greater than 1.5 inches in its largest dimension, and no
26 aggregations of AC greater than ¾ inch in its largest dimension. The
27 material shall be free of debris or rubbish. The percentage of material
28 greater than ¾” shall be no greater than about 30%.
29

30 **(D) Slurry Seal.** Slurry Seal placed over the Lith Tec product (or
31 equivalent).
32

33 **307.03 Construction Requirements.** At least 6 weeks prior to
34 construction, the Contractor shall excavate 2 feet by 2 feet by 7 inches deep
35 holes in the road at the locations in the list below, provide the thickness of the
36 asphalt pavement in the area to the nearest half inch, pulverize the asphalt
37 materials, and provide the material to the Engineer’s Geotechnical Consultant.
38

- 39 1. Between Southbound Sta. 238+00 and Sta. 260+00
- 40 2. Between Northbound Sta. 238+00 and Sta. 260+00
- 41 3. Between Northbound Sta. 276+00 and Sta. 281+50 (7' wide)
- 42 4. Between Southbound Sta. 301+00 and Sta. 301+50
- 43 5. Between Northbound Sta. 301+00 and Sta. 301+50
- 44 6. Between Northbound Sta. 425+00 and Sta. 426+00
- 45 7. Between Northbound Sta. 444+50 and Sta. 453+20
- 46 8. Between Southbound Sta. 445+00 and Sta. 452+50
- 47 9. Between Southbound Sta. 459+50 and Sta. 466+50
- 48 10. Between Northbound Sta. 459+50 and Sta. 460+00

STP-0550(006)

307-1a

1/29/24

- 49 11. Between Northbound Sta. 462+00 and Sta. 466+50
- 50 12. Between Southbound Sta. 467+90 and Sta. 472+00
- 51 13. Between Northbound Sta. 467+90 and Sta. 473+00
- 52 14. Between Northbound Sta. 476+50 and Sta. 477+50
- 53 15. Between Southbound Sta. 480+00 and Sta. 481+00
- 54 16. Between Northbound Sta. 483+00 and Sta. 484+00 (7' wide)
- 55 17. Between Northbound Sta. 485+50 and Sta. 486+50 (7' wide)
- 56 18. Between Southbound Sta. 489+50 and Sta. 494+00
- 57 19. Between Northbound Sta. 488+50 and Sta. 491+50
- 58 20. Between Northbound Sta. 492+50 and Sta. 494+00
- 59 21. Between Northbound Sta. 495+00 and Sta. 498+00 (some 7' wide)
- 60 22. Between Southbound Sta. 497+00 and Sta. 498+00
- 61 23. Between Southbound Sta. 499+00 and Sta. 502+00
- 62 24. Between Northbound Sta. 499+00 and Sta. 501+00
- 63 25. Between Southbound Sta. 503+50 and Sta. 504+00
- 64 26. Between Southbound Sta. 507+50 and Sta. 508+50 (7' wide)
- 65 27. Between Northbound Sta. 514+00 and Sta. 514+50
- 66 28. Between Southbound Sta. 515+50 and Sta. 516+50
- 67 29. Between Southbound Sta. 517+00 and Sta. 519+50
- 68 30. Between Northbound Sta. 521+50 and Sta. 524+50 (7' wide)
- 69 31. Between Southbound Sta. 525+50 and Sta. 526+50
- 70 32. Between Northbound Sta. 526+50 and Sta. 528+00
- 71 33. Between Southbound Sta. 529+00 and Sta. 542+50
- 72 34. Between Northbound Sta. 529+00 and Sta. 542+50
- 73 35. Between Southbound Sta. 544+50 and Sta. 545+50
- 74 36. Between Northbound Sta. 544+50 and Sta. 545+50
- 75 37. Between Northbound Sta. 549+00 and Sta. 549+50
- 76 38. Between Southbound Sta. 550+50 and Sta. 555+50
- 77 39. Between Northbound Sta. 551+50 and Sta. 555+00
- 78 40. Between Southbound Sta. 563+50 and Sta. 564+50 (7' wide)
- 79 41. Between Southbound Sta. 565+00 and Sta. 566+50
- 80 42. Between Northbound Sta. 565+00 and Sta. 566+50
- 81 43. Between Southbound Sta. 574+00 and Sta. 575+00
- 82 44. Between Northbound Sta. 574+00 and Sta. 575+00
- 83 45. Between Southbound Sta. 581+50 and Sta. 582+00
- 84 46. Between Northbound Sta. 585+50 and Sta. 586+00
- 85 47. Between Southbound Sta. 586+00 and Sta. 587+00
- 86 48. Between Southbound Sta. 588+50 and Sta. 590+00
- 87 49. Between Northbound Sta. 589+00 and Sta. 592+00
- 88 50. Between Southbound Sta. 591+00 and Sta. 594+50
- 89 51. Between Northbound Sta. 596+00 and Sta. 600+00
- 90 52. Between Southbound Sta. 597+00 and Sta. 600+00

91

92 The Contractor shall also provide samples to the Engineer of the Lith Tec product
93 (or equivalent) to be utilized. After receipt of the on-site pulverized AC, base
94 course, and the separate Lith Tec product (or equivalent), the Engineer's
95 Geotechnical Consultant will perform the laboratory Proctor test in accordance
96 with AASHTO T134 on at least 33% of the samples provided. The samples

STP-0550(006)

307-2a

1/29/24

97 chosen for testing shall be representative of the range of materials encountered
98 in these samples.

99

100 The Engineer's Geotechnical Consultant will adjust the Lith Tec (or equivalent)
101 content to achieve the following test results.

- 102 • CBR (AASHTO T193) = 150 minimum
- 103 • CBR Swell (AASHTO T193) = 0.15% maximum
- 104 • Wetting and Drying Test of Compacted Soil-Cement Mixtures (AASHTO
105 T135) for the anticipated material loss over time = 1% maximum
- 106 • Unconfined Compression Test (AASHTO T208) = 400 psi minimum at
107 minimum of 0.8% strain at failure

108

109 Following the completion of the laboratory Proctor test, the area shall be ground-
110 up or pulverized in-place with an asphalt reclaimer to 7 inches below the existing
111 pavement surface.

112

113 The depth of the pulverization may be checked by the Engineer, and deeper
114 pulverization may be required at areas found to have too shallow pulverization.
115 Remove all organic or deleterious material found in the pulverized material.

116

117 The reclaimer shall have a computerized water distribution system and shall add
118 enough water to achieve a moisture content of within 2 percent dry and wet of
119 optimum moisture content.

120

121 If the pulverized material is found to have excess water content above the
122 Optimum Moisture Content, the material can either be air-dried or more Lith Tec
123 product (or equivalent) may be added to achieve the target moisture content. No
124 Portland cement product shall be allowed.

125

126 The base course and asphalt shall be ground up such that there are no particles
127 greater than 1.5 inches in its largest dimension, and no aggregations of AC
128 greater than ¾ inch in its largest dimension. The percentage of material greater
129 than ¾" shall be no greater than about 30%. Oversized material shall be either
130 removed or additionally pulverized to attain the acceptable particle size.

131

132 The Engineer shall take samples to check on gradation and the Maximum Dry
133 Density for every 1,500 cubic yards of material used.

134

135 After the initial pulverization with the reclaimer, the Lith Tec product (or
136 equivalent) shall be placed onto the pulverized material using a spreader with a
137 computerized and calibrated spreader. The Lith Tec content shall be 3 to 5
138 percent by dry weight, depending on the laboratory test results.

139

140 Do not use Lith Tec product (or equivalent) salvaged from used or discarded
141 sacks. Lith Tec product (or equivalent) placed in storage shall be suitably
142 protected. Any loss of the quality of the Lith Tec product (or equivalent) will be
143 cause for rejection.

144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191

If the Lith Tec product (or equivalent) furnished shows erratic behavior under the field conditions incident to the mixing and placing of the mixture, or in the time of the initial or final set, the Contractor shall at once cease the use of that batch of Lith Tec product (or equivalent) and furnish material of such properties as to ensure quality work conforming to the specifications. Notify the Engineer immediately of the problem.

Placement of the Lith Tec product (or equivalent) shall consist of opening the bulk bags and placing the material into a dry product spreader such that the area is covered with the Lith Tec product (or equivalent) of uniform thickness. The Engineer may place a plastic mat to measure the application rate of Lith Tec product (or equivalent) per square foot.

Prevent the drifting of Lith Tec product (or equivalent) or dust by spraying water on the reclaimed material prior to placing the Lith Tec product (or equivalent), AND spraying water after the spreader AND keeping the reclaimer close in queue following the spreader. Do not place Lith Tec product (or equivalent) during windy days when the wind will be strong enough to blow Lith Tec product (or equivalent) into the air and overcome the dust control methods utilized. No extension will be granted for days lost due to the Contractor's inability to control the dust.

Within 30 minutes of placement, the Lith Tech product (or equivalent) shall be mixed thoroughly into the ground-up base course and asphalt with a reclaimer during the second pulverizing operation or in a method acceptable to the Engineer. The mixing shall be performed to a degree that all material is uniformly distributed throughout the mixture.

Within 30 minutes of the proper mixing of the Lith Tec product (or equivalent) into the recycled asphalt and base, the material shall be compacted with a Sheepsfoot compactor of 12 tons, or larger, to at least 95 percent of its maximum dry density as determined by AASHTO T134.

Should the material be drier than 2 percent below its optimum moisture content, more water should be added, followed by compaction with the Sheepsfoot compactor of 12 tons or larger.

Should the material have less than 95 percent relative compaction, it shall be recompacted with the Sheepsfoot compactor, of 12 tons or larger, until the proper compaction is achieved. Note that the working window of time is within 6 hours of when the Lith Tec product (or equivalent) is placed onto the reclaimed material.

In the event of rain adding excessive moisture to the uncompacted material, additional re-mixing or blading will be required to reduce the moisture content to within the specified range.

192 Should the Contractor be unable to finish compacting the section to the required
193 density within the 6-hour period, the section shall later be re-pulverized and
194 mixed with an amount equal to the original amount of Lith Tec product (or
195 equivalent) added to the mixture.

196

197 If the incompleteness of the compaction is due to pre-existing wet areas or
198 excessive rain, the Engineer may determine that the cost for the rework of that
199 area would be borne by the State. However, if the incompleteness of compaction is
200 due to other reasons such as opening up of too large an area, the cost for the
201 rework of that area would be borne by the Contractor.

202

203 Prior to final compaction, blade and shape the surface of the Lith Tec treated
204 recycled base so that it shall meet, in the final compacted state, the required
205 lines, grades, and cross-section. In all cases where adding material to the
206 lithified recycled base, use a reclaimer to uniformly blend the additional thickness
207 of the Lith Tec treated recycled base.

208

209 If the final shaping and compaction is done after the Lith Tec (or equivalent) has
210 set, or after 6 hours since the Lith Tec product (or equivalent) was mixed into the
211 reclaimed asphalt and base course, then scarify the upper 1 to 2 inches (such as
212 with a hoptoe bucket teeth, or similar). This should then be followed with addition
213 of Lith Tec (or equivalent) equal to the original percentage amount of Lith Tec
214 product (or equivalent) added to the upper disturbed material. This should help
215 to reduce the presence of unstable and unbonded slivers.

216

217 The material shall then be compacted with a double smooth drum roller of 12
218 tons or larger, until a modulus of at least 450,000 psi (which is estimated to be
219 about 90 percent of the resilient modulus of the material), as determined with a
220 Lightweight Deflectometer is achieved.

221

222 Field density tests in accordance with AASHTO T310 (nuclear gauge), ASTM
223 D8167 (E-gauge), Hawaii Test Methods, HDOT TM1, HDOT TM2, and HDOT
224 TM3 (sandcone) shall be taken by Engineer's Geotechnical Consultant.
225 Additional compaction will be required where field density tests or visual
226 observations reveal inadequate compaction.

227

228 The surface of the lithified recycled base shall be kept moist with a minimum
229 moisture content of 2 percent drier than optimum moisture by lightly sprinkling
230 water until the surface is sealed. Placement of the slurry seal shall not be
231 allowed until the fines are lightly broomed off the surface to allow for better
232 adhesion of the slurry seal to the Lith Tec (or equivalent) surface.

233

234 Prior to joining any previously constructed section of Lith Tec (or equivalent)
235 base, form a vertical construction joint by cutting back into the completed work to
236 form a true vertical face of acceptable Lith Tec (or equivalent) base.

237

238 **307.04 Method of Measurement.** The Engineer will measure untreated
239 recycled base per cubic yard in accordance with the contract documents. The
240 amount of Lith Tec (or equivalent) adjustment shall be measured per sack.

241
242 The Engineer will measure Test Holes and Temporary patching of Test Holes per
243 Each.

244
245 **307.05 Basis of Payment.** The Engineer will pay for the accepted pay
246 items listed below at the contract price per pay unit, as shown in the proposal
247 schedule. Payment will be full compensation for the work prescribed in this
248 section and the contract documents.

249
250 The Engineer will pay for each of the following pay items when included in the
251 proposal schedule:

252	Pay Item	Pay Unit
253		
254		
255	Test Holes and Temporary patching of Test Holes	Each
256		
257	Untreated Recycled Base	Cubic Yard
258		
259	Lith Tec (or equivalent) Adjustment	Sack
260		
261		
262		

263

END OF SECTION 307

1 Make the following section a part of the Standard Specifications:
2

3 **"SECTION 321 – HEXAGONAL, TRAPEZOIDAL, AND TRIANGULAR GEOGRID**
4

5 **321.01 Description.** This section describes furnishing and placing Hexagonal,
6 Trapezoidal, and Triangular geogrid over geotextile fabric on soft subgrades.
7

8 **321.02 Materials.**
9

10 Geotextiles for Permeable Separator Applications 716.02
11

12 **(A) Materials.** Unless otherwise indicated in the contract documents, geogrid
13 shall be manufactured from a coextruded, composite polymer sheet, which is
14 then punched and oriented. The resulting structure consists of continuous and
15 non-continuous ribs forming three aperture geometries (hexagonal, trapezoidal,
16 and triangle) and an unimpeded suspended hexagon.
17

18 Geogrid material shall meet the following material requirements.
19

- 20 • Aperture shape: Hexagonal, Trapezoid, and Triangular
- 21 • Structure: Coextruded & Integrally Formed
- 22 • Rib Shape: Rectangular
- 23 • Continuous parallel rib pitch = 3.2 inches
- 24 • Rib Aspect Ratio > 1
- 25 • Node thickness = 0.18 inch
- 26 • Color identification: White / Black / White
27

28 **321.03 Construction.**
29

30 **(A) Site Preparation.** Place geotextile over soft subgrade.
31

32 **(B) Installation.** Unroll geogrid smoothly on geotextile fabric in longitudinal
33 direction. Do not drag geogrid. Remove wrinkles and folds by stretching and anchoring.
34 Overlap adjacent rolls of geogrid along the sides and ends a minimum of 1 foot.
35

36 **(C) Geogrid Placement.** Hold geogrid in place by pins, staples, or piles of
37 aggregate base course material. On curves, cut geogrid to conform to curve, with
38 appropriate overlap. Install overlap in direction of aggregate base course material
39 placement.
40

41 **(D) Aggregate Subbase or Aggregate Base Course Material.** Deposit
42 Aggregate Subbase and Aggregate Base Course over the geogrid.
43

44 **(E) Geogrid Acceptance.** The manufacturer's certificate of compliance and
45 certified test results on the product, tested within six months of the submittal date shall
46 be submitted for approval. Additionally, the following shall be included in the submittal:
47

48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94

(1) Manufacturer's name, current address, and telephone number.

(2) Manufacturer's current Quality Assurance / Quality Control Manual.

(3) Full product name by trademark and product number.

(4) Geogrid polymer type(s).

(5) Recommended overlap.

(6) Six square yards of geogrid sample. Geogrid sample shall conform to requirements of Subsection 321.03(F) - Sampling.

(F) Sampling. Sampling shall be in accordance with ASTM D4354.

(G) Physical Properties. Physical property values in these specifications represent minimum average roll values (MARV) and are included for Quality Assurance purposes only. Average test results for any individual roll tested within a lot sampled shall meet or exceed specified values.

(H) Packaging. Geogrids shall be provided in roll form of length and width to meet requirements.

(I) Identification. Unless otherwise indicated in the contract documents, geogrid shall be identified in accordance with ASTM D4873 and this subsection. Include the following information:

(1) Unique roll number serially designated.

(2) Manufacturer's lot number or control numbers.

(3) Name of geogrid manufacturer.

(4) Date of manufacture.

(5) Product brand name.

(6) Manufacturer's style or catalog designation of the geogrid.

(7) Roll width, in feet.

(8) Roll length, in feet.

(9) Net weight of geogrid.

95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120

(J) Storage and Handling. Geogrids shall be stored and handled in accordance with ASTM D4873 and this subsection. During shipment and storage, material shall not be exposed to sunlight or other forms of light that contain ultraviolet rays for more than 6 months.

321.04 Measurement. The Engineer will measure geogrid on a Force Account basis, in accordance with Subsection 109.06 – Force Account and Compensation.

321.05 Payment. The Engineer will pay for the accepted geogrid on a Force Account basis. Payment will be full compensation for the work prescribed in this section and the contract documents.

The Engineer will pay for the following pay item when included in the proposal schedule:

Pay Item	Pay Unit
Hexagonal, Trapezoidal, and Triangular Geogrid	Force Account

An estimated amount of force account is allocated in the proposal schedule under 'Hexagonal, Trapezoidal, and Triangular Geogrid', but the actual amount to be paid will be the sum shown on the accepted force account records, whether this sum be more or less than estimated amount allocated in proposal schedule."

END OF SECTION 321

1 **Amend Section 401- HOT MIX ASPHALT (HMA) PAVEMENT to read as follows:**

2
3 **“SECTION 401 – HOT MIX ASPHALT (HMA) PAVEMENT**

4
5 **401.01 Description.** This section describes furnishing and placing dense graded
6 HMA pavement (herein referred to as HMA) on a prepared surface.

7
8 **401.02 Materials.**

9
10 Asphalt Cement (PG 64-16) 702.01(A)

11
12 Use for non-surface mixes, unless otherwise specified in the project documents.

13
14 Asphalt Cement (PG 64E-22) 702.01(B)

15
16 Use for all surface mixes, except for on Lanai and Molokai, and unless otherwise
17 specified in the project documents. Polymer modified asphalt (PMA) pavement
18 refers to asphalt mix using PG 64E-22, unless otherwise indicated.

19
20 Emulsified Asphalt 702.04

21
22 Warm Mix Asphalt Additive 702.06

23
24 Aggregate for Hot Mix Asphalt Pavement 703.09

25
26 Filler 703.15

27
28 Hydrated Lime or a liquid anti-strip approved by the engineer 712.03

29
30 **(A) General.** HMA pavement shall be plant mixed and shall include
31 mixture of aggregate and asphalt binder and may include reclaimed asphalt
32 pavement (RAP) or filler, or both.

33
34 The manufacture of HMA may include warm mix asphalt (WMA)
35 processes in accordance with these specifications. WMA processes include
36 combinations of organic additives, chemical additives, and foaming.

37
38 HMA pavement shall include surface course and may include one or
39 more binder courses, depending on HMA pavement thickness indicated in
40 the contract documents.

41
42 RAP is defined as removed or reprocessed pavement materials
43 containing asphalt and aggregates. Process RAP by crushing until 100
44 percent of RAP passes 3/4-inch sieve. Size, grade uniformly, and combine
45 materials such that blend of RAP and aggregate material conforms to grading
46 requirements of Subsection 703.09 - Aggregate for Hot Mix Asphalt

47 Pavement.

48

49 In surface and binder courses, aggregate for HMA may include RAP
50 quantities up to 20 percent of total mix weight.

51

52 Quantity of filler material to correct deficiencies in aggregate gradation
53 passing the No. 200 sieve shall not exceed 3 percent by weight of fine
54 aggregates.

55

56 **(B) Job-Mix Formula and Tests.** Design job-mix formula in accordance
57 with procedures contained in current edition of Asphalt Institute's *Mix Design*
58 *Methods for Asphalt Concrete and Other Hot Mix Types*, Manual Series No.
59 2 (MS-2) for either Marshall Method or Hveem Method of Mix Design.

60

61 Limit compacted lift thickness and asphalt content of job-mix formula
62 as specified in Table 401.02-1 - Limits of Compacted Lift Thickness and
63 Asphalt Content.

64

TABLE 401.02-1 - LIMITS OF COMPACTED LIFT THICKNESS AND ASPHALT CONTENT				
MIX NO.	II	III	IV	V
Minimum to Maximum Compacted Thickness for Individual Lifts (Inches)	2-1/4 to 3	2 to 3	1-1/2 to 3	1-1/4 to 3
Asphalt Content Limits (Percent of Total Weight of Mix)	3.8 to 6.1	4.3 to 6.1	4.3 to 6.5	4.8 to 7.0

65

66

67 Asphalt content limits for porous aggregate may be exceeded only if it
68 is requested ahead of placement and is reviewed then accepted in writing by
69 the Engineer.

70

71 Meet job-mix formula design criteria specified in Table 401.02-2 - Job-
72 Mix Formula Design Criteria.

72

73

74

TABLE 401.02-2 - JOB-MIX FORMULA DESIGN CRITERIA	
Hveem Method Mix Criteria (AASHTO T 246 and AASHTO T 247)	
Stability, minimum	37
Air Voids (percent) ¹	3 - 5
Marshall Method Mix Criteria (AASHTO T 245)	
Compaction (number of blows each end of specimen)	75
Stability, minimum (pounds)	1,800
Flow (x 0.01 inch)	8 - 16
Air Voids (percent) ¹	3 - 5
Notes:	
1. Air Voids: AASHTO T 166 or AASHTO T 275; AASHTO T 209, AASHTO T 269.	

75

76

77

78

79

Minimum percent voids in mineral aggregates (VMA) of job-mix formula shall be as specified in Table 401.02-3 - Minimum Percent Voids in Mineral Aggregates (VMA).

TABLE 401.02-3 - MINIMUM PERCENT VOIDS IN MINERAL AGGREGATES (VMA)					
Nominal Maximum Particle Size, (Inches)	1-1/2	1	3/4	1/2	3/8
VMA, (percent) ¹	11.0	12.0	13.0	14.0	15.0
Notes:					
1. VMA: See Asphalt Institute Manual MS-2					

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

(C) Submittals. Establish and submit job-mix formula for each type of HMA pavement mix indicated in the contract documents a minimum of 30 days before paving production. Job mix shall include the following applicable information:

- (1) Design percent of aggregate passing each required sieve size.
- (2) Design percent of asphalt binder material (type determined by type of mix) added to the aggregate (expressed as % by weight of total mix),
- (3) Design proportion of processed RAP.
- (4) Design temperature of mixture at point of discharge at paver.

- 96 (5) Source of aggregate.
- 97
- 98 (6) Grade of asphalt binder.
- 99
- 100 (7) Test data used to develop job-mix formula.
- 101

102 Except for item (4) in this subsection, if design requirements are
 103 modified after the Engineer accepts job-mix formula, submit new job-mix
 104 formula before using HMA produced from modified mix design. Submit any
 105 changes to the design temperature of mixture at point of discharge for
 106 acceptance by the Engineer.

107
 108 Submit a certificate of compliance for the asphalt binder, accompanied
 109 by substantiating test data from a certified testing laboratory.

110
 111 **(D) Range of Tolerances for HMA.** Provide HMA within allowable
 112 tolerances of accepted job mix formula as specified in Table 401.02-4 -
 113 Range of Tolerances HMA. These tolerances are not to be used for the
 114 design of the job mix, they are solely to be used during the testing of the
 115 production field sample of the HMA mix.

TABLE 401.02-4 - RANGE OF TOLERANCES HMA	
Passing No. 4 and larger sieves (percent)	± 7.0
Passing No. 8 to No. 100 sieves (inclusive) (percent)	± 4.0
Passing No. 200 sieve (percent)	± 3.0
Asphalt Content (percent)	± 0.4
Mixture Temperature (degrees F)	± 20

117
 118 The tolerances shown are the allowable variance between the physical
 119 characteristics of laboratory job mix submitted mix design and the production
 120 or operational mix, i.e., field samples.

121
 122 **401.03 Construction.**

123
 124 **(A) Weather Limitations.** Placement of HMA shall not be allowed under
 125 the following conditions:

- 126
- 127 (1) On wet surfaces, e.g., surface with ponding or running water,
 128 surface that has aggregate or surface that appears beyond surface
 129 saturated dry, as determined by the Engineer.
- 130

131 (2) When air temperature is below 50 degrees F and falling. HMA
132 may be applied when air temperature is above 40 degrees F and
133 rising. Air temperature will be measured in shade and away from
134 artificial heat.

135
136 (3) When weather conditions prevent proper method of
137 construction.

138
139 **(B) Equipment.**

140
141 **(1) Mixing Plant.** Use mixing plants that conform to AASHTO M
142 156, supplemented as follows:

143
144 **(a) All Plants.**

145
146 **1. Automated Controls.** Control proportioning,
147 mixing, and mix discharging automatically. When RAP
148 is incorporated into mixture, provide positive controls for
149 proportioning processed RAP.

150
151 **2. Dust Collector.** AASHTO M 156, Requirements
152 for All Plants, Emission Controls is amended as follows:

153
154 Equip plant with dust collector. Dispose of
155 collected material. In the case of baghouse dust
156 collectors, dispose of collected material or return
157 collected material uniformly.

158
159 **3. Modifications for Processing RAP.** When RAP
160 is incorporated into mixture, modify mixing plant in
161 accordance with plant manufacturer's recommendations
162 to process RAP.

163
164 **(b) Drum Dryer-Mixer Plants.**

165
166 **1. Bins.** Provide separate bin in cold aggregate
167 feeder for each individual aggregate stockpile in mix.
168 Use bins of sufficient size to keep plant in continuous
169 operation and of proper design to prevent overflow of
170 material from one bin to another.
171

172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217

2. Stockpiling Procedures. Separate aggregate for Mix II, Mix III and Mix IV into at least three stockpiles with different gradations as follows: coarse, intermediate, and fine. Separate aggregates for Mix V into at least two stockpiles. Stockpile RAP separately from virgin aggregates.

3. Checking Aggregate Stockpile. Check condition of the aggregate stockpile often enough to ensure that the aggregate is in optimal condition.

(c) Batch and Continuous Mix Plants.

1. Hot Aggregate Bin. Provide bin with three or more separate compartments for storage of screened aggregate fractions to be combined for mix. Make partitions between compartments tight and of sufficient height to prevent spillage of aggregate from one compartment into another.

2. Load Cells. Calibrated load cells may be used in batch plants instead of scales.

(2) Hauling Equipment. Use trucks that have tight, clean, smooth metal beds for hauling HMA.

Thinly coat truck beds with a minimum quantity of non-stripping release agent to prevent mixture from adhering to beds. Diesel or petroleum-based liquid release agents, except for paraffin oil, shall not be used. Drain excess release agent from truck bed before loading with HMA.

Provide a designated clean up area for the haul trucks.

Equip each truck with a tarpaulin conforming to the following:

(a) In good condition, without tears and holes.

(b) Large enough to be stretched tightly over truck bed, completely covering mix. The tarpaulin shall be secured in such a manner that it remains stretched tightly over truck bed and HMA mix until the bed is about to be raised up in preparation for discharge.

(3) Asphalt Pavers. Use asphalt pavers that are:

- 218 (a) Self-contained, power-propelled units.
 219
 220 (b) Equipped with activated screed or strike-off assembly,
 221 heated if necessary.
 222
 223 (c) Capable of spreading and finishing courses of HMA
 224 mixtures in lane widths applicable to typical section and
 225 thicknesses indicated in the contract documents.
 226
 227 (d) Equipped with receiving hopper having sufficient
 228 capacity for uniform spreading operation.
 229
 230 (e) Equipped with automatic feed controls to maintain
 231 uniform depth of material ahead of screed.
 232
 233 (f) Equipped with automatic screed controls with sensors
 234 capable of sensing grade from outside reference line, sensing
 235 transverse slope of screed, and providing automatic signals to
 236 control screed grade and transverse slope.
 237
 238 (g) Capable of operating at constant forward speeds
 239 consistent with satisfactory laying of mixture.
 240
 241 (h) Equipped with a means of preventing the segregation of
 242 the coarse aggregate particles from the remainder of the
 243 bituminous plant mix when that mix is carried from the paver
 244 hopper back to the paver augers. The means and methods
 245 used shall be approved by the paver manufacturer and may
 246 consist of chain curtains, deflector plates, or other such devices
 247 and any combination of these.

248
 249 The following specific requirements shall apply to the
 250 identified bituminous pavers:

- 251
 252 1. **Blaw-Knox Bituminous Pavers.** Blaw-Knox
 253 bituminous pavers shall be equipped with the
 254 Blaw-Knox Materials Management Kit (MMK).
 255
 256 2. **Cedarapids Bituminous Pavers.** Cedarapids
 257 bituminous pavers shall be those that were
 258 manufactured in 1989 or later.
 259

260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305

- 3. Barber-Green/Caterpillar Bituminous Pavers.** Barber-Green/Caterpillar bituminous pavers shall be equipped with deflector plates as identified in the December 2000 Service Magazine entitled “New Asphalt Deflector Kit {6630, 6631, 6640}”.

Bituminous pavers not listed above shall have similar attachments or designs that shall make them equivalent to the bituminous pavers listed above. The Engineer will solely decide if it is equal to or better than the setups described for the equipment listed above.

Submit for review and acceptance, prior to the start of using the paver for the placing of plant mix, a full description in writing of the means and methods that will be used to prevent the bituminous paver from having both aggregate and temperature segregation. Use of any paver that has not been accepted is prohibited until acceptance of the paver is received from the Engineer. Any pavement placed with an unaccepted paver will be regarded as not compliant work and may not be paid for and may require removal.

Supply a Certificate of Compliance that verifies that the manufacturer’s approved means and methods used to prevent bituminous paver from having both aggregate and temperature segregation have been implemented on all pavers used on the project and are working in accordance with the manufacturer’s requirements and Contract Documents.

- (4) Rollers.** Rollers shall be self-propelled, steel-tired tandem, pneumatic-tired, or vibratory-type rollers capable of reversing without shoving or tearing the just placed HMA mixture. Provide sufficient number, sequencing, type, and rollers of sufficient weight to compact the mixture to required density while mixture is still in workable condition. Equipment shall not excessively crush aggregate. Operate rollers in accordance with manufacturer's recommendations and Contract Documents. The use of intelligent compaction is encouraged and may be required elsewhere in the Contract Documents.

- (a) Steel-Tired Tandem Rollers.** Steel-tired tandem rollers used for initial breakdown or intermediate roller passes shall have minimum gross weight of 12 tons and shall provide minimum 250-pound weight per linear inch of width on drive wheel.

Steel-tired tandem rollers used for finish roller passes

306 shall have minimum total gross weight of 3 tons.

307

308 Do not use roller with grooved or pitted rolling drum or
309 worn scrapers or wetting pads. Replace excessively worn
310 scrapers and wetting pads before use.

311

312 **(b) Pneumatic-Tired Rollers.** Pneumatic-tired rollers shall
313 be oscillating-type, equipped with smooth-tread pneumatic tires
314 of equal size and diameter. Maintain tire pressure within 5
315 pounds per square inch of designated operational pressure
316 when hot. Space tires so that gaps between adjacent tires are
317 covered by following set of tires.

318

319

320 Pneumatic-tired rollers used for breakdown or
321 intermediate roller passes shall have a ballast capable of
322 establishing an operating weight per tire of not less than 3,000
323 pounds. Equip rollers with tires having minimum 20-inch wheel
324 diameter with tires inflated to 70 to 75 pounds per square inch
325 pressure when cold and 90 pounds per square inch when hot.
326 Equip rollers with skirt-type devices to maintain temperature of
327 tires during rolling operations.

328

329

330 Pneumatic-tired rollers used for kneading finished
331 asphalt surfaces shall have a ballast capable of establishing an
332 operating weight per tire of not less than 1,500 pounds. Equip
333 rollers with tires having minimum 15-inch wheel diameter with
334 tires inflated to 50 to 60 pounds per square inch pressure. If
335 required, equip rollers with skirt-type devices to maintain
336 temperature of tires during rolling operations.

337

338 **(c) Vibratory Rollers.** Vibratory rollers shall be steel-tired
339 tandem rollers having minimum total weight of 3 tons. Equip
340 vibratory rollers with amplitude and frequency controls and
341 speedometer. Operate vibratory roller in accordance with
342 manufacturer's recommendations. For very thin lifts, 1 inch or
343 less in thickness, vibratory rollers shall not be used in the
344 vibratory mode. Instead, operate the unit in the static mode.

345

346 **(5) Hand Tools.** Keep hand tools used in production, hauling, and
347 placement of HMA clean and free of contaminants. Diesel or mineral
348 spirits or other cleaning material that is potentially deleterious to HMA
349 may be used to clean hand tools providing:

350

351

(a) It does not contaminate HMA with cleaning material.

(b) Clean hand tools over catch pan with capacity to hold all

352 the cleaning material.

353

354 **(c)** Remove all diesel or mineral spirits or other cleaning
355 material that is potentially deleterious to HMA from hand tools
356 before using with HMA.

357

358 **(d)** Hand tools used shall be in a condition such that it meets
359 the requirements that it was manufactured for, e.g., a
360 straightedge shall meet the straightness requirement of the
361 manufacturer.

362

363 **(6) Material Transfer Vehicle (MTV).**

364

365 **(a) Usage.** MTV usage applies to surface courses of paving
366 projects on all Islands except Lanai, unless otherwise indicated.
367 When placing HMA surface course use MTV to independently
368 deliver mixtures from hauling equipment to paving equipment.
369 MTV usage will not be required for the following:

370

371 1. Projects with less than 1,000 tons of HMA.

372

373 2. Temporary pavements.

374

375 3. Bridge deck approaches.

376

377 4. Shoulders.

378

379 5. Tapers.

380

381 6. Turning lanes.

382

383 7. Driveways.

384

385 8. Areas with low overhead clearances.

386

387 **(b) Equipment.** When using MTV, install minimum 10-ton-
388 capacity hopper insert in conventional paver hopper. Provide
389 the following equipment:

390

391 1. High-capacity truck unloading system in MTV
392 capable of receiving HMA from hauling equipment.

393

394 2. MTV storage bin with minimum 15-ton capacity.

395

396 3. An auger mixing system in one of the following:
397 the MTV storage bin, or paver hopper insert, or paver

398 hopper to continuously mix HMA prior to discharging to
399 the paver's conveyor system.

400
401 Avoid stop-and-go operations by coordinating plant
402 production rate, number of haul units, and MTV and paver
403 speeds to provide a continuous, uniform, segregation-free
404 material flow and smooth HMA pavement. Maintain uniform
405 paver speed to produce smooth pavements.

406
407 **(c) Performance Evaluation.** Evaluate the performance
408 of MTV and mixing equipment by measuring mat temperature
409 profile immediately behind paver screed on first day of paving
410 and when it feels the need to do so due to perceived changes
411 in performance or as directed by the Engineer.

412
413 Use a hand-held temperature device that has been
414 calibrated within the past 12 months. It shall be an infrared
415 temperature gun is capable of measuring in one degree or finer
416 increments between the temperatures of 80 degrees to 400
417 degrees F with a laser to indicate where the temperature
418 reading is being taken. Six temperature profile measurements
419 shall be taken of mat surface using infrared temperature gun at
420 50-foot intervals behind paver. Each temperature profile shall
421 consist of three surface temperature measurements taken
422 transversely across the mat in approximately a straight line
423 from screed while paver is operating. For each profile,
424 temperatures shall be measured approximately 1 foot from
425 each edge and in middle of mat. The difference between
426 maximum and minimum temperature measurements for each
427 temperature profile shall not exceed 10 degrees F. If any two
428 or more temperature profiles exceeds the allowable 10-degree
429 F temperature differential, halt paving operation and adjust
430 MTV or mixing equipment to ensure that material placed by
431 paver meets specified temperature requirements. Redo the
432 measuring of mat temperature profile until adjustment of the
433 MTV or mixing equipment is adequate. Submit all temperature
434 profiles to the Engineer by next business day. Information on
435 the report shall show location and temperature readings and
436 time test was performed. Enough information shall be given,
437 so the Engineer will be able to easily locate the test site of the
438 individual measurement.

439
440 When requested temperature profile measurements
441 shall be done in the presence of the Engineer.

442 Once adjustments are made, repeat measurement
443 procedure for the next two placements to verify that material

444 placed by paver meets specified temperature requirements.
445 Terminate paving if temperature profile requirements are not
446 met during repeated measurement procedure. If equipment
447 fails to meet requirements after measurement procedure is
448 repeated once, replace equipment before conducting any
449 further temperature profile measurements

450
451 The Engineer may perform surface temperature profile
452 measurements at any time during project. The Engineer may
453 in lieu of a hand-held infrared temperature device use an
454 infrared camera or device that is capable of measuring
455 temperatures to locate cold spots. If such cold spots exist, the
456 Engineer may require adjustments to the MTV.

457
458 If bleeding or fat spots occur in the pavement adjust
459 means and methods to eliminate such pavement defects and
460 perform remedial repair to pavement acceptable to the
461 Engineer. Bleeding is defined as excess binder occurring on
462 the surface of the pavement. It may create a shiny, glass-like,
463 reflective appearance and may be tacky to the touch. Fat spots
464 are localized bleeding.

465
466 **(d) Transport.**

467
468 **1. Trailered MTV.** Transport MTV by means of
469 truck-tractor/trailer combination in accordance with
470 Chapter 104 of Title 19, Department of Transportation,
471 entitled "The Movement by Permit of Oversize and
472 Overweight Vehicles on State Highways".

473
474 **2. Crossing Bridges for Self-Powered MTV.**
475 When self-powered MTV exceeds legal axle or total
476 weight limits for vehicles under the HRS, Chapter 291,
477 conform to the following when crossing bridges within
478 project limits unless otherwise indicated in the Contract
479 Documents:

- 480
481 **a.** Completely remove mix from MTV.
482
483 **b.** Move MTV at relatively constant speed not
484 exceeding 5 miles per hour. MTV will not be
485 allowed to stop on bridge.
486

487 c. No other vehicle or equipment will be
488 allowed on bridge.

489
490 d. The MTV shall not attempt to cross a
491 bridge where the posted load limit is less than or
492 equal to the weight of the MTV empty.
493 Permission to cross the bridge shall be obtained
494 from the Engineer and HWY-DB in writing.
495

496 **(C) Preparation of Surface.** Clean existing pavement in accordance with
497 Section 310 - Brooming Off. Apply tack coat in accordance with Section 407
498 - Tack Coat. Tack coat shall not be applied to surfaces to receive an
499 application of joint adhesive.
500

501 Where indicated in the Contract Documents, bring irregular surfaces
502 to uniform grade and cross section by furnishing and placing one or more
503 leveling courses of HMA Mix V. Spread leveling course in variable
504 thicknesses to eliminate irregularities in existing surface. Place leveling
505 course such that maximum depth of each course, when thoroughly
506 compacted, does not exceed 3 inches.
507

508 In multiple-lift leveling course construction, spread subsequent lifts
509 beyond edges of previously spread lifts in accordance with procedures
510 contained in current edition of the Asphalt Institute's *Construction of Hot Mix*
511 *Asphalt Pavements*, Manual Series No. 22 (MS-22) for leveling wedges.
512

513 Notify the Engineer of existing surfaces that may not be in a condition
514 that will have enough strength to be a good bonding surface or foundation
515 and should be removed or have remedial repairs done before new pavement
516 placement.
517

518 **(D) Plant Operation.**
519

520 **(1) Preparation of Asphalt Binder.** Uniformly heat asphalt binder
521 and provide continuous supply of heated asphalt cement from storage
522 to mixer. Do not heat asphalt binder above the recommendation of
523 the supplier for modified binders or above 350 degrees F for neat
524 binders.
525

526 **(2) Preparation of Aggregate.** Dry and heat aggregate material
527 at temperature sufficient to produce design temperature of job-mix
528 formula. Do not exceed 350 degrees F. Adjust heat source used for
529 drying and heating to avoid damage to and contamination of
530 aggregate. When dry, aggregate shall not contain more than 1
531 percent moisture by weight.

532 For batch plants, screen aggregates immediately after heating

533 and drying into three or more fractions. Convey aggregates into
534 separate compartments ready for batching and mixing with asphalt
535 binder.

536
537 **(3) Mixing.** Measure aggregate and asphalt; or aggregate, RAP,
538 and asphalt into mixer in accordance with an accepted job-mix
539 formula. Mix until components are completely mixed and adequately
540 coated with asphalt binder in accordance with AASHTO M 156.
541 Percent of coated particles shall be 95 percent when tested in
542 accordance with AASHTO T 195.

543
544 **(4) Plant Inspection.** For control and acceptance testing during
545 periods of production, provide a testing laboratory that meets the
546 requirements of AASHTO M 156. Provide space, utilities, and
547 equipment required for performing specified tests.

548
549 **(E) Spreading and Finishing.** Prior to each day's paving operation,
550 check screed or strike-off assembly surface with straight edge to ensure
551 straight alignment and there is no damage or wear to the machine that will
552 affect performance. Provide screed or strike-off assembly that produces
553 finished surface without tearing, shoving, and gouging HMA. Discontinue
554 using spreading equipment that leaves ridges, indentations, or other marks,
555 or combination thereof in surface that cannot be eliminated by rolling or
556 affects the final smoothness of the pavement or be prevented by adjustment
557 in operation.

558
559 Maintain HMA at minimum 250 degrees F temperature at discharge to
560 paver. The Engineer shall observe the contractor measuring the temperature
561 of mix in hauling vehicle just before depositing into spreader or paver or MTV.

562
563 Deposit HMA in a manner that minimizes segregation. Raise truck
564 beds with tailgates closed before discharging HMA.

565
566 Lay, spread, and strike off HMA upon prepared surface. Where
567 practical, use asphalt pavers to distribute mixture.

568
569 Where practical, control horizontal alignment using automatic grade
570 and slope controls from reference line, slope control device. Existing
571 pavements or features shall not be used for grade control alone.

572
573 Obtain sensor grade reference, horizontal alignment by using
574 established grade and slope controls. For subsequent passes, substitution
575 of one ski with joint-matching shoe riding on finished adjacent pavement is
576 acceptable. Use of a comparable non-contact mobile reference system and
577 joint matching shoe is acceptable.

578 Avoid stop-and-go operation. Maintain a constant forward speed of

579 paver during paving operation and minimize other methods that impact
580 smoothness.

581

582 Offset longitudinal joint in successive lifts by approximately 6 inches.
583 Incorporate into paving method an overlap of material of 1-inch +/- 0.5 inches
584 at the longitudinal joint. The HMA overlap material shall be left alone when
585 initially placed and shall not be bumped back or pushed back with a lute or
586 any other hand-held device. If the overlap exceeds the maximum amount,
587 remove the excess with a flat shovel, allowing recommended amount of
588 overlap HMA material to remain in place to be compacted. Do not throw the
589 removed excess HMA material on to the paving mat. The longitudinal joint
590 in a surface course when total roadway width is comprised of two lanes shall
591 be near the centerline of pavement or near lane lines when roadway is more
592 than two lanes in width. The longitudinal joint shall not be constructed in the
593 wheel path or under the longitudinal lane lines. Make a paving plan drawing
594 showing how the longitudinal joint will not be located in these areas.

595

596 Control the horizontal alignment of the longitudinal edge of the HMA
597 mat being installed so that the edge is parallel to the centerline or has a
598 uniform alignment, e.g., the edge of the mat is straight line or uniform curve,
599 no wavy edge, etc. to have a consistent amount of HMA material at the joint.

600

601 Check the compaction of the longitudinal joint during paving often
602 enough to ensure that it will meet the compaction requirements.

603

604 If nuclear gauges and ground penetrating radar are used as the
605 contractor's quality control method, they shall be properly calibrated and
606 periodically checked by comparison to cores taken from the pavement. The
607 use of sand as an aid in properly seating the gauge may also be considered
608 for improving the accuracy of the gauge.

609

610 In areas where irregularities or unavoidable obstacles make use of
611 mechanical spreading and finishing equipment impracticable, spread, rake,
612 and lute mixture by hand tools. For such areas, deposit, spread evenly, and
613 screed mixture to required compacted thickness.

614

615 Demonstrate competence of personnel operating grade and crown
616 control device before placing surface courses. If automatic control system
617 becomes inoperative during the day's work, the Engineer will permit the
618 Contractor to finish day's work using manual controls. The Engineer may
619 also allow additional HMA to be ordered and placed using manual controls if
620 it will provide a safer work site for the public to travel through. Do not resume
621 work until automatic control system is made operative. The Engineer may
622 waive requirement for electronic screed control device when paving gores,
623 shoulders, transitions, and miscellaneous reconstruction areas where the
624 use of the devices is not practical.

625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670

When production of HMA can be maintained and when practicable, use pavers in echelon shall be used to place surface course in adjacent lanes.

At the end of each workday, HMA pavement that is open to traffic shall not extend beyond the panel of the adjacent new lane pavement by more than the distance normally placed in one workday. At end of each day's production, construct tapered transitions along all longitudinal and transverse pavement drop-offs; this shall apply to areas where existing pavement is to meet newly placed pavement. Use slopes of 6:1 for longitudinal taper transitions and 48:1 for transverse tapered transitions. Maximum drop-off height along the joints shall be 2 inches. Also, using a 48:1 slope provides a taper around any protruding object, e.g., manholes, drain boxes, survey monuments, inlets, etc., that may be above pavement surface when opened to the public. If the object is below the surface of the pavement then fill the depression until it is level with the surrounding pavement or raise depressed objects to the finish grade of the placed pavement. Remove and dispose of all transition tapers before placing adjoining panel or next layer of HMA. Notify traveling public of pavement drop-offs or raised objects with signs placed in every direction of traffic that may use and encounter pavement drop-offs or protruding objects or holes.

Use the same taper rates for areas where there is a difference in elevation due to construction work.

At end of each workweek, complete full width of the roadway's pavement, including shoulders, to same elevation with no drop-offs.

(F) Compaction. Immediately after spreading and striking off HMA and adjusting surface irregularities, uniformly compact mixture by rolling.

Initiate compaction at highest mix temperature allowing compaction without excessive horizontal movement. Temperature shall not be less than 220 degrees F.

Finish rolling using tandem roller while HMA temperature is at or above 175 degrees F.

On superelevated curves, begin rolling at lower edge and progress to higher edge by overlapping of longitudinal trips parallel to centerline.

If necessary, repair damage immediately using rakes and fresh mix. Do not displace line and grade of HMA edges during rolling.

Keep roller wheels properly moistened with water or water mixed with

671 small quantities of detergent. Use of excess liquid, diesel, and petroleum-
672 based liquids will not be allowed on rollers.

673
674 Along forms, curbs, headers, walls and other places not accessible to
675 rollers, compact mixture with hot hand tampers, smoothing irons, or
676 mechanical tampers. On depressed areas, trench roller or cleated
677 compression strips under roller may be used to transmit compression.

678
679 Before the start of compaction or during compaction or both remove
680 pavement that is loose, broken, or contaminated, or combination thereof;
681 pavement that shows an excess or deficiency in asphalt binder content; and
682 pavement that is defective in any way. Replace with fresh HMA pavement of
683 same type, and compact. Remove and replace defective pavement and
684 compact at no increase in contract price or contract time.

685
686 Operate rollers at slow and uniform speed with no sudden stops. The
687 drive wheels shall be nearest to the paver. Continue rolling to attain specified
688 density and until roller marks are eliminated.

689
690 Rollers shall not be parked on the pavement placed that day or shift.

691
692 **(1) HMA Pavement Courses One and a Half Inches Thick or**
693 **Greater.** Where HMA pavement compacted thickness indicated in the
694 Contract Documents is 1-1/2 inches or greater, compact to not less
695 than 93.0 percent nor greater than 97.0 percent of the maximum
696 specific gravity determined in accordance with AASHTO T 209,
697 modified by deletion of Supplemental Procedure for Mixtures
698 Containing Porous Aggregate.

699
700 Place HMA pavement in individual lifts that are within minimum
701 and maximum allowable compacted thickness for various types of
702 mixture as specified in Table 401.02-1 - Limits of Compacted Lift
703 Thickness and Asphalt Content.

704
705 **(2) HMA Pavement Courses Less Than One and a Half Inches**
706 **Thick.** Where HMA pavement compacted thickness indicated in the
707 contract documents is less than 1-1/2 inches, compaction to a
708 specified density will not be required.

709
710 Use only non-vibratory, steel-tired, tandem roller. Roll entire
711 surface with minimum of two roller passes. A roller pass is defined as
712 one trip of the roller in one direction over any one spot.

713
714 For intermediate rolling, roll entire surface with minimum of four
715 passes of roller.

671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716

717 Finish rolling using steel-tired, tandem roller. Continue rolling
718 until entire surface has been compacted with minimum of three passes
719 of roller, and roller marks have been eliminated.

720
721 Do not use rollers that will excessively crush aggregate.

722
723 **(3) HMA Pavement Courses One and a Half Inches Thick or**
724 **Greater In Special Areas Not Designated For Vehicular Traffic.**

725 For areas such as bikeways that are not part of roadway and other
726 areas not subjected to vehicular traffic, compact to not less than 90.0
727 percent of maximum specific gravity determined in accordance with
728 AASHTO T 209, modified by deletion of Supplemental Procedure for
729 Mixtures Containing Porous Aggregate. Increase asphalt content by
730 at least 0.5 percent above that used for HMA pavements designed for
731 vehicular traffic. Paved shoulders shall be compacted in the same
732 manner as pavements designed for vehicular traffic.

733
734 **(G) Joints, Trimming Edges and Utility Marking.** At HMA pavement
735 connections to existing pavements, make joints vertical to depth of new
736 pavement. Saw cut existing pavement and cold plane in accordance with
737 Section 415 - Cold Planing of Existing Pavement to depth equal to thickness
738 of surface course or as indicated in the Contract Documents.

739
740 At HMA connections to previously placed lifts, form transverse joints
741 by cutting back on previous run to expose full depth of course. Dispose of
742 material trimmed from edges. Protect end of freshly laid mixture from rollers.

743
744 Before and after paving, identify and mark location of existing utility
745 manholes, valves, and handholes on finished surface. Adjust existing frames
746 and covers and valve boxes to final pavement finish grade in accordance with
747 Section 604 - Manholes, Inlets and Catch Basins and Section 626 - Manholes
748 and Valve Boxes for Water and Sewer Systems.

749
750 **(1) Longitudinal joints.** Submit for review the means and methods
751 that will be used to install longitudinal joints at the required compaction
752 and density. Compact longitudinal joints to be not less than 91.0
753 percent of the maximum specific gravity determined in accordance
754 with AASHTO T 209, modified by deletion of Supplemental Procedure
755 for Mixtures Containing Porous Aggregate. Verify the compaction of
756 the longitudinal joints meets requirements by using non-destructive
757 testing methods during paving and submit the results on the daily
758 quality control test reports.

759
760 Test for compaction and density regardless of layer thickness.
761 Compaction and density of the longitudinal joint shall be determined by using
762 six-inch diameter cores. For longitudinal joints made using butt joints cores

763 shall be taken over the joint with half of the core being on each side of the
764 joint. For longitudinal joints using notched wedge joints, center core over the
765 center of the wedge so that 50 percent of the material is from the most
766 recently paved material and the remaining 50 percent of the core is from the
767 material used to pave the previous layer. One core shall be taken at a
768 maximum frequency of every 1,500 lineal feet (LF) of the second side of the
769 longitudinal joint and any fraction of that length for each day of paving with a
770 minimum of one core taken for each longitudinal joint per day. Cores taken
771 for the testing of the longitudinal joint may be used to determine pavement
772 thickness.

773
774 When the longitudinal joints are found to have less than 91.0 percent
775 of the maximum specific gravity, overband all longitudinal joints within the
776 entire lot represented by the non-compliant core, PG binder seal coat, or
777 other type of joint enrichment accepted by the Engineer. The overband shall
778 not decrease the skid resistance of the pavement under any ambient weather
779 condition. Submit overband material's catalog cuts, test results and
780 application procedure for review and acceptance by the Engineer before use.
781 Center the overband over the longitudinal joint. The overband shall be placed
782 in a uniform width and horizontal alignment. The overband shall have no
783 holidays or streaking in its placement. The width of the overband shall be
784 based on how the longitudinal joint was constructed or as directed by the
785 Engineer. If a butt joint is used, the overband width shall be a minimum of
786 12-inches. For notch wedge or wedge joints the overband width shall be the
787 width of the wedge plus an additional six-inches minimum. Replace any
788 pavement markings damaged or soiled by the overband remedial repair
789 process.

790
791 For longitudinal joints that have a compaction of less than 89 percent
792 of the maximum specific gravity; removal may be required by the Engineer
793 instead of overbanding the non-compliant joint.

794
795 Persistent low compaction results may be cause to suspend work and
796 remove non-conforming work. During the suspension of paving, revise
797 means and methods used in constructing longitudinal joints and submit to the
798 Engineer for review and acceptance. Suspension may occur when:

- 799
- 800 (1) Two or more longitudinal joints tests fail to meet the minimum
801 compaction
 - 802 (2) One sample reveals that the joint compaction is 89 percent or
803 less.
- 804

805 **(H) HMA Pavement Samples.** Obtain test samples from compacted
806 HMA pavement within 72 hours of lay down. Provide minimum 4-inch
807 diameter cores consisting of undisturbed, full-depth portion of compacted
808 mixture taken at locations designated by the Engineer in accordance with the
809 “Sampling and Testing Guide for Acceptance and Verification” in Hawaii DOT
810 Highways Division, *Quality Assurance Manual for Materials*, Appendix 3.
811 Cores shall be taken in the presence of the Engineer. Turn cores over to
812 Engineer immediately after cores have been taken.

813
814 For pavement samples for longitudinal joints provide 6-inch diameter
815 cores minimum. For pavement samples for other than longitudinal joints
816 4-inch diameter cores minimum shall be taken. All cores shall consist of
817 undisturbed, full-depth of the lift of the compacted mixture taken at locations
818 designated by the Engineer in accordance with the “Sampling and Testing
819 Guide for Acceptance and Verification” in Hawaii DOT Highways Division,
820 *Quality Assurance Manual for Materials*, appendix 3.

821
822 Cores that separate shall indicate to the Engineer that there is
823 insufficient bonding of layers. Modify the previously used paving means and
824 methods to prevent future debonding of layers. Debonding of a core sample
825 after adjustment of the Contractor’s methods will be an indication of
826 continued non-conforming work and the Engineer may direct removal of the
827 layer at no additional cost or contract time.

828
829 Restore HMA pavement immediately after obtaining samples. Clean
830 core hole and walls of all deleterious material that will prevent the complete
831 filling of the core hole and the bonding of the new HMA to the existing. Apply
832 tack coat to vertical faces of sample holes. Fill sampled area with new HMA
833 pavement of same type as that removed. If hand compaction is used; fill in
834 layers not exceeding the minimum thickness stated in Table 401.02-1 - Limits
835 of Compacted Lift Thickness And Asphalt Content. Compact each layer to
836 compaction requirements. If Mechanical Compaction methods are used, then
837 layers may be the maximum layer thickness stated in Table 401.02-1 - Limits
838 of Compacted Lift Thickness And Asphalt Content. Using tires or hand
839 tamping to compact the HMA material to restore the pavement shall not be
840 considered as mechanical compaction.

841
842 Only sample and test leveling course if 1-1/2 inches or greater. No
843 compaction requirements for less than 1-1/2 inches.

844
845 **(I) HMA Pavement Thickness Tolerances.**

846
847 Thickness of finished HMA pavement shall be within 0.25 inch of
848 thickness indicated in the Contract Documents. Pavement not meeting the
849 thickness requirements of the Contract Documents may be required by the
850 Engineer to be removed and replaced.

851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896

Corrective methods taken on pavement exceeding specified tolerances, e.g., insufficient thickness by methods accepted by the Engineer, including removal and replacement, shall be at no increase in contract price or contract time.

The checking of pavement thickness shall be done after all remedial repairs, e.g., smoothness compliance repairs, compaction, have been completed, reviewed, and accepted by the Engineer.

(J) Quality Control Using New Technology. The Engineer and MTRB reserves the right to utilize new technology and methods to improve the detection of noncompliant work on the project. The technology or method may be used to locate defects in the work, e.g., ground penetrating radar to locate delaminations, moisture damage, thin sections, voids, non-compliant compaction, other non-destructive testing to locate flaws. The defect will be verified by the methods stated in the Contract Documents or by other established conventional means. If the technology or method has already been accepted elsewhere or has standardized testing procedures the results may be judged acceptable by the Engineer and no further testing will be required. These new technologies and methods may be used for the selection of sampling locations.

(K) Protection of HMA Pavement. Except for construction equipment directly connected with paving operations, keep traffic off HMA pavement.

Protect HMA pavement from damage until it has cooled and set.

Do not refuel equipment or clean equipment or hand tools over paved surfaces unless catch pan or device that will contain spilled fuel and other products is provided. After completion of refueling or cleaning, remove catch pan or device without spilling any of the collected content.

Do not park roller or other paving equipment on HMA pavement paved within 24 hours of laydown.

(L) Pavement Joint Adhesive

(1) Pavement Joint Adhesive on Joints. Use on all asphalt pavement construction where joints are formed at such locations but not limited to the following:

(a) Adjacent asphalt pavements, e.g., trafficked lanes, shoulders, etc.

(b) Asphalt pavement and adjacent concrete pavement or

897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925

curb and gutter or any other surface where the bonding of the asphalt pavement and concrete surface is desired,

(c) Transverse joints between asphalt pavements not placed at the same time or if the pavement’s temperature on one side of the joint is below the minimum temperature the mix can be at, during asphalt pavement compaction or installation.

(d) Cut face of an existing pavement where it will have new HMA pavement placed against it, e.g., utility trenches, partial or full depth repairs, etc.

Pavement joint adhesive is not required on a longitudinal construction joint between adjacent hot mix asphalt pavements formed by echelon paving. Echelon paving is defined as paving multiple lanes side-by-side with adjacent pavers slightly offset at the same time.

A longitudinal construction joint between one shift’s work and another shall have pavement joint adhesive applied at the joint. Any longitudinal construction joint formed, with the temperature on one side of the joint that is below the minimum temperature the mix can be when compacted to contract requirements during asphalt pavement installation, shall have pavement joint adhesive applied at the joint.

(2) **Material requirements.** Asphalt joint adhesive shall meet requirements as specified in Table 401.03-1 - Asphalt Joint Adhesive Specifications.

TABLE 401.03-1 – ASPHALT JOINT ADHESIVE SPECIFICATIONS		
TEST		SPECIFICATION
Brookfield Viscosity, 204 °C [400 °F]	ASTM D 3236	4,000-10,000 cp
Cone Penetration, 25 °C [77 °F]	ASTM D 5329	60-100 dmm
Resilience, 25 °C [77 °F]	ASTM D 5329	30% minimum
Ductility, 25 °C [77 °F]	ASTM D 113	30 cm minimum
Ductility, 4 °C [39.2 °F]	ASTM D 113	30 cm minimum
Tensile Adhesion, 25 °C [77 °F]	ASTM D 5329	500% minimum
Softening Point	ASTM D 36	77 °C [170 °F] min.
Asphalt Compatibility	ASTM D 5329	Pass

926
927
928
929

(3) **Construction Requirements for Asphalt Joint Adhesive**

(a) **Equipment Requirements.** Use a jacketed double

930 boiler type melting unit, with both agitation and recirculation
 931 systems. Provide a pressure feed wand application system.

932
 933 **(b) Material Handling.** Submit a copy of the manufacturer's
 934 recommendations for heating, re-heating, and applying the joint
 935 adhesive material. Follow manufacturer's recommendations.
 936 Do not remove the joint adhesive from the package until
 937 immediately before it is placed in the melter. Joint adhesive
 938 boxes must be clearly marked with the name of the
 939 manufacturer, the trade name of the adhesive, the
 940 manufacturer's batch and lot number, the application/pour
 941 temperature, and the safe heating temperature. Feed
 942 additional material into the melter at a rate equal to the rate of
 943 material used.

944
 945 Verify the pouring temperature of the joint adhesive at least
 946 once per hour at the point of discharge. Stop production if the
 947 adhesive falls below the recommended application/pour
 948 temperature. When the temperature of the adhesive exceeds
 949 the maximum safe heating temperature, stop production, empty
 950 the melter, and dispose of that adhesive in an environmentally
 951 safe method. No payment will be made for this material or its
 952 disposal.

953
 954 Do not blend or mix different manufacturer's brands or different
 955 types of adhesives.

956
 957 **(c) Joint Adhesive Application:** The face of the joint that
 958 the new asphalt pavement will bind to shall be clean and dry
 959 before the joint adhesive is applied. Apply the pavement joint
 960 adhesive material to the entire face of the surface where HMA
 961 pavement shall be installed. The thickness of the asphalt
 962 adhesive application shall be approximately 1/8 inch. Use an
 963 application shoe attached to the end of application wand. Do
 964 not overlap the joint by greater than 1/2-inch at the top of the
 965 joint or two-inches at the bottom of the joint. Apply the joint
 966 adhesive immediately in front of the paving operation. If the
 967 adhesive is tracked by construction vehicles, repair the
 968 damaged area, and restrict traffic from driving on the adhesive.

969
 970 **(d) Field Sampling.** Take a sample from the application
 971 wand during the first 20 minutes of placing sealant. One
 972 sample should be taken per manufacturer's batch or minimum
 973 of every 6 months on the Project in the presence of the
 974 Engineer.

975

976 Each sample shall consist of one quart in an aluminum or steel
 977 sample container. The sampling container shall be labeled with
 978 Contractor's name; project name and number; date and time
 979 sample taken; location of where material was used at, e.g., from
 980 where to where it was used at in stations; manufacturer and lot
 981 number of the sealant. Turn over samples to Engineer without
 982 Engineer losing sight of the sample. The Engineer reserves the
 983 right to conduct supplementary sampling and testing of the
 984 sealant material.

985
 986 **(M) Pavement Smoothness Rideability Test.** Perform surface profile
 987 tests frequently to ensure that the means and methods being used produces
 988 pavement that is compliant with the surface profile smoothness requirement.
 989 Test the pavement surface for smoothness with High-Speed Inertial Profiler
 990 to determine the International Roughness Index (IRI) of the pavement. For
 991 the locations determined by the Engineer, a 10-foot straightedge shall be
 992 used to measure smoothness.

993
 994 All smoothness testing must be performed with the presence of the
 995 Engineer. The High-Speed Inertial Profiler operator shall be a certified
 996 operator by MTRB or the manufacturer.

997
 998 The High-Speed Inertial Profiler operator's certification shall be no
 999 older than five years old at the date of the Notice to Proceed and at the day
 1000 of the pavement profile measurement.

1001
 1002 The finished pavement shall comply to all the following requirements:

1003
 1004 **(a) Smoothness Test using 10-Foot Straightedge (Manual or**
 1005 **rolling)** The 10-foot straightedge is used to identify the locations that
 1006 vary more than 3/16 inch from the lower edge when the 10-foot
 1007 straightedge is laid on finished pavement on the direction parallel with
 1008 the centerline or perpendicular to centerline. Remove the high points
 1009 that cause the surface to exceed that 3/16 inch tolerance by grinding.

1010
 1011 The Contractor shall use a 10-foot straightedge for the following
 1012 locations:

1013
 1014 **1.** Longitudinal profiling parallel to centerline, when within
 1015 15 feet of a bridge approach or existing pavement which is
 1016 being joined.

1017
 1018 **2.** Transverse profiling of cross slopes, approaches, and as
 1019 otherwise directed. Lay the straightedge in a direction
 1020 perpendicular to the centerline.

1021

- 1022 3. When pavement abuts bridge approaches or pavement
 1023 not under this Contract, ensure that the longitudinal slope
 1024 deviations of the finished pavement comply with Contract
 1025 Document's requirements.
 1026
- 1027 4. Short pavement sections up to 600 feet long, including
 1028 both mainline and non-mainline sections on tangent sections
 1029 and on horizontal curves with a centerline radius of curve less
 1030 than 1,000 feet.
 1031
- 1032 5. Within a superelevation transition on horizontal curves
 1033 having centerline curve radius less than 1,000 feet, e.g.,
 1034 curves, turn lanes, ramps, tapers, and other non-mainline
 1035 pavements.
 1036
- 1037 6. Within 15 feet of transverse joint that separates
 1038 pavement from existing pavement not constructed under the
 1039 contract, or from bridge deck or approach slab for longitudinal
 1040 profiling.
 1041
- 1042 7. At miscellaneous areas of improvement where width is
 1043 less than 11 feet, such as medians, gore areas, and shoulders.
 1044
- 1045 8. As otherwise directed by the Engineer. The Engineer
 1046 may confine the checking of through traffic lanes with the
 1047 straightedge to joints and obvious irregularities or choose to
 1048 use it at locations not specifically stated in this Section.
 1049

1050 **(b) High-Speed Inertial Profiler**
 1051

1052 There shall be a minimum 3 profile runs per lane, for each wheel path
 1053 (left and right) which is approximately three feet from edge lane line. The
 1054 segment length shall be 0.1 mi. The final segments in a lane that are less
 1055 than 0.1 mi shall be evaluated as an independent segment and pay
 1056 adjustments will be prorated for length. The profiles shall be taken in the
 1057 direction of traffic only.
 1058

1059 The latest version of FHWA ProVAL software shall be used to conduct
 1060 profile analysis to determine IRI and areas of localized roughness. The IRI
 1061 values shall be reported in units of in/mi.
 1062

1063 Areas of localized roughness will be identified by using ProVAL's
 1064 "Smoothness Assurance" analysis, calculating IRI with a continuous short
 1065 interval of 25 feet and the 250-mm filter applied.
 1066

1067 Additional runs may be required by the Engineer if the data indicate a
 1068 lack of repeatability of results. A 92% agreement is required for repeatability
 1069 and IRI values shall have at minimum a 95% confidence level.
 1070

1071 **(N) Required Pavement Smoothness**
 1072

1073 The IRI for the left and right wheel paths in an individual lane will be
 1074 computed and then averaged to determine the Mean Roughness Index (MRI)
 1075 values. The MRI will be used to determine acceptance and pay adjustment.
 1076 Each lane shall be tested and evaluated separately.
 1077

1078 There are three (3) categories of target MRI values shown in Table
 1079 401.03-2 – Pavement Smoothness Categories below:
 1080

TABLE 401.03-2 – PAVEMENT SMOOTHNESS CATEGORIES		
Category	Description	MRI
Type A	Three or more opportunities for improving ride	Shall not exceed 60 in/mi
Type B	Two opportunities for improving ride	Shall not exceed 70 in/mi
Type C	One opportunity for improving ride	Shall not exceed 75 in/mi

1081 An opportunity for improving ride is considered as one (1) lift of asphalt
 1082 pavement, including but not limited to HMAB, HMA, PMA, and SMA.
 1083
 1084

1085 For the location where a 10-foot manual straightedge is required, the
 1086 surface shall not vary more than 3/16 inch from the lower edge of a
 1087 straightedge.
 1088

1089 No pre-final inspection, final inspection, and substantial completion
 1090 granted will be made until the pavement meets smoothness requirement and
 1091 all required profile reports are submitted to the Engineer and MTRB and are
 1092 accepted.
 1093

1094 **(O) Request for Profile Testing by the Department.**
 1095

1096 For Type C, prior to pavement activities, the Engineer will measure the
 1097 smoothness of the existing pavement.
 1098

1099 The Contractor shall submit a written request to the Engineer to
 1100 perform all required profile tests.
 1101

1102 The request shall be made at least 30 days before desired testing date
 1103 and shall include an approximate acceptance profile testing date, a plan view
 1104 drawing of the area to be tested with the limits of the test area highlighted.

1105 The Contractor shall reimburse HDOT for any incurred cost related to
 1106 any Contractor-caused cancellation or a deduction to the monthly payment
 1107 will be made.
 1108

1109 **(P) Department Requirements for Profile Testing.** When a request for
 1110 testing is made, the requested area to be tested shall be 100% of the total
 1111 area indicated to be paved in the Contract Documents unless the requirement
 1112 is waived by the Engineer and MTRB.
 1113

1114 Department acceptance surface tests will not be performed earlier
 1115 than 14 days after HMA placement.
 1116

1117 Clean debris and clear obstructions from area to be tested, as well as
 1118 a minimum of 100 feet before and beyond the area to be tested before testing
 1119 starts for use as staging areas. Provide traffic control for all profile testing.
 1120

1121 The Engineer or MTRB or both may cancel the profile testing if the test
 1122 area is not sufficiently clean, traffic control is unsatisfactory, or the area is not
 1123 a safe work environment or test area does not meet Contract Document
 1124 requirements. This canceled profile test will count as one profile test.
 1125

1126 **(Q) Cost of Acceptance Profile Testing by The Department.** The
 1127 Engineer, MTRB, or State's Third-Party Consultant will perform one initial
 1128 profile test, at no cost to the Contractor for each area to be tested.
 1129

1130 The Department's High-Speed Inertial Profiler pavement profile will be
 1131 used to determine if the pavement's profile, i.e., smoothness is acceptable.
 1132

1133 If the profile of the pavement does not meet the requirements of the
 1134 Contract Documents, the Contractor shall perform remedial work, i.e.
 1135 corrective work then retest the area to ensure that the area has the required
 1136 MRI, i.e., smoothness, before requesting another profile test by the Engineer.
 1137

1138 **(1) Additional testing.** Additional testing, by the Department
 1139 beyond the initial test will be performed at cost to the Contractor as
 1140 follows:
 1141

1142 **(a)** \$2,500 per test will be required when Department
 1143 personnel or State's Third-Party Consultant is used.
 1144

1145 **(R) Remedial Work for Pavements.**
 1146

1147 **(1)** Corrective work shall be required for any 25 ft interval with a
 1148 localized roughness in excess of 160 in/ mi. The Engineer may waive
 1149 localized roughness requirements for deficiencies resulting from
 1150

1151 manholes or other similar appurtenances. Adjust manholes or other
1152 similar appurtenances so that using a 10-ft. straightedge the area
1153 around that manhole or other similar appurtenance shall not have
1154 more than 3/16-in. variation between any 2 contacts on the
1155 straightedge.

1156
1157 If corrective action is not successful, the Engineer may require
1158 continued corrective action, or apply a payment adjustment of \$250
1159 per occurrence.

1160
1161 **(2)** Corrective work shall also be required for any 0.1 mile interval
1162 with an average MRI above 95.0 in/mi for Types A and B. For Type A,
1163 correct the deficient section to an MRI of 60 in/mi or less. For Type B,
1164 correct the deficient section to an MRI of 70 in/mi or less. For Type C,
1165 corrective work may be required by the Engineer for 0.1 mile intervals
1166 that have an average MRI above the threshold shown in Tables
1167 401.03-4 – Smoothness Pay Disincentives with MRI, and 401.03-5 –
1168 Smoothness Pay Disincentives for Percent Improvement, as
1169 applicable.

1170
1171 If corrective action does not produce the required improvement, the
1172 Engineer may require continued corrective action, or apply payment
1173 adjustment as shown in Tables 401.03-4 and 5.

1174
1175 **(3)** The Contractor shall notify the Engineer at least 24 hours prior
1176 to commencement of the corrective work. The Contractor shall not
1177 commence corrective work until the methods and procedure have
1178 been approved in writing by the Engineer.

1179
1180 **(4)** All smoothness corrective work for areas of localized
1181 roughness shall be for the entire lane width. Pavement cross slope
1182 shall be maintained through corrective areas.

1183
1184 **(5)** The remedial repair areas shall be neat, rectangular areas
1185 having a uniform surface appearance.

1186
1187 **(6)** If grinding is used on HMA pavement, the surface shall have
1188 nearly invisible grinding marks to passing motorist.

1189
1190 **(7)** Other methods may include milling and overlaying HMA
1191 pavement. The length, depth of the milling and the replacement
1192 material will be solely decided by the Engineer.

1193
1194 **(8)** The finished repaired pavement surface shall leave no ridges
1195 or valleys or fins of pavement other than those allowed below.

1196

- 1197 (9) Remedial repairs shall not leave any drainage structures' inlets
1198 higher than the surrounding pavement or alter the Contract
1199 Document's drainage pattern.
1200
- 1201 (10) For items in the pavement other than drainage structures, e.g.,
1202 manhole frame and covers, survey monuments, expansion joints etc.,
1203 the finish pavement, ground or not, shall not be more than 1/4 inch in
1204 elevation difference. Submit to the Engineer remedial repair method
1205 to correct these conditions for acceptance.
1206
- 1207 (11) Pick up immediately grinding operation residue by using a
1208 vacuum attached to grinding machine or other method acceptable to
1209 the Engineer.
1210
- 1211 (a) Any remaining residue shall be picked up before the end
1212 of shift or before the area is open to traffic, whichever is earlier.
1213
- 1214 (b) Prevent residue from flowing across pavement or from
1215 being left on pavement surface or both.
1216
- 1217 (c) Residue shall not be allowed to enter the drainage
1218 system.
1219
- 1220 (d) The residue shall not be allowed to dry or remain on the
1221 pavement.
1222
- 1223 (e) Dispose of all material that is the result of the remedial
1224 repair operation, e.g., HMA residue, wastewater, and dust at a
1225 legal facility.
1226
- 1227 (12) Complete corrective work before determining pavement
1228 thickness for HMA pavements in accordance with Subsection
1229 401.03(I) – HMA Pavement Thickness Tolerances.
1230
- 1231 (13) All HMA wearing surface areas that have been ground shall
1232 receive a coating, e.g., a coating material that will restore any lost
1233 impermeability of the HMA due to the grinding of the surface. The
1234 coating used shall not be picked up or tracked by passing vehicles or
1235 be degraded after a short period of time has passed, i.e., it shall have
1236 a service life equal to or greater than the HMA pavement. The coating
1237 shall not decrease the pavement's friction value. The coating's limits
1238 shall be the full width of the lane regardless how small. If the remedial
1239 repair area extends into the next lane, then the repair area will be full
1240 lane width also. Extend the length of coating areas in order for the
1241 coating area to look like the rest of the road and does not have patches
1242 on it, i.e., make the road look uniform in color. The coating shall be of

1243 a color that matches the surrounding pavement. The areas receiving
 1244 the coating shall not be open to traffic until it has cured enough so that
 1245 it cannot be picked up or tracked by passing vehicles or degrade.
 1246 Submit means and methods of the coating and type of coating to the
 1247 Engineer or MTRB for review and acceptance. Do not proceed with
 1248 the coating without acceptance from the Engineer.

1249
 1250 **(14)** Recompacting cold HMA, i.e., HMA that has reached ambient
 1251 temperature is not an acceptable remedial repair method.

1252
 1253 **(15)** Replace all pavement markings damaged or discolored by
 1254 remedial repairs.

1255
 1256 **(16)** Reprofile the corrected area and provide the Engineer the
 1257 results that show the corrective action, i.e., remedial repairs were
 1258 successful.

1259

1260 **(S) Pavement Smoothness and Acceptance.**

1261

1262 **(1)** Price and payment in various paving sections, e.g., 401 (Hot
 1263 Mix Asphalt Pavement), shall be full compensation for all work and
 1264 materials specified in the various paving sections and this section,
 1265 including but not limited to furnishing all labor, materials, tools,
 1266 equipment, testing, incidentals and for doing all work involved in micro
 1267 milling, milling (cold planing), grinding existing or new pavement,
 1268 removing residue, cleaning the pavement, necessary disposal of
 1269 residue, furnishing of any water or air used in cleaning the pavement
 1270 and any other related ancillary work or material or services. Also, it
 1271 includes any remedial work, e.g., re-paving, surface grinding,
 1272 application of a coating, curing compound, and replacement of
 1273 damaged pavement markings.

1274

1275 **(2)** The contract price in those sections may be adjusted for
 1276 pavement smoothness by the Engineer. The pavement smoothness
 1277 contract unit price adjustments and work acceptance will be made in
 1278 accordance with the following schedules in Table 401.03-3 –
 1279 Smoothness Pay Incentives.

1280

TABLE 401.03-3 –SMOOTHNESS PAY INCENTIVES		
Category	MRI (in/mi)	Pay Adjustment \$ per 0.1 mi
Type A	<30.0	\$580
	30.0- less than 35.0	\$480
	35.0- less than 40.0	\$380
	40.0- less than 45.0	\$280
	45.0- less than 50.0	\$180
	50.0- less than 55.0	\$80
	55.0- less than 60.0	\$0
Type B	<35.0	\$420
	35.0- less than 40.0	\$360
	40.0- less than 45.0	\$300
	45.0- less than 50.0	\$240
	50.0- less than 55.0	\$180
	55.0- less than 60.0	\$120
	60.0- less than 65.0	\$60
	65.0- less than 70.0	\$0
Type C	<40.0	\$280
	40.0- less than 45.0	\$240
	45.0- less than 50.0	\$200
	50.0- less than 55.0	\$160
	55.0- less than 60.0	\$120
	60.0- less than 65.0	\$80
	65.0- less than 70.0	\$40
	70.0- less than 75.0	\$0

1281
1282

1283
 1284
 1285
 1286
 1287
 1288
 1289
 1290
 1291
 1292
 1293
 1294
 1295
 1296
 1297
 1298
 1299
 1300
 1301
 1302
 1303
 1304
 1305
 1306
 1307
 1308
 1309
 1310
 1311
 1312
 1313
 1314
 1315
 1316
 1317
 1318
 1319
 1320
 1321
 1322
 1323
 1324
 1325
 1326
 1327
 1328

(3) Pay Pavement Smoothness Adjustment will be based on the initial measured MRI for both left and right wheel path, prior to any corrective work for the 0.10-mile section, except for sections that the Contractor has chosen to remove and replace. For sections that are replaced, assessments will be based on the MRI determined after replacement.

(a) The Pavement Smoothness Adjustment will be computed using the plan surface area of pavement shown in the Contract Documents. This Pavement Smoothness Adjustment will apply to the total area of the 0.10-mile section for the lane width represented by MRI for the same lane. It does not include any other price adjustments specified in the Contract Documents. Those price adjustments will be, for each adjustment, calculated separately using the original contract price to determine the amount of adjustment to be made to the contract price. Sections shorter than 0.1 mile and longer than 50 feet shall be prorated.

(b) For 0.1 mile intervals with an average MRI above the threshold shown in Table 401.03-3 – Smoothness Pay Incentives, the Engineer shall apply a disincentive payment adjustment up to the limit shown.

- i. For Types A and B, payment adjustments shall be applied up to an MRI of 95.0 per Table 401.03-4 – Smoothness Pay Disincentives with MRI.
- ii. For Type C, the payment adjustment shall be dependent on the average MRI of the pavement prior to paving activities
 1. If the MRI of the pavement prior to paving activities is 125.0 in/mi or less, the payment adjustment shall be per Table 401.03-4 – Smoothness Pay Disincentives with MRI.
 2. If the MRI of the pavement prior to paving activities is more than 125.0 in/mi, the disincentive payment adjustment shall be per Table 401.03-5 – Smoothness Pay Disincentives for Percent Improvement, and based on the percent improvement using the following formula:

$$\% \text{ Improvement} = (\text{Initial segment MRI} - \text{Final segment MRI}) \times 100 / (\text{Initial Segment MRI})$$

1329

TABLE 401.03-4 –SMOOTHNESS PAY DISINCENTIVES WITH MRI		
Category	MRI (in/mi)	Pay Adjustment \$ per 0.1 mi
Type A	60.0- less than 70.0	-\$100
	70.0- less than 75.0	-\$250
	75.0- less than 80.0	-\$350
	80.0- less than 85.0	-\$450
	85.0- less than 95.0	-\$550
	> 95.0	Corrective Work
Type B	70.0- less than 75.0	-\$100
	75.0- less than 80.0	-\$200
	80.0- less than 85.0	-\$300
	85.0- less than 95.0	-\$400
	> 95.0	Corrective Work
Type C (pre-paving MRI < 125)	75.0- less than 80.0	-\$50
	80.0- less than 85.0	-\$100
	85.0- less than 90.0	-\$150
	90.0- less than 100.0	-\$200
	>100.0	-\$250

1330

TABLE 401.03-5 –SMOOTHNESS PAY DISINCENTIVES FOR PERCENT IMPROVEMENT		
Category	Percent Improvement %	Pay Adjustment \$ per 0.1 mi
Type C	≥ 40	\$0
(pre-paving MRI > 125)	20.0- less than 40.0	-\$100
	< 20	-\$200

1331

1332

1333

1334

1335

1336

1337

1338

(c) Incentives will not apply to areas where payment deductions or remedial repairs has been made for non-compliant work, e.g., low compaction, thin pavement, thermal segregation, low compressive or flexural strength, non-compliant alignment. Incentives will also not apply to areas where corrective work was required to meet contract smoothness requirements, unless the pavement section was

1339 replaced. All areas where corrective work was performed shall
 1340 be tested again to ensure the smoothness requirements are
 1341 met.

1342
 1343 (d) There will be no incentive price adjustments to the
 1344 contract prices regardless of the pavement meeting the
 1345 Contract Documents' requirements for incentive contract price
 1346 adjustment, when 25% of the total area paved of that particular
 1347 type of pavement on the project has failed to meet any of the
 1348 Contract document requirements, e.g., smoothness, thickness,
 1349 unit weight, asphalt content, pavement defects, compaction,
 1350 flexural or compressive strength. Areas exempt from the
 1351 smoothness requirements may not be included in the total area
 1352 calculation unless it is non-compliant.

1353
 1354 (e) For contracts using lump sum the method described in
 1355 Subsection 104.06 Methods of Price Adjustment paragraph (3),
 1356 will be used to calculate proportionate unit price, i.e., the
 1357 Engineer's calculated theoretical unit price. This calculated
 1358 proportionate unit price will be used to calculate the unit price
 1359 adjustment.

1360

1361 **401.04 Measurement.**

1362

1363 (A) The Engineer will measure PMA pavement per ton in accordance with
 1364 the Contract Documents.

1365

1366 (B) Engineer will measure additional State pavement profiling work when
 1367 applicable on a cost-plus basis as specified in this section and as ordered by
 1368 Engineer. The Engineer will issue a billing for the pavement profile work done
 1369 for the time period with the invoices and receipts that the billing was based
 1370 on attached to the Contractor for each contract item. The Contractor's
 1371 pavement profile work required in this section will not be measured and will
 1372 be considered incidental to the various paving items unless stated otherwise.

1373

1374 **401.05 Payment.** The Engineer will pay for the accepted PMA pavement at the
 1375 contract price per pay unit, as shown in the proposal schedule. Payment will be full
 1376 compensation for the work prescribed in this section and the contract documents.

1377

1378 (A) Price and payment in Section 401 – HMA Pavement will be full
 1379 compensation for all work and materials specified in this Section including
 1380 furnishing all labor, materials, tools, equipment, testing, pavement profiles
 1381 and incidentals and for doing all work involved in grinding existing or new
 1382 pavement, removing residue, and cleaning the pavement, including
 1383 necessary disposal of residue and furnishing any water or air used in
 1384 cleaning the pavement and remedial work needed to conform to the

1385 requirements of the Contract Documents.

1386

1387 **(B)** No payment for the Contractor’s pavement profile work required in this
 1388 section will be made. The Contractor’s pavement profile work shall be
 1389 considered incidental to the various paving items unless stated otherwise.

1390

1391 **(C)** Engineer will pay or deduct for the following pay items when included
 1392 in proposal schedule:

1393

Pay Item		Pay Unit
-----------------	--	-----------------

1394

Pavement Smoothness Incentive		Allowance
-------------------------------	--	-----------

1395

_____ PMA Pavement, Mix No. _____		Ton
-----------------------------------	--	-----

1396

1397

1400 **(1)** 70% of the contract unit price or the theoretical calculated unit
 1401 price upon completion of submitting a job-mix formula acceptable to
 1402 the Engineer; preparing the surface, spreading, and finishing the
 1403 mixture; and compacting the mixture.

1404

1405 **(2)** 20% of the contract unit price or the theoretical calculated unit
 1406 price upon completion of cutting samples from the compacted
 1407 pavement for testing; placing and compacting the sampled area with
 1408 new material conforming to the surrounding area; protecting the
 1409 pavement; and compaction acceptance. Maintain temporary
 1410 pavement markings and other temporary work zone items, maintain a
 1411 clean work site.

1412

1413 **(3)** 10% of the contract unit price or calculate the unit price when
 1414 the final configuration of the pavement markings is in place.

1415

1416 The Engineer will pay for adjusting existing frames and covers and valve
 1417 boxes in accordance with and under Section 604 – Manholes, Inlets and Catch
 1418 Basins. Adjustments for existing street survey monument frames and covers will be
 1419 paid for as if each were a valve box frame and cover.

1420

1421 The Engineer may, at his sole discretion, use the sliding scale factor as
 1422 specified in Table 401.05-1 – Sliding Scale Pay Factor for Compaction to accept
 1423 HMA pavements compacted between 90.0 percent and 98.0 percent. If the sliding
 1424 scale factor is used, the Engineer will make payment for the material in that
 1425 production day at a reduced price by multiplying the contract unit price by the pay
 1426 factor. The Engineer is not obligated to allow non-compliant work to remain in place
 1427 and may choose to require removal of the pavement that is less than 93.0 percent
 1428 or greater than 97.0 percent.

1429

1430 Removal of non-compliant pavement shall be in accordance with Subsection
1431 105.12 Removal of Non-Conforming and Unauthorized Work.
1432
1433

Table 401.05-1 – Sliding Scale Pay Factor for Compaction	
Percent Compaction	Percent of Quantity Paid
> 98.0	Removal
>97.0 - 98.0	95
93.0- 97.0	100
90.0 - <93.0	80
<90.0	Removal

1434
1435
1436
1437
1438

END OF SECTION 401”

1 **Amend Section 404 – SLURRY SEAL to read as follows:**

2
3 **SECTION 404 - SLURRY SEAL**

4
5
6 **404.01 Description.** This section describes furnishing and applying slurry seal
7 on an existing asphalt surface.

8
9 **404.02 Materials.**

10

11 Emulsified Asphalt (Type SS-1h, CSS-1h)	702.04
12	
13 Aggregate for Slurry Seal	703.11
14	
15 Filler	703.15
16	
17 Water	712.01

18
19 **(A) General.** Slurry seal shall include uniform blend of emulsified asphalt,
20 aggregate, water, and if required by job-mix formula, filler.

21
22 **(B) Job-Mix Formula and Tests.** Unless otherwise specified, design and
23 test job-mix formula in accordance with ASTM D 3910, for Type I, Type II,
24 and Type III slurry seal, as indicated in the contract documents.

25
26 Tolerance of plus or minus 1 percent will be allowed in residual
27 asphalt content from that specified in job-mix formula accepted by the
28 Engineer.

29
30 **(C) Submittals.** Submit slurry seal job-mix formula for each type of
31 slurry seal mix indicated in the contract documents as follows:

- 32
- 33 **(1)** Design percent of aggregate passing each required sieve size.
 - 34
 - 35 **(2)** Design percent of residual asphalt added to aggregate, based
36 on dry weight of aggregate.
 - 37
 - 38 **(3)** Source of aggregate.
 - 39
 - 40 **(4)** Grade of emulsified asphalt.
 - 41
 - 42 **(5)** Test data used to develop job-mix formula.
 - 43

44 If design requirements are modified after the Engineer accepts job-mix
45 formula, submit new job-mix formula before using slurry seal produced from
46 modified mix design.

48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91

404.03 Construction.

(A) Test Section. Before production and after calibration as specified in Subsection 404.03(C)(6) - Equipment Calibration, apply slurry seal onto test section using same mixture, equipment, and method proposed for use in the work. Test section shall be at least 10 feet by 50 feet. The Engineer will determine location of test section. Slurry seal samples will be taken to verify mix consistency, proportioning, and application rate.

(B) Weather Limitation. Application of slurry seal will not be allowed under the following conditions:

- (1)** On wet surfaces as determined by the Engineer.
- (2)** When air temperature is below 60 degrees F and falling. Slurry seal may be applied when air temperature is above 50 degrees F and rising. Air temperature will be measured in shade and away from artificial heat.
- (3)** When weather conditions prevent proper method of construction.

(C) Equipment.

- (1) General.** Keep equipment, tools, and machinery clean and maintained in satisfactory condition.
- (2) Mixing Equipment.** Use self-propelled machine specifically designed and manufactured to lay slurry seal. Mixing machine shall be either truck-mounted or continuous-run design. A continuous-run machine is defined as one that is equipped to self-load while continuing to lay slurry seal. Either type machine shall be able to accurately deliver and proportion aggregate, emulsified asphalt, water, and if specified by job-mix formula, filler to maintain adequate supply to the proportioning controls.

If continuous-run machine is used, equip to allow operator to have full control of forward and reverse speeds during slurry seal application; and to include opposite-side driver stations and forward and reverse speed controls.

- (3) Proportioning Devices.** Provide and label individual volume or weight controls for proportioning each material to be added to mix.

92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136

(4) Spreading Equipment. Spread mixture uniformly by means of conventional surfacing spreader box attached to mixer and equipped to agitate and spread material evenly throughout box. Provide front seal that prevents loss of mixture at road contact point and adjustable rear seal that functions as final strike-off. Design and operate spreader box and rear strike-off such that uniform consistency is achieved to produce free flow of material to rear strike-off. Equip spreader box with means to side shift box to compensate for variations in pavement geometry. Burlap drag or other accepted screed may be attached to rear of spreader box to provide uniform, highly textured mat.

(5) Auxiliary Equipment. Provide other tools or equipment, such as brushes, hose equipment, tank trucks, water distributors and flushers, power sweepers, and power blowers.

(6) Equipment Calibration. Calibrate in the Engineer's presence mixing equipment to be used in performance of the work. Submittal of previous calibration documents may be used in lieu of calibration in the Engineer's presence if documented calibration were made within one calendar year of submittal. Include individual calibration of each material at various settings, which can be related to machine's metering devices. No machine will be allowed to be used on project until calibration has been completed or accepted, or both.

After calibration and prior to production, make test strips for each machine. Test strips shall be part of test section specified in Subsection 404.03(A) - Test Section. Upon failure of test for mix consistency, proportioning, or rate of application, or combination thereof, additional test strips at no increase in contract price or contract time will be required until each machine is accepted for work. Machine failing to pass specified tests after three trials will not be allowed to be used on project.

(D) Preparation of Surfaces. Immediately before applying slurry seal, clean existing pavement in accordance with Section 310 - Brooming Off.

Clean cracks and joints with compressed air. Seal cracks and joints 3/8-inch to 3/4-inch wide with sand slurry consisting of 20 percent emulsified asphalt, approximately 2 percent portland cement, and water.

Clean potholes and other surface defects and fill with HMA Mix V.

Do not apply tack coat.

137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169

(E) Application of Slurry Seal. Pour slurry seal into spreader box in sufficient quantity to completely cover full width of spreader. Do not allow slurry seal to flow out sides of box.

Apply slurry seal in one uniformly blended coat not exceeding 1/4 inch in thickness. Use hand spreaders only in areas where spreader box cannot be used. Remove excess slurry seal build-up on longitudinal and transverse joints.

(F) Protection of Slurry Seal. Except for construction equipment used for slurry seal operations, keep traffic off slurry seal until such time that mixture has cured sufficiently so that slurry seal will not adhere to and be picked up by vehicle tires. Ensure that cured slurry seal adheres firmly to existing surface.

404.04 Measurement. Slurry seal will be paid on a per square yard basis in accordance with the contract documents.

404.05 Payment. The Engineer will pay for the accepted slurry seal on a per square yard basis. Payment will be full compensation for the work prescribed in this section and the contract documents.

The Engineer will pay for the following pay item when included in the proposal schedule:

Pay Item	Pay Unit
Slurry Seal, Type 2	Square Yard

END OF SECTION 404

1 **SECTION 407 – TACK COAT**

2
3 Make the following amendment to said Section:

4
5 **(I) Amend Section 407.03(D) - Application of Tack Coat**, from lines 63 to 72
6 to read:

7
8 “Apply tack coat on existing asphalt or concrete surface, or both, to be
9 overlaid by HMA or PMA course. Once water has evaporated from asphalt
10 emulsion, tack coat is said to have set. Place HMA or PMA overlay after tack
11 coat has set and within four hours of application. For multiple lift construction of
12 HMA or PMA, tack coat application will not be waived. Remove all deleterious
13 material to bonding before applying the tack coat to the entire surface to receive
14 the next lift.

15
16 “Before placing HMA or PMA course, apply tack coat to contact surfaces
17 of curbs, gutters, manholes, other structures, vertical faces of existing
18 pavements, and exposed transverse and longitudinal edges of each course.
19 Apply tack coat on all surfaces that will have an asphalt pavement placed on it in
20 a uniform, full coverage manner, e.g., no visible streak, holidays in the
21 application, no differences in the application rate, i.e., the thickness of the tack
22 coat. The exception to this requirement shall be surfaces that will have pavement
23 joint adhesive applied to it which shall not require any tack coat.”

24
25
26
27
28 **END OF SECTION 407**

1 **Amend Section 601- STRUCTURAL CONCRETE to read as follows:**

2
3 **DIVISION 600 - MISCELLANEOUS CONSTRUCTION**

4
5 **SECTION 601 - STRUCTURAL CONCRETE**

6
7 **601.01 Description.** This section describes structural concrete, which consists of
8 Portland Cement, fine aggregate, coarse aggregate, and water. It may also include
9 adding admixtures for the purpose of entraining air, retarding or accelerating set, tinting,
10 and other purposes as required or permitted. All concrete designs for structural concrete
11 to be placed on HDOT Highway projects must use technology to reduce the embodied
12 carbon footprint of concrete used in the highway infrastructure. e.g., carbon dioxide
13 mineralization or equivalent technology such as C-S-H nanoparticle-based strength-
14 enhancing admixture (CSH-SEA), or technology or material that allows the reduction in
15 the size of the carbon footprint of the mix, e.g., strength improving admixtures,
16 supplementary cementitious materials (SCMs), or other Engineer accepted methods that
17 can reduce the embodied carbon footprint of the concrete.

18
19 **601.02 Materials.**

20	21 Portland Cement	701.01
22	23 Fine Aggregate for Concrete	703.01
24	25 Coarse Aggregate for Portland Cement Concrete	703.02
26	27 Admixtures	711.03
28	29 Water	712.01

30
31 Use coarse aggregate for lightweight concrete conforming to ASTM C330 except
32 for Sections 5, 7, and 9.

33
34 **601.03 Construction.**

35
36 **(A) Quality Control.** Portland Cement concrete production requires the
37 Contractor's responsibility for quality control of materials during handling, blending,
38 mixing, placement, and curing operations.

39
40 Sample, test, and inspect concrete to ensure the quality of the components,
41 materials, and concrete using quality control methods and testing. Sampling and
42 testing for quality control must be performed by certified ACI Concrete Field
43 Technician Grade I following the requirements of the standard test methods.
44 Perform quality control tests for the slump, air content, temperature, unit weight, a
45 Box Test for slip form concrete, or other required properties during the production
46 of structural concrete other than concrete for incidental construction. Submit

47 quality control test results.
48

49 **(B) Design and Designation of Concrete.** Design concrete mixture for
50 concrete work specified. Submit mix design using State Highways Division form
51 DOT 4-151 or an equivalent form accepted by the Engineer. Do not start work
52 until the Engineer accepts the mix design. The Engineer will accept a concrete
53 mix design complying with the information given in Table 601.03-1 - Design of
54 Concrete, and other pertinent requirements.

55 Whenever the concrete's 28-day compressive strength, f'_c , is 4,000 psi or
56 greater, designate concrete by the required minimum 28-day compressive
57 strength.

58
59 The concrete's 28-day compressive strength, f'_c , which is less than 4,000
60 psi listed in Table 601.03-1 – Design of Concrete, is for design information and
61 designation of a class.

62
63 Proportion concrete that is designated by a compressive strength so that
64 the concrete conforms to the required strength.

65
66 Design concrete placed in bridge decks and pavements exposed to traffic
67 wear, with air content of 3 percent, unless otherwise specified, including entrapped
68 and entrained air. Maintain air content for plastic concrete within a tolerance of 1
69 percent, plus or minus, during the work.

70
71 Use Class BD concrete in the bridge deck unless the concrete is designated
72 by compressive strength. Incorporate into the bridge deck concrete: water-
73 reducing, shrinkage-reducing, and migrating corrosion-inhibiting admixtures.
74 Allow also, set-retarding admixtures in the concrete with the capability to vary the
75 degree of retardation without adversely affecting other characteristics of concrete.
76 Submit all the design admixture dosages.

77
78 Class A concrete must be used when the type of concrete is not indicated
79 in the contract documents.
80
81
82
83
84
85
86
87
88
89
90
91
92

Design concrete as specified in Table 601.03-1 – Design of Concrete.

TABLE 601.03-1 - DESIGN OF CONCRETE							
(800 Maximum Cement Content lbs. /c.y.)							
Class of Concrete	28-Day Strength f'_c, psi.	Minimum Cement Content lbs. /c.y.	Maximum Water-Cement Ratio, lb./lb.	Minimum Cement Content with Mineralized CO₂ lbs./c.y.	Maximum Water-Cement Ratio with Mineralized CO₂ lb./lb.	Minimum Cement Content with SCM lbs. /c.y.	Maximum Water-Cement Ratio with SCM lb./lb.
A	3000	532	0.59	504	0.62	NA	NA
B	2500	475	0.66	450	0.70		
C	2000	418	0.75	396	0.79		
D	1500	380	0.85	360	0.87		
BD	3750	610	0.49	NA	NA		
SEAL	3000	610	0.55	NA	NA		
Designated by Strength f'_c or $*f_r$	As Specified	610	0.49	NA	NA	NA	NA
$*f_r$ = Specified Modulus of Rupture							

95

96

97

98

99

100

101

102

103

104

105

Structural Concrete Design – The Carbon Dioxide mineralization process is our preferred method for CO₂ footprint reduction for structural concrete. Other Carbon Dioxide reduction options, materials, or technologies may be considered for structural concrete mix designs if a Carbon Dioxide mineralization system on the island is unavailable, or Carbon Dioxide is in short supply. Other options to reduce concrete's Carbon Dioxide footprint includes but are not limited to adding Supplementary Cementitious Materials, admixtures, blended hydraulic cements, or a combination thereof. Additional means and methods of CO₂ footprint reduction not listed herein may be used if their use can be justified and accepted by the Engineer.

106

107

108

109

110

The reduced carbon footprint concrete mix design for all islands must have a reduction of Portland Cement content and still comply with the concrete design strength and other durability requirements as specified. See Table 601.03-1 Design of Concrete's specified limits for cement content, water cement ratio, and other properties when using CO₂ mineralization.

111

112

113

114


It should be noted that in some cases the use of SCMs in mixes may not result in it having the same strength curve as their cement counterpart and more curing time will be needed to meet and exceed the design strength. In such cases, the Contractor may request a waiver from the 28-day limit. Submit laboratory test data

115 with the request to the Engineer. The waiver may be granted on a case-by-case
 116 basis, e.g., mass concrete. The Engineer reserves the right to limit the amount of
 117 SCMs in the mix or reject the mix design.

118 Slipform Concrete Design – The Box Test method measures the response of a
 119 slip form concrete mixture to vibration and the ability of the concrete to hold a
 120 vertical edge, thus determining the workability and suitability of the concrete
 121 mixture for slip-formed paving applications

122
 123

Dimensions of the Box Test



124 The Figure above shows the components and the constructed inside dimensions.
 125 The Box Test used:

126
 127
 128 4 pcs - ½" nominal thickness or greater HDO Plyform with a hard, semi-opaque
 129 surface of thermosetting phenolic resin-impregnated material for the Test Box
 130 form, with a length, width, and height such that when the Test Box is constructed
 131 must have internal dimensions of 12" X12" X 12".

132 1 pc - ½" nominal thickness or greater HDO Plyform with a hard, semi-opaque
 133 surface of thermosetting phenolic resin-impregnated material approximately 24" X
 134 24" or greater for the platform. It is optional that the platform is constructed as
 135 shown in the photos.

136 4 pcs- 2" X 2" L-brackets to be attached at two opposite external corners to hold
 137 the two Plyform pieces in an L-shape. (More brackets may be used if determined
 138 it is needed to keep the Test Box forms square, ridged, and in an L-shape.)
 139 Screws, glue, etc. if used must not cause bulges or protrude into the interior of the
 140 form.

141 Two each - 1.5ft pipe clamps

142 1 each - hand scoop

143 1 each - 1" square head pencil vibrator that must be able to vibrate at a minimum
 144 of 12,500 vibrations per minute. Provide a power source for the vibrator. Round-
 145 headed or larger vibrators must not be used.

146 1 each - ruler

147 1 each – 16-inch by 24-inch L-shaped steel framing square.

148 1 each – 18 or 24-inch I-Beam Level Spirit Level Tool

STP-0550(006)





601-4a

1/26/24

149 **The Box Test Steps**

150 Sample concrete according to AASHTO R 60 Standard Practice for Sampling
151 Freshly Mixed Concrete.

152 Dampen the forms and platform with form oil and assemble the Box Test
153 components (forms, platform, and clamps) on a flat and level surface. The
154 assembled 1 ft³ Test Box is held together by the pipe clamps and L-brackets on
155 the platform. Scoop into the box the fresh concrete, each scoop must be uniformly
156 distributed in the box, so each layer is approximately uniformly level. Stop the
157 concrete placement when it reaches a height of approximately 9.5". Do not do any
158 compaction during the placement of the concrete except for the dropping of
159 concrete in the Test Box. With the vibrator at 12,500 vibrations per minute and
160 keeping the head of the vibrator perpendicular to the platform and centered in the
161 box, consolidate the concrete by inserting the 1" square head pencil vibrator. Take
162 three seconds to lower the vibrator into the concrete until it almost reaches the
163 bottom of the box. Do not touch the platform with the vibrator. Upon reaching the
164 proximity of the bottom of the box immediately start raising the vibrator upward
165 taking three seconds to remove the vibrator from the concrete. Do not do any
166 further compaction or finishing of the concrete. Immediately, and carefully remove
167 the pipe clamps from the side of the box, and then carefully with minimal
168 disturbance of the concrete, remove the Box Test forms in an ascending vertical
169 direction. Care must be taken to ensure the concrete will not stick to the L-shaped
170 side wall forms. Immediately do a surface void evaluation and edge slump
171 measurement of the concrete sample.

	Step 1	<p>Gather the different components of the Box Test.</p>
	Step 2	<p>Construct box and place clamps tightly around box. Hand scoop mixture into box until the concrete height is 9.5" (241.3 mm).</p>
	Step 3	<p>Insert vibrator downward for 3 seconds and upward for 3 seconds. Remove vibrator.</p>
	Step 4	<p>After removing clamps and the forms, inspect the sides for surface voids and edge slumping.</p>

172

173

174

Surface Void Evaluations

175

176

177

The grading of the response of a mixture to vibration must be assessed by comparing the surface voids observed on the sides of the box using the four photos in Figure below.

178

179

180

181

The void area for any of the four sides must not exceed what is shown in photo 2 of the Figure below, i.e., the void area must not be similar to the void areas shown in photos 3 and 4 or exceed them, to be considered an acceptable mix design for slip form pavement concrete.

182

183

184


185

186

187

188

If a mixture responded well to vibration, the overall surface voids should be minimal because the mortar was able to flow and fill these voids, hence the surface would have a small total void area. However, if the sides of the concrete formed by the box test had large amounts of surface voids, the mixture did not acceptably respond to the vibration. If the concrete did not respond acceptably to the vibration the mix design must be adjusted until the voids do not exceed the voids shown in photo 2 of Figure below.



189
190

Figure above shows the estimated surface voids.

191

Top or Bottom Edge Slumping

192
193
194
195
196
197
198
199

The top or bottom edge slumping must be measured by placing an L-shaped steel framing square straightedge at the point the concrete sample protrudes at each face the most. Use the I-Beam Spirit Level and a tape measure or ruler with the L-shaped steel framing square to measure the distance between the I-Beam Level Spirit Level and the upper surface of the concrete sample along its edge. That is not protruding and is vertical to find the length of the longest extruding point for each face. Do a measurement on each of the four sides, measuring the top and bottom slump of the test sample.

200
201
202

If no vertical face can be found on a side the concrete mix design is not suitable for use in slip forming. If the top or bottom edge slumping exceeds $\frac{1}{4}$ " for any side, the concrete mix design is not suitable for use in slip forming.

203

Videos of Box Test

204

<https://youtu.be/XnKbxs3bAoQ>

205

<https://youtu.be/P6MKXItCiU8>

206

207 Verify that the concrete is an acceptable concrete mix design by performing a
 208 minimum of two more acceptable consecutive Box Tests that did not exceed the
 209 maximum void area and edge slump requirements. If the two acceptable
 210 consecutive Box Tests cannot be accomplished, then adjust the concrete mix
 211 design and start the testing process over again.

212 In addition to the Box Test performed during the testing of the mix design in the
 213 Contractor's material testing laboratory perform additional Box Tests on production
 214 concrete in the field during the test strip or first production pour whichever is
 215 earliest. Adjust the mix if the results indicate the concrete does not meet the above
 216 requirements. Perform Box Test in the field once a month if pouring is continuous
 217 or when the Engineer requests it to be performed.

218
 219 Use the absolute volume method to proportion concrete materials in
 220 accordance with requirements of concrete designated by class, cement content in
 221 pounds per cubic yards, or specified 28-day compressive strength. Use absolute
 222 volumetric proportioning methods as outlined in the American Concrete Institute
 223 (ACI) Standard 211.1, "Recommended Practices for Selecting Proportions for
 224 Normal and Heavyweight Concrete".
 225

226 Use coarse aggregate size No. 57 (one inch to No. 4) or No. 67 (3/4 inch to
 227 No. 4) for concrete. For concrete placed in bottom slabs and stems of box girders,
 228 use No. 67 size aggregate. Smaller size aggregates may be permitted when
 229 encountering limited space between forms and reinforcement or between
 230 reinforcement when accepted by the Engineer in writing. Maximum aggregate size
 231 must not be greater than 1/3 of the space between reinforcing steel bars or
 232 reinforcing steel and the form.
 233

234 Use the following standard methods in Table 601.03-2 – Standard Methods
 235 for determining compliance with requirements indicated in this subsection:
 236

TABLE 601.03-2 – STANDARD METHODS	
Sampling Fresh Mixed Concrete	AASHTO T 141
Mass Per Cubic Meter (Cubic Foot) Yield and Air Content (Gravimetric) of Concrete	AASHTO T 121
Slump of Hydraulic Cement Concrete	AASHTO T 119
Air Content of Freshly Mixed Concrete by the Pressure Method	AASHTO T 152
Specific Gravity and Absorption of Fine Aggregate	AASHTO T 84
Specific Gravity and Absorption of Coarse	AASHTO T 85

Aggregate	
Temperature of Freshly Mixed Portland Cement Concrete	ASTM C1064
Making and Curing Concrete Test Specimens in the Field	AASHTO T 23
Compressive Strength of Molded Concrete Cylindrical Specimens	AASHTO T 22 (4-inch by 8-inch or 6-inch by 12-inch cylinders)
Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	AASHTO T 97

237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268

When concrete is designated by compressive strength, f'_c , or flexural strength, f'_r , or includes CO₂ Mineralization technology, CSH-SEA, or SCMs, prequalification of materials and mix proportions proposed for use before placing such concrete is mandatory. The Engineer will prequalify concrete based when data is available based on past performance records using statistical computations of population sizes and (n-1) weighting, or trial batch test reports in compliance with computed minimum average strength for material and mix proportions. The Engineer will determine the minimum average strength on the probability of not more than one in 20 tests falling below the specified strength for the following conditions:

(1) When past performance records are available, furnish the following documented performance records:

(a) Minimum of 15 consecutive 28-day strength tests from projects having the same materials and mix proportions.

(b) Two groups totaling 30 or more test results representing similar materials in which mix proportion strengths are within 20 percent of specified strength, from data obtained within one year of the proposed use.

The Engineer will analyze performance records to establish the standard deviation.

(2) When sufficient past performance records are not provided, the Engineer will assume the current standard deviation to be 500 psi for compressive strength, f'_c , and 50 psi for flexural strength, f'_r .

Unless sufficient performance records are available from other projects at DOT Materials Testing and Research Branch (MTRB), submit test performance records or trial test reports for prequalifications, based on data of the most recent

269 tests made on the concrete of the proposed mix design. The data must be from
270 tests that have been performed within one year of the proposed use and done at
271 an accredited material testing laboratory by certified material testing personnel.
272

273 Include the following information in test data and trial batch test reports:
274 date of mixing; mixing equipment and procedures used; the size of batch in cubic
275 yards and weight, type, and source of ingredients used; slump of concrete; air
276 content of concrete when using an air-entraining agent; the age of the sample at
277 the time of testing; and strength of concrete cylinders or beams tested.
278

279 Show that concrete strength tests equal or exceed minimum average
280 strength in trial test reports. The test is an average of 28-day test results of five
281 consecutive concrete cylinders or concrete beams taken from a single batch. No
282 cylinder or beam must have a strength less than 85 percent of the minimum
283 average strength.
284

285 Submit test data and trial test reports signed by an official of an accredited
286 laboratory that performed tests.
287

288 The Engineer reserves the right to stop work when a series of low-strength
289 tests occur. Do not continue concrete work until the cause is established and the
290 Engineer is informed of and accepts, the necessary corrective action to be taken.
291

292 **(C) Batching.** Measure and batch materials in accordance with the following
293 provisions:
294

295 **(1) Portland Cement.** Either sacked or bulk cement may be used. Do
296 not use a fraction of the sack of cement in the concrete batch unless cement
297 is weighed.

298 Weigh bulk cement on weighing device accepted by the Engineer. Seal
299 and vent bulk cement-weighing hopper properly to preclude dusting during
300 operation. Do not suspend the discharge chute from the weighing hopper.
301 Arrange the discharge chute so that cement will not lodge in the hopper or
302 leak from the hopper.
303

304 Batching accuracy must be within 1 percent, plus or minus, of the
305 required weight.
306

307 **(2) Water.** Measure water by volume or by weight. Use a readily
308 adjustable device for measurement of water, with accuracy within 1 percent,
309 plus or minus, of the quantity of water required for a batch. Arrange the
310 device so that variable pressure in the water supply line does not affect
311 measurements. Equip measuring tanks with outside taps and valves or
312 other accepted means to allow for checking calibration.
313

314 **(3) Aggregates.** When storing and stockpiling aggregates, avoid

315 separation of coarse and fine particles within each size, and do not intermix
316 various sizes before proportioning. Protect stored or stockpiled aggregates
317 from dust or other foreign matter. Do not stockpile together, aggregates
318 from different sources and of different gradations.

319
320 When transporting aggregates from stockpiles or other sources to
321 batching plant, ensure uniform grading of material is maintained. Do not
322 use aggregates that have become segregated or mixed with earth or foreign
323 matter. Stockpile or bin aggregates at least 12 hours before batching.
324 Produce or handle aggregates by hydraulic methods and wash and drain
325 aggregates. If aggregates exhibit high or non-uniform moisture content, the
326 Engineer may order storage or stockpiling for more than 12 hours or
327 remixing of the stockpile, or other remedial methods. Keep using remedial
328 methods until moisture content problems are resolved. When there is clay
329 or dirt on the aggregate wash the aggregate until they are in a quantity that
330 no longer affects the concrete mix and is accepted by the Engineer.

331
332 Proportion aggregates by weight, with an exception being that
333 aggregates in concrete for minor structures, curbs, and sidewalks may be
334 proportioned by either volume or weight. For volumetric proportioning, use
335 measuring boxes of known capacity to measure the quantity of each
336 aggregate size.

337
338 Use batch weight based on dry materials plus the total weight of
339 moisture (both absorbed and surface) contained in aggregate. Measure
340 individual aggregates to within 2 percent, plus or minus, of required weight,
341 and the total weight of aggregates to within 1 percent, plus or minus, of the
342 required weight.

343
344 **(4) Admixtures.** Ensure that all admixtures used are compatible with
345 all the other admixtures used in the concrete mix. Store, proportion, and
346 dispense admixtures in accordance with the following provisions:

347
348 **(a) Liquid Admixtures.** Dispense chemical admixtures, in liquid
349 form, e.g., air-entraining admixtures, and corrosion inhibiting
350 admixtures. Use mechanical dispensers for liquid admixtures with
351 sufficient capacity to measure the prescribed quantity for each batch
352 of concrete. Include a graduated measuring unit in each dispenser
353 to measure liquid admixtures to within 5 percent, plus or minus, of
354 the prescribed quantity for each batch. Read graduations accurately
355 from point of measuring unit, and control proportioning operations to
356 permit a visual check of batch accuracy before discharging. Mark
357 each measuring unit clearly for type and quantity of admixture.

358
359 Arrange with the supplier to provide a sampling device
360 consisting of a valve located in a safe and accessible location for

361 sampling admixtures. Sampling is not required if not otherwise
362 provided.

363
364 When using more than one liquid admixture for concrete mix,
365 use a separate measuring unit for each liquid admixture and
366 dispense separately to avoid interaction that may interfere with
367 admixture efficiency and adversely affect concrete. Dispense liquid
368 admixture by injecting so as not to mix admixture at high
369 concentrations.

370
371 When using liquid admixtures in concrete that are completely
372 mixed in paving or continuous mixers, operate dispensers
373 automatically with batching control equipment. Equip such
374 dispensers with an automatic warning system that will provide visible
375 or audible signals at the point where proportioning operations are
376 controlled, when the following occurs: quantity of admixture
377 measured for each batch of concrete varies from pre-selected
378 dosage by more than 5 percent, or the entire contents of measuring
379 unit from the dispenser are not emptied into each batch of concrete.

380
381 Unless liquid admixtures are added to the batch with pre-
382 measured water, discharge liquid admixtures into the stream of water
383 that disperses admixtures uniformly throughout the batch. An
384 exception is that air-entraining admixtures may be dispensed directly
385 into moist sand in batching bins, provided adequate control of
386 concrete air content can be maintained.

387
388 Measure and disperse special admixtures, as recommended
389 by the admixture manufacturer, and as accepted by the Engineer.
390 Special admixtures include high-range water reducers requiring
391 dosages greater than the capacity of conventional dispensing
392 equipment. For site added, high-range water reducers, use
393 calibrated, portable dispenser supplied by the manufacturer.

394
395 **(b) Mineral Admixtures.** Protect mineral admixtures from
396 exposure to moisture or other deleterious conditions until used. Pile
397 sacked material of each shipment to permit access for tally,
398 inspection, and identification.

399 Provide adequate facilities to ensure that mineral admixtures
400 meeting specified requirements are kept separate from other mineral
401 admixtures and that only specified mineral admixtures can enter the
402 work's concrete mix. Provide safe and suitable facilities for sampling
403 mineral admixtures at weigh hopper or in the feed line immediately
404 in advance of the hopper.

405
406 Incorporate mineral admixtures into the concrete using

407 equipment complying with the requirements for Portland Cement
408 weigh hoppers and charging and discharging mechanisms specified
409 in ASTM C94 and Subsection 601.03(C) - Batching.

410
411 When concrete is completely mixed in stationary paving or
412 continuous mixers, weigh mineral admixture in a separate weigh
413 hopper. Introduce mineral admixture and cement simultaneously
414 into the mixer, proportionately with aggregate.

415
416 When interlocks are required for cement-charging
417 mechanisms, and cement and mineral admixtures are weighed
418 cumulatively, interlock their charging mechanisms to prevent the
419 introduction of mineral admixture until the mass of cement in the
420 weighing hopper is within tolerances specified in Subsection
421 601.03(C)(1) - Portland Cement.

422
423 In determining the maximum quantity of free water that may
424 be used in concrete, consider mineral admixture to be cement.

425
426 **(5) Bins and Scales.** At the batching plant, use individual bins,
427 hoppers, and scales for each aggregate size. Include a separate bin,
428 hopper, and scale for bulk cement and fly ash.

429
430 Except when proportioning bulk cement for pavement or structures,
431 the cement weigh hopper may be attached to a separate scale for individual
432 weighing or to an aggregate scale for cumulative weighing. If cement is
433 weighed cumulatively, weigh cement before other ingredients.

434
435 When proportioning for pavement or structures, keep bulk cement
436 scale and weigh hopper separate and distinct from aggregate weighing
437 equipment.

438
439 Use a springless-dial or beam-type batching scales. When using
440 beam-type scales, make provisions to show the operator that the required
441 load in the weighing hopper is approaching. Use devices that show
442 conditions within the last 200 pounds of load and within 50 pounds of
443 overload.

444 Maintain scale accuracy to 0.5 percent throughout the range of use.
445 Design poises to lock to prevent an unauthorized change of position. Use
446 scales inspected by the State Measurement Standards Branch of the
447 Department of Agriculture to ensure their continued accuracy. Provide not
448 less than ten 50-pound weights for testing scales.

449
450 Batching plants may be equipped to proportion aggregates and bulk
451 cement by automatic weighing devices.

452

453 **(6) Batching and Hauling.** When mixing is to be performed at the work
454 site, transport aggregates from batching plant to the mixer in batch boxes,
455 vehicle bodies, or other containers of adequate capacity and construction.
456 Use partitions to separate batches and prevent spilling from one
457 compartment to another while in transit or during dumping.

458
459 Transport bulk cement to the mixer in tight compartments carrying
460 the full quantity of cement required for the batch. Once the cement is placed
461 in contact with aggregates, batches must be mixed and placed within 1-1/2
462 hours of contact. Cement in original shipping packages may be transported
463 on top of aggregates. Ensure that each batch contains the number of sacks
464 required by the job mix.

465
466 Deliver batches to mixer intact. Charge each batch into the mixer
467 without loss of cement. When carrying more than one batch on a truck,
468 charge the batch into the mixer without spilling material from one batch
469 compartment into another.

470
471 **(D) Mixing.** Mix concrete in mechanically operated mixers. When accepted by
472 the Engineer, batches that do not exceed 1/3 cubic yard may be hand-mixed in
473 accordance with methods described at end of this subsection.

474
475 Use stationary or truck mixers that distribute materials thoroughly and
476 produce concrete uniform in color and appearance. When there is variation in
477 mixed concrete attributable to worn pickup or throw-over blades, the Engineer will
478 inspect the mixer. If the inspection reveals that blades are worn more than one
479 inch below the original height of the manufacturer's design, or are damaged repair
480 or replace blades. Upon request, make a copy of the manufacturer's design,
481 showing the dimensions and arrangement of blades.

482
483 Charge batches into central or truck mixers so that portion of mixing water
484 enters ahead of cement and aggregates. Deliver a uniform flow of water. Place
485 the entire amount of batch water in the mixer by end of the first quarter of the
486 mixing period. When mixers with multiple compartment drums are used, the time
487 required to transfer material between compartments will be included as mixing
488 time. Use drum rotation speed as designated by the manufacturer. If mixing does
489 not produce concrete of uniform and smooth texture, provide additional revolutions
490 at the same speed until thorough mixing of each concrete batch is attained. Begin
491 measuring mixing time from the time cement, aggregates, and 60 percent of water
492 are in the drum. Do not exceed the manufacturer's rated capacity for the volume
493 of concrete mixed in each batch.

494
495 Equip central or truck mixers with an attachment for automatically timing the
496 mixing of each concrete batch. The timing device must include an automatic
497 feature for locking the discharge chute and a device for warning the operator when
498 the required mixing duration has been met. If the timing or locking device fails to

499 operate, immediately furnish a clock or watch that indicates seconds, to the mixer
500 operator. If the timing device is not repaired within three days after becoming
501 inoperative, shut down batching operation until the timing device is repaired.
502

503 For stationary mixers, use mixing time between 50 seconds and 5 minutes.
504 Select mixing time, as necessary, to produce concrete that meets uniformity
505 criteria when tested in accordance with Section 11.3.3 of ASTM C94. The
506 Contractor may designate mixing time for which uniformity tests are to be
507 performed, provided mixing time is not less than 50 seconds or more than 5
508 minutes. Before using concrete for pavements or structures, mix concrete to meet
509 specified uniformity requirements. The Contractor must furnish labor, sampling
510 equipment, and materials required for conducting uniformity tests, including the
511 Box Test, and the Contractor's quality control for the concrete mixture. The
512 Engineer will not furnish for the Contractor's quality control, testing equipment,
513 e.g., scales, cubic measure, and air meter; and will not perform the Contractor's
514 quality control tests. The Engineer will not pay separately for the Contractor's
515 quality control, e.g., labor, equipment, materials, or testing, but will consider the
516 costs incidental to concrete. After batching and mixing operational procedures are
517 established, the Engineer will not allow changes in procedures without the
518 Contractor re-establishing procedures by conducting uniformity tests. Repeat
519 mixer performance tests whenever the appearance of concrete or coarse
520 aggregate content of samples is not complying with the requirements of ASTM
521 C94. For truck mixers, add four seconds to the specified mixing time if timing starts
522 as soon as the skip reaches its maximum raised position.
523

524 Unless otherwise indicated in the Contract Documents or accepted by the
525 Engineer, concrete must be mixed at proportioning plant. Operate mixer at
526 agitating speed while in transit. Concrete may be truck-mixed only when cement
527 or cement and mixing water are added at the point of delivery. Begin mixing truck-
528 mixed concrete immediately after the introduction of mixing water to cement and
529 aggregates, or introduction of cement to aggregates.
530

531 Inclined-axis, revolving drum truck mixers must comply with Truck Mixer,
532 Agitator and Front Discharge Concrete Carrier Standards TMMB 100-01, 15th
533 Revision, or later published by Truck Mixer Manufacturers Bureau. Truck mixers
534 must produce a thoroughly mixed and uniform mass of concrete and must
535 discharge concrete without segregation.
536

537 The manufacturer's standard metal rating plate must be attached to each
538 truck mixer, stating maximum rating capacity in terms of volume of mixed concrete
539 for various uses, and maximum and minimum mixing speeds. When using truck
540 mixers for mixing, adhere to the maximum capacity shown on the metal rating plate
541 for the volume of concrete in each batch.
542

543 Operate truck mixers at the mixing speed designated by the manufacturer,
544 but at not less than 6 or more than 18 revolutions per minute. Mix truck-mixed

545 concrete initially between 70 and 100 revolutions at manufacturer-designated
546 mixing speed, after ingredients, including water, are in the mixer. Water may be
547 added to the mixture not more than two times after the initial mixing is completed.
548 The addition of water at the project site must comply with the requirements of
549 Subsection 503.03 Construction. Each time that water is added, turn the drum an
550 additional 30 revolutions or more at mixing speed until the concrete is mixed
551 uniformly.

552
553 When furnishing shrink-mixed concrete, transfer partially mixed concrete at
554 the central plant to a truck mixer. Apply requirements for truck-mixed concrete.
555 The Engineer will not credit the number of revolutions at mixing speed for partial
556 mixing in the central plant.

557
558 When accepted by the Engineer, concrete batches not exceeding 1/3 cubic
559 yard may be hand-mixed on a watertight, level platform. Measure the proper
560 amount of coarse aggregate in measuring boxes and spread it on the platform.
561 Spread fine aggregate on that coarse aggregate layer. Limit coarse and fine
562 aggregate layers to a total depth of one foot. Spread dry cement on this
563 mixture. Turn whole mass not less than two times dry. Add sufficient clean
564 water, and distributed it evenly. Turn whole mass again, not less than three
565 times, not including placing in carriers or forms. Mortar mixers of appropriate
566 size may be used when accepted by the Engineer.

567
568 **(E) Transporting Mixed Concrete.** Transport central-mixed concrete to the
569 delivery point in truck agitators or truck mixers operating at speed designated by
570 the equipment manufacturer as agitating speed; or in non-agitating hauling
571 equipment, provided consistency and workability of mixed concrete upon
572 discharge at the delivery point suitable for placement and consolidation in place.
573 The mixed concrete after hauling to the delivery point must comply with the
574 uniformity criteria when tested as specified in Section 12.5 of ASTM C94.

575
576 For revolving drum truck mixers transporting central-mixed concrete, limit
577 concrete volume to the manufacturer's rated capacity for agitator operation.
578 Maintain agitating speed for both revolving drum mixers and revolving blade type
579 agitators as designated on the manufacturer's metal data plate. Equip truck mixers
580 or truck agitators with electrically or mechanically actuated counters. Activate
581 counters after introducing cement to aggregates.

582
583 Bodies of non-agitating hauling equipment must be smooth, watertight,
584 metal containers equipped with gates to permit control of concrete discharge.
585 Protect open-topped haul vehicle against the weather and wind with cover
586 accepted by the Engineer.

587
588 When hauling concrete in non-agitating trucks, complete discharge within
589 30 minutes after introducing mixing water to cement and aggregates.

590

591 When a truck mixer or agitator is used for transporting central-mixed
592 concrete to the delivery point, complete discharge within 1-1/2 hours, after the
593 introduction of mixing water to cement and aggregates, or cement to aggregates.
594 For truck-mixed concrete, complete concrete discharge within 1-1/2 hours. This
595 time limitation is permitted to be waived by the Engineer if after the 1-1/2-hour time
596 limit has been reached, the concrete has a slump that it can be placed, without the
597 addition of water to the batch and hydration of the concrete has not started, i.e.,
598 the temperature of the concrete is less than 90 degrees F or the required maximum
599 temperature of the concrete. Also, the set time is increased by the use of a retarder
600 in the mix design and acceptance of the increased set time is obtained before use
601 from the Engineer.
602

603 Submit delivery tickets from manufacturers of truck-mixed concrete and
604 central-mixed concrete with each truckload of concrete before unloading at the
605 jobsite. Printed, stamped, or written delivery ticket must include the following
606 information:
607

- 608 (1) Name of concrete plants.
- 609
- 610 (2) Serial number of the ticket.
- 611
- 612 (3) Date and truck number.
- 613
- 614 (4) Name of Contractor.
- 615
- 616 (5) Specific project, route, or designation of job (name and location).
- 617
- 618 (6) Specific class or designation of concrete in accordance with Contract
619 Documents.
- 620
- 621 (7) Quantity of concrete in cubic yards.
- 622
- 623 (8) Time of loading batch or mixing of cement and aggregates.
- 624
- 625 (9) Water added by the receiver of concrete and receiver's initials.
- 626
- 627 (10) Information that is necessary to calculate the total mixing water
628 added by the producer. Total mixing water includes free water on
629 aggregates, water, and water added by the truck operator from the mixer
630 tank at the project site.
- 631
- 632 (11) The amount of water held back from the batched concrete mix that
633 can be added to the concrete mix at the project and still not cause the mix
634 to exceed the accepted mix design water to cement ratio.
- 635
- 636 (12) Readings of non-resettable revolution counters of truck mixers after

637 the introduction of cement to aggregates, or introduction of mixing water to
638 cement aggregates

639
640 **(13)** Supplier's mix number or code and include the mix design name.

641
642 Furnish additional information designated by the Engineer and required by
643 job specifications upon request.

644
645 **(F) Consistency.** Regulate the quantity of water and admixtures used in
646 concrete mixes so that concrete consistency, as determined by the AASHTO T
647 119 test method, is within the nominal slump range specified in Table 601.03-3 -
648 Slump for Concrete. If the concrete slump exceeds the nominal slump, adjust
649 subsequent batches of the mixture. If slump exceeds maximum slump, the
650 Engineer will reject concrete unless it is solely deemed by the Engineer as
651 satisfactory for use.

652
653 The Engineer will also reject harsh or unworkable concrete that cannot be
654 properly placed. Remove rejected concrete at no increase in the contract price or
655 contract time.

656
657 Slump for concrete must be as specified in "Table 601.03-3 – Slump for
658 Concrete".

659

TABLE 601.03-3 - SLUMP FOR CONCRETE		
Type of Work	Nominal Slump Inches	*Maximum Slump Inches
Concrete Pavements	0 – 3	3-1/2
Reinforced Concrete Structures:		
Sections Over 12 Inches	0 – 4	5
Sections 12 Inches Thick or Less	2 – 5	6
Non-Reinforced Concrete Facilities	1 – 3	4
Concrete Placed Underwater	6 – 8	9
Bridge Decks	0 – 3	3-1/2

660 *A waiver to the maximum slump requirement may be requested from the Engineer.
661 Submit justification for the granting of the waiver request along with how the mix design's
662 components ensure that the mix will not segregate.

663
664 In adverse or difficult conditions that may affect the placement of concrete, the above
665 slump limitations may be exceeded for placement workability, with the addition of
666 admixture conforming to Subsection "711.03 – Admixtures", if the design mix redesign is
667 accepted by the Engineer in writing and the water-cement ratio is complies with Contract
668 Documents requirements. Provide additional cement and water, or admixture at no
669 increase in the contract price or contract time.

- 670
- 671 (G) **Forms.** Construct forms in accordance with applicable sections.
- 672
- 673 (H) **Placing Concrete.** Place concrete in accordance with applicable sections.
- 674
- 675 (I) **Finishing Concrete Surfaces.** Finish concrete surfaces in accordance
- 676 with applicable sections.
- 677
- 678 (J) **Curing Concrete.** Cure concrete in accordance with applicable sections.
- 679

680 **601.04 Measurement.** The Engineer will measure concrete in accordance with the
681 applicable sections.

682

683 **601.05 Payment.** The Engineer will pay for the accepted concrete under the
684 applicable sections.

685
686
687
688
689

END OF SECTION 601

1 **SECTION 603 – CULVERTS AND STORM DRAINS**

2
3 Make the following amendments to said Section:

4
5 **(I)** Amend **603.03(C)(1) - Culverts** by revising lines 106 to 108 to read as
6 follows:

7
8 “Spacing between multi-barrel culverts shall be a minimum of 18 inches or
9 0.5 the culvert width, whichever is greater. The minimum spacing shall be 1 foot
10 when placing controlled low strength material (CLSM) as backfill. Anchor the
11 culverts in such a manner that the horizontal and vertical alignment of the
12 culverts does not change.”

13
14 **(II)** Amend **603.04 – Measurement** by revising lines 282 to 292 to read as
15 follows:

16
17 **“603.04 Measurement.**

18
19 **(A)** The Engineer will measure bed course material for culverts per
20 cubic yard in accordance with contract documents.

21
22 **(B)** The Engineer will measure reinforced concrete collar per each in
23 accordance with contract documents.

24
25 **(C)** The Engineer will measure reinforced concrete pipe per linear foot
26 in accordance with contract documents.

27
28 **(D)** The Engineer will measure cleaning of existing culverts on a force
29 account basis in accordance with Subsection 109.06 - Force Account
30 Provisions and Compensation and as ordered by the Engineer.”

31
32 **(III)** Amend **603.05 – Payment** by revising lines 294 to 349 to read as follows:

33
34 **“603.05 Payment.** The Engineer will pay for the accepted pay items listed
35 below at the contract price per pay unit, as shown in the proposal schedule.
36 Payment will be full compensation for the work prescribed in this section and
37 contract documents.

38
39 The Engineer will pay for each of the following pay items when included in
40 the proposal schedule:

41

42 Pay Item	43 Pay Unit
44 Bed Course Material for Culvert	45 Cubic Yard
46 18 - Inch Reinforced Concrete Pipe, Class 3	47 Linear Foot

48 Reinforced Concrete Collar _____ Each

49

50 (1) 100 percent of contract bid price upon completion of constructing
51 concrete jacket.

52

53 Clean Existing Culverts Force Account"

54

55

56

END OF SECTION 603

48
49
50
51

END OF SECTION 606

SECTION 629 - PAVEMENT MARKINGS

Make the following amendments to said Section:

(I) Amend **Subsection 629.03(B) – Temporary Pavement Markings** by revising the third paragraph from line 62 to 63 to read:

“Maintain and replace temporary pavement markings, flexible delineators, and barricades. ”

(II) Amend **Table 629.03 – 1 – Temporary Pavement Markings** to read as follows:

“TABLE 629.03-1 TEMPORARY PAVEMENT MARKINGS	
TYPE	PAVEMENT MARKINGS
Passing Permitted - Both Sides	Single 4-inch yellow stripe 5 feet in length spaced 20 feet on center with Type D markers spaced 40 feet on center and located on center of 5-foot length of stripe.
Passing Prohibited - Both Sides	Double solid 4-inch yellow stripes with Type D markers placed 20 feet on center on one of 4-inch yellow stripes selected by the Engineer.
Passing Permitted - One Side Only	Single continuous 4-inch yellow stripe with Type D markers placed on stripe 20 feet on center on no-passing side and single 4-inch yellow stripes 5 feet in length spaced 20 feet on center on passing side.
Lane Lines - Lane Changing Permitted	Single 4-inch yellow or white stripe 5 feet in length spaced 20 feet on center with Type C or Type D markers spaced 40 feet on center.
Lane Lines - Lane Changing Prohibited	Double solid 4-inch white stripes with Type C markers placed 20 feet on center on one of the 4-inch white stripes selected by the Engineer.
Crosswalk	Two 12-inch white transverse lines spaced 8 feet on center or as ordered by the Engineer.
Stop Line	Single 12-inch white transverse line.
Note: Paint may be used for temporary markings in areas where final paving is not complete.”	

(III) Amend **Subsection 629.03(C) – Permanent Pavement Markings** by adding the following after line 267:

19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

“(5) Thermoplastic Hot Spray Pavement Marking.

(a) Equipment. Use equipment constructed for preparation and application of thermoplastic hot spray pavement marking.

Equipment shall provide continuous mixing and agitation of material. Conveying parts of equipment shall be constructed to prevent accumulation and clogging.

Use applicator capable of containing minimum of 125 pounds of molten material.

Provide kettle for melting and heating composition. Equip kettle with automatic thermostat control device so that heating can be done by controlled heat transfer liquid rather than direct flame.

Equip and arrange applicator and kettle in accordance with National Fire Underwriters requirements.

Mixing and conveying parts, including the spray gun, shall maintain material at molten temperature.

Apply beads to entire surface of completed stripe by automatic bead dispenser attached to hot spray applicator.

Equip bead dispenser with automatic cutoff control synchronized with cutoff of thermoplastic material.

Use equipment that provides for varying spray widths to produce varying widths of traffic markings.

Use mobile and maneuverable applicator that is capable of following straight lines and making curves in true arcs.

(b) Application. Clean off dirt, debris, blaze, paint, tape, and grease. Apply thermoplastic hot spray pavement marking only when pavement surface is dry.

Use equipment that can apply material in variable widths from 2 inches to 12 inches. Apply material for full width of stripe in one application or pass.

On concrete pavements, on HMA pavements more than seven days old, and on HMA pavements paved within seven days containing less than 6 percent bituminous asphalt, pre-stripe application area with binder material, primer, or prime seal coat recommended by pavement marker manufacturer.

66
67 Line thickness, as viewed from lateral cross section, shall
68 measure not less than 3/32 inch at edges, and not less than 1/8
69 inch in center.

70
71 Where required by the contract documents to apply new
72 markings over existing markings, bond new line over old line so that
73 no splitting or separation takes place during its useful life.

74
75 Provide finished lines with well-defined edges, free of
76 waviness.”

77
78 **(IV)** Amend **629.04 – Measurement** by revising lines 292 to 294 to read as
79 follows:

80
81 **“629.04 Measurement.**

82
83 (A) The Engineer will measure thermoplastic and preformed pavement
84 marking tape per linear foot in accordance with the contract
85 documents. The longitudinal pavement markings will be measured per
86 linear foot as a single stripe for the width specified in the contract and
87 in the proposal.

88
89 The Engineer will measure the painted stripes that are twelve (12)
90 inches wide or less as a single stripe. The Engineer will measure the
91 painted stripes over twelve (12) inches wide as two (2) stripes. The
92 Engineer will measure the double stripes that are twelve (12) inches or
93 less in total width including the transverse space between the stripes
94 as a single stripe.

95
96 The Engineer will measure the transverse markings by the linear
97 foot or per lane according to the contract.

98
99 The Engineer will not measure temporary pavement markings
100 including flexible delineator posts with reflector markers or Type I
101 Barricades and temporary signs installed for the longitudinal guidance
102 of public traffic over reconstructed areas, cold planed surfaces, newly
103 paved surfaces or other unmarked or scarified areas for payment.

104
105 The Contractor shall consider the work required for the removal of
106 pavement markings incidental to the various contract items, except as
107 provided in the proposal or elsewhere in the contract. If the contract
108 stipulates that the Engineer will make payment for the removal of
109 pavement markings, the Engineer will measure the removal of
110 pavement markings.

112 The Engineer will measure the longitudinal pavement markings by
113 the linear foot according to the contract. Longitudinal gaps for skip
114 striping will not be included in the measurement.

115
116 (B) The Engineer will measure the pavement markers per each for the
117 types shown in the proposal.”

118
119 (IV) Amend **629.05 – Payment** by revising lines 296 to 330 to read as follows:
120

121 **“629.05 Payment.**

122
123 (A) The Engineer will pay for thermoplastic and preformed pavement
124 marking tape at the contract price per linear foot according to the
125 contract, complete in place, including primers.

126
127 The Engineer will pay for double four (4) inch striping with a four (4)
128 inch space between stripes at the contract price per linear foot or on a
129 lump sum basis according to the contract.

130
131 The Engineer will pay for pavement arrows (single and multiple
132 heads), symbols, and words at the contract price per each according to
133 the contract.

134
135 The contract unit price paid shall be full compensation for furnishing
136 labors, materials, tools, equipment and incidentals and for doing the
137 work involved in furnishing and installing pavement markings complete
138 in place according to the contract.

139
140 The Engineer will not pay for the temporary pavement markings
141 including flexible delineator posts with reflector markers or Type I
142 Barricades and temporary signs installed for the longitudinal guidance
143 of public traffic over reconstructed areas, cold planed surfaces, newly
144 paved surfaces or other unmarked or scarified areas for payment if not
145 shown in the proposal separately. The Engineer will consider them
146 incidental to the various contract items.

147
148 The Engineer will compute the actual amount paid to the Contractor
149 for force account work according to Subsection 109.06 – Force
150 Account Provisions and Compensation.

151
152 If the contract specifies payment for removal of pavement markings
153 under unit price pay items, the Engineer will pay for the accepted
154 quantities at the contract unit prices bid. The prices shall be full
155 compensation for removing such items according to the contract.
156

157 (B) The Engineer will pay for the various types of pavement markers at
158 the contract price per each according to the contract, complete in
159 place, including adhesives.
160

161 (C) The Engineer will pay for painted pavement striping at the contract
162 price per linear foot according to the contract.
163

164 The Engineer will pay for pavement arrows (single or multiple arrow
165 heads) at the contract price per each according to the contract.
166

167 The Engineer will pay for the following pay items when included in
168 the proposal schedule:
169

170 Pay Item	170 Pay Unit
171	
172 Double 4-Inch Pavement Striping (Thermoplastic 173 Extrusion)	172 Linear Foot
174	
175 6-Inch Pavement Striping (Thermoplastic Extrusion)	175 Linear Foot
176	
177 12-Inch Pavement Striping (Thermoplastic Extrusion)	177 Linear Foot
178	
179 Pavement Arrow (Thermoplastic)	179 Each
180	
181 Type C Pavement Marker	181 Each
182	
183 Type D Pavement Marker	183 Each
184	
185 Yield Line (Thermoplastic)	185 Lane
186	
187	
188	

189 **END OF SECTION 629**
190

1 **SECTION 630 – TRAFFIC CONTROL GUIDE SIGNS**

2
3 Make the following amendment to said Section:

4
5 **(I)** Amend **Section 630.02 - Materials**, by replacing lines 28 to 29 to read:

6
7 “Retroreflective sheeting shall conform to criteria listed in ASTM D 4956
8 for the applicable type and class, or as amended in accordance with Subsection
9 750.01 - Signs.”

10
11 **(II)** Amend **Section 630.04 - Measurement**, by replacing lines 204 to 221 to
12 read:

13
14 **“630.04 Measurement.** The Engineer will measure the number of route
15 markers assemblies as complete units of the type and design specified in the
16 proposal.

17
18 When the Engineer accepts an alternative design, the method of
19 measurement for the various contract items affected by the design shall be
20 identical with the various original contract items shown in the contract. The
21 Engineer will not measure the additional items that the Contractor requires for the
22 alternate design.

23
24 The Engineer will not measure removal and disposal and storing of existing
25 and temporary signs and markers that the Contractor will not incorporate in the
26 completed highway for payment.”

27
28 **(III)** Amend **630.05 – Payment** by revising lines 223 to 303 to read as follows:

29
30 **“630.05 Payment.** The Engineer will pay for route marker assemblies at the
31 contract price per each for the type and design specified complete in place.
32 Payment will be full compensation for the work prescribed in this section and the
33 contract documents.

34
35 The Engineer will not pay for removing and disposing or storing of existing
36 and temporary signs that the Contractor will not incorporate in the completed
37 highway separately. The Engineer will consider them incidental to the various
38 contract items.

39
40 The Engineer will not make payment other than those specified herein for
41 the construction of footings for overhead mounted expressway signs. The
42 Engineer will pay for the work, materials, tools, equipment and incidentals
43 required in the construction of the footings for overhead mounted expressway
44 signs under the following contract items:

- 46 (1) Footing Excavation. The Engineer will make payment for footing
 47 excavation according to Section 204 – Excavation and Backfill for
 48 Miscellaneous Facilities.
 49
 50 (2) Concrete. The Engineer will make payment for concrete in footings
 51 according to Section 503 – Concrete Structures.
 52
 53 (3) Reinforcing Steel. The Engineer will make payment for reinforcing
 54 steel according to Section 602 – Reinforcing Steel.
 55

56
 57 The Engineer will pay for the following pay items when included in the
 58 proposal schedule:

	Pay Item	Pay Unit
60		
61		
62	Type “B” Route Marker Assembly	Each
63		

64 When the Engineer accepts an alternate design, the total amount paid
 65 shall be full compensation for furnishing and installing materials and furnishing
 66 equipment, tools, labors, and incidentals necessary to complete the work. The
 67 Engineer will not make payment for additional materials, equipment, tools, labor
 68 and other incidentals that might become necessary to complete the installation
 69 due to the alternate design.
 70

71
 72
 73 **END OF SECTION 630**

48
49

END OF SECTION 631

1 **SECTION 632 – MARKERS**

2
3 Make the following amendment to said Section:

4
5 **(I) Amend Section 632.03 – Construction** by adding this paragraph after line
6 lines 77 to read as follows:

7
8 **“(e) Type V Object Marker (OM5).** OM5 shall be Type XI retroreflective
9 sheeting marker. One complete unit of OM5 shall be the complete installation of
10 retroreflective sheetings per post.

11
12 **(II) Amend Section 632.04 - Measurement** by replacing lines 79 to 81 to read:

13
14 **“632.04 Measurement.** The Engineer will measure reflector marker,
15 milepost marker with post (bi-directional), milepost marker, and object marker per
16 each as complete units of the type and design specified in the proposal.”

17
18 **(III) Amend Section 632.05 – Payment** by replacing lines 83 to 100 to read:

19
20 **“632.05 Payment.** The Engineer will pay for reflector marker, milepost
21 marker with post (bi-directional), milepost marker, and object marker at the
22 contract price per each for the type and design specified complete in place.
23 Payment will be full compensation for excavating and backfilling, furnishing and
24 installing materials, furnishing equipment, tools, labors and incidentals necessary
25 to complete the work.

26
27 The Engineer will pay for the following pay items when included in the
28 proposal schedule:

29

30 Pay Item	31 Pay Unit
32 Milepost Marker with Post (Bi-Directional)	33 Each
34 Reflector Marker (RM-3) with Steel Post	35 Each
36 Reflector Marker (RM-3) with Flexible Delineator	37 Each
38 Type II Object Marker (OM2-2H)	39 Each
40 Type II Object Marker (OM2-2V)	41 Each
42 Type V Object Marker (OM-5)	43 Each”

44
45

END OF SECTION 632

1 Make the following Section a part of the Standard Specifications:
2

3 **SECTION 636 – E-CONSTRUCTION**
4
5

6 **636.01 Description.** This section specifies requirements for performing the Project in
7 a “paperless” manner, using electronic tools for all submittals, communications, quantity
8 tracking, testing, and sampling, scheduling, quality control, and performance monitoring.
9

10 **636.02 General Requirements.** The Contractor shall implement the use of the E-
11 Construction platform, as provided by the HDOT and directed by the Engineer, for use
12 throughout the project. Paper-based or hard copy submittals will not be accepted.
13

14 This Special Provision shall take precedence over all other Specification sections
15 with respect to providing and receiving paper copy communications, submittals, and any
16 project records. Where conflicts exist, and a decision between a hard-copy item and a
17 corresponding electronic version is needed, the electronic version shall be selected,
18 unless otherwise directed by the Engineer.
19

20 **636.03 Construction**
21

22 **(A) Plans and Specifications.** Project drawings will not be provided to the
23 Contractor in hard copy format. An electronic version will be provided in the E-
24 Construction platform for use during the project.
25

26 The Contractor shall note all changes to the work, including all
27 subcontractor’s work, in electronic format using the E-Construction platform Red
28 annotations shall be used to note changes. Blue annotations shall be used for any
29 additional notes that will be helpful for the State in interpreting the field posted
30 drawings. Other drafting standards may be implemented by the Engineer and shall
31 be adhered to by the Contractor. Changes shall be input by the Contractor and
32 reviewed by the Engineer monthly. The Contractor shall make any changes that
33 the Engineer requires.
34

35 **(B) Submittals.** The Contractor shall provide all required submittals, as listed
36 within the contract documents, via the E-Construction platform.—All review,
37 approval, and resubmittal regarding submittals shall also be documented within
38 the E-Construction platform
39

40 **(C) Correspondence.** Electronic mail (email) shall be the preferred method of
41 electronic communication. All communications that affect project scope, schedule,
42 cost, or quality, including changes and requests for information, shall be submitted
43 as directed by the Engineer.
44

45 **(D) Prosecution and Progress.** The Contractor shall provide all
46 administrative, management, and project support documents required by various
47 specification sections, using the E-Construction platform. These elements include,
48 but are not limited to:

- 49 (1) Preconstruction Submittals (Section 108.03)
- 50 (2) Correspondence regarding Contract Time and Delays (Section
51 108.05)
- 52 (3) Progress Schedules (Section 108.06)
- 53 (4) Weekly Meeting preparatory materials (Section 108.07)
- 54 (5) Samples, certifications, material data, installation instructions, and
55 shop drawings (Sections 105 and 106)
- 56 (6) Field-posted Drawings (Section 648)
- 57 (7) Pre-Final Inspection submittals (Section 108.13)
- 58 (8) Warranty documentation (Section 108.17)
- 59 (9) Project Closing Documents (Section 108.19)
- 60
- 61

62 In addition to the foregoing, the Contractor shall provide any other
63 materials, correspondence, and submittals using the E-Construction
64 platform as directed by the Engineer.
65

66 **(E) Resources.** The Contractor shall provide a comprehensive list of
67 Contractor labor and equipment, including all subcontractor labor and equipment,
68 that will be deployed on the project, using spreadsheet-based templates provided
69 in the E-Construction platform. All template fields shall be completed. The
70 submitted information shall comply with the requirements of Specification Section
71 108 – Prosecution and Progress (identification of labor and equipment resources)
72 and Specification Section 109 - Measurement and Payment (cost data) and
73 represent all individual personnel with labor categories and rates, and all
74 equipment owned or rented, with associated rates, on this project. Updates for
75 additional personnel or equipment shall be accomplished by the Contractor at will
76 and shall be completed when directed by the Engineer.
77

78 **636.04 Measurement.** The Engineer will measure additional E-Construction
79 programs, additional licenses, or additional equipment, if ordered by the Engineer, on a
80 force account basis in accordance with Subsection 109.06 – Force Account Provisions
81 and Compensation.

82
83 **636.05 Payment.** The Engineer will pay for the additional E-Construction programs,
84 additional licenses, or additional equipment, on a force account basis in accordance with
85 Subsection 109.06 – Force Account Provisions and Compensation.

86
87 The Engineer may withhold progress payment until the Contractor is in compliance
88 with all E-Construction requirements.

89
90

Pay Item	Pay Unit
Additional E-Construction Programs, additional licenses Or additional equipment	Force Account

95
96 An estimated amount for force account may be allocated in the proposal schedule
97 under “Additional E-Construction Programs, additional licenses or additional equipment.”
98 The actual amount to be paid will be the sum shown on accepted force account records.

99
100
101
102
103 **END SECTION 636**

49 The Engineer will pay for the following pay item when included in the proposal
50 schedule:

51	Pay Item	Pay Unit
52		
53		
54	Hydro-mulch Seeding	Square Yard”
55		

56 **END OF SECTION 641**

1 **SECTION 645 - WORK ZONE TRAFFIC CONTROL**

2
3 Make the following amendments to said Section:

4
5 **(I)** Amend **645.03 Construction** from line 64 to 66 to read as follows:

6
7 “Furnish two flaggers or police officers for each location that requires work
8 zone traffic control. If TCP is included in the contract documents, furnish
9 number of flaggers or police officers indicated in TCP.”

10
11 **(II)** Amend **645.03 (B) Construction Signs** from line 162 to 169 by changing all
12 references to “Construction Signs” to read “**Work Zone Signs**”.

13
14 **(III)** Amend **Subsection 645.03 Construction** by adding this paragraph after line
15 170 to read as follows:

16
17 **“(1) Covers.** Use sign covers when existing signs confuse the public or
18 are in conflict with TCP signs installed. Sign covers shall be commercially
19 manufactured and accepted by the Engineer before use. Sign covers shall at
20 all times and under all conditions not allow any portion of the sign being
21 covered to be visible. If more than one side of the sign has words or symbols
22 cover all sides of the sign until needed. “Homemade” or “field made” covers
23 shall not be used. Covering of sign identification markings are not required if
24 that is the only markings on that side of the sign. Sign covers shall be
25 maintained.

26
27 Removal of the existing sign in lieu of the use of sign covers may be
28 acceptable to the Engineer provided the previously removed existing sign is
29 immediately reinstalled when directed. Removal of existing post(s) and
30 mounting hardware is required if not used to mount the new TCP sign. New
31 mounting hardware shall be used to mount the TCP signs if the existing
32 hardware is in an unacceptable condition in the opinion of the Engineer. In
33 addition, should the sign or post during storage, in the opinion of the
34 Engineer, become unacceptable or lost or stolen the Contractor shall replace
35 the sign or post with a new sign or post. Use new hardware to reinstall the
36 sign regardless whether it is an existing sign or new.”

37
38 **(IV)** Amend **Subsection 645.03 (F) Lane Closures** Line 253 by changing "Oahu"
39 to “Kauai”.

40
41 **(V)** Amend **Subsection 645.03 (G) Advisory Signs** from Line 314 to Line 324 to
42 read as follows:

43
44 **“(G) Advisory Signs.** Advisory signs are not required for this project.”

48 (VI) Amend **Subsection 645.03 (H) Advertisement** from Line 391 to Line 392 to
49 read as follows:

50
51 “Place advertisement for three (3) consecutive days and within one (1) week
52 before traffic pattern changes, in publication as ordered by the Engineer. In lieu of
53 the advertisement(s), the Engineer may substitute the use of two portable
54 changeable message boards and accessories at no additional cost for three (3)
55 days for each required advertisement.”

56
57 (VII) Amend **Subsection 645.04 - Measurement** from line 394 to line 403 to read
58 as follows:

59
60 **“645.04 Measurement.**

61
62 (A) Traffic control as specified in Subsection 645.03 – Construction
63 including sign covers and the initial advertisement(s) will be measured on contract
64 lump sum basis. Measurement for payment will not apply.

65
66 (B) The Engineer will measure additional police officers, additional traffic
67 control devices, and additional advertisements, if ordered by the Engineer, on a
68 force account basis, in accordance with Subsection 109.06 – Force Account
69 Provisions and Compensation.’

70
71 (VIII) Amend **Subsection 645.05 - Payment** from lines 405 to 428 to read:

72
73 **“645.05 Payment.** The Engineer will pay for the accepted traffic control,
74 additional police officers, and additional traffic control devices, and additional
75 advertisements at the contract price per pay unit, as shown in the proposal
76 schedule. Payment will be full compensation for the work prescribed in this section
77 and the contract documents.

78
79 The Engineer will pay for the following pay items when included in the
80 proposal schedule:

81

Pay Item	Pay Unit
Traffic Control	Lump Sum
Additional Police Officers, Additional Traffic Control Devices, and Additional Advertisements	Force Account

82
83
84
85
86
87
88

89 An estimated amount for the force account may be allocated in the proposal
90 schedule under “Additional Police Officers, Additional Traffic Control Devices, and
91 Additional Advertisements”, but the actual amount to be paid will be the sum shown
92 on the accepted force account records, whether this sum be more or less than the
93 estimated amount allocated in the proposal schedule.

94
95

96 The Engineer will not pay for request submittals. The Engineer will not
97 consider claims for additional compensation of late submittals or requests by
98 Contractor.”

99

100

101

102

END OF SECTION 645

1 Make the following Section a part of the Standard Specifications:
2

3 **“SECTION 671 – PROTECTION OF THREATENED AND ENDANGERED**
4 **SPECIES**
5

6 **671.01 Description.** The endangered Hawaiian Hoary Bat or ‘Ōpe‘ape‘a
7 (*Lasiurus cinereus semotus*) and the threatened Hawaiian Goose or Nēnē (*Branta*
8 *sandvicensis*) are in the general vicinity of the proposed project and may transit or
9 visit the proposed project. The project site is located in a known flight corridor for
10 the threatened Newell’s shearwater (*Puffinus auricularis newelli*), the endangered
11 Band-Rumped Storm-Petrel (*Oceanodroma castro*), and the endangered
12 Hawaiian petrel (*Pterodroma phaeopygia sandwichensis*), hereinafter referred to
13 as seabirds. Also to be considered are the endangered Hawaiian waterbirds,
14 including the Hawaiian Stilt or Ae’o (*Himantopus mexicanus knudseni*), the
15 Hawaiian Coot or 'Alae ke'oke'o (*Fulica alai*), the Hawaiian Gallinule or 'Alae 'ula
16 (*Gallinula chloropus sandvicensis*), and the Hawaiian Duck or Koloa Maoli (*Anas*
17 *wyvilliana*).
18

19 The Contractor shall protect these threatened and endangered species
20 throughout the construction duration.
21

22 **671.02 Materials.** None
23

24 **671.03 Construction.**
25

26 **(A) Pre-Construction and Construction Requirements.** Comply with
27 the following conditions and the notes in the Contract Plans:
28

29 **(1) Hawaiian Hoary Bats.** Hawaiian Hoary Bats nest in both
30 exotic and native woody vegetation. There will be no disturbance,
31 removal, or trimming of woody plants greater than 15 feet (4.6
32 meters) tall during the birthing and pup rearing season (June 1
33 through September 15).
34

35 Additionally, barbed wire will not be used for fencing.
36

37 **(2) Hawaiian Goose.** Any Hawaiian Goose in or near the
38 project area will not be approached, fed, or disturbed in any way.
39

40 If Hawaiian Goose are observed loafing, foraging, or
41 otherwise present within the project area during the breeding season
42 (September 1 through April 30), a trained biologist will survey the
43 area near the project prior to work each day. Also, nest surveys will
44 be conducted in and around the project area by a biologist familiar
45 with the nesting behavior of Hawaiian Goose prior to the resumption
46 of any work. Surveys will be repeated after any delay in work of three
47 or more days. If a nest is identified within 150 feet of the work area,
48 all work will cease and the United States Department of Interior Fish
49 and Wildlife Service (USFWS) will be contacted immediately for
50 further guidance.
51

52 In areas where Hawaiian Goose are known to be present,
53 reduced speed limits will be posted and implemented and project
54 personnel and Contractors will be informed of the presence of
55 endangered species on-site.
56

57 **(3) Hawaiian Seabirds.** Newell's shearwater, Band-Rumped
58 Storm petrel and the Hawaiian petrel may traverse the project area
59 at night during breeding season, which extends from March 1
60 through December 15.
61

62 If night-time work will be required in conjunction with the
63 development of the project, the Contractor shall incorporate these
64 measures to avoid and minimize project-related adverse effects to
65 the Hawaiian seabirds:
66

67 **(a)** Collect information regarding the protection of
68 seabirds and seabird fallout.
69

70 **(b)** Submit to the Engineer for acceptance a protection of
71 seabirds training plan including a detailed description of
72 information and materials the Contractor intends to use in the
73 training classes. The training plan shall be submitted to the
74 Engineer for acceptance at least 15 days in advance of the
75 class. If the Engineer rejects the training plan, the Contractor
76 shall revise and promptly propose another training plan.
77

78 **(c)** Disseminate information regarding the protection of
79 seabirds and seabird fallout by conducting training classes for
80 all employees, subcontractors, suppliers and other personnel
81 working on the project, including HDOT personnel, on such
82 topics as the Save Our Shearwater program, proper use of
83 temporary lighting, procedures to store and report downed
84 seabirds, and the consequences of non-compliance with the
85 laws regarding threatened and endangered seabirds. The
86 Engineer may request for additional topics related to seabirds
87 to be included in the training classes.
88

89 Training classes shall be taught by authorized
90 representatives of the U.S. Fish and Wildlife Service, the
91 Department of Land and Natural Resources, the Save Our
92 Shearwater program or other qualified personnel accepted by
93 the Engineer.
94

95 **(d)** Furnish the Engineer with evidence that the Contractor
96 has held training classes, including the dates of the classes,
97 identify who conducted the training, and the content and
98 nature of the training.
99

100 **(e)** As directed by the Engineer, the Contractor shall
101 conduct additional training classes during the project to
102 update all employees, subcontractors, suppliers, HDOT

103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148

personnel and other personnel on new and/or updated information regarding the protection of seabirds and seabird fallout.

(f) All temporary lights used for night work (between sunset and sunrise) shall contain less than 2% wavelengths less than 550 nm, be downward-facing and shielded. Temporary lights shall include but are not limited to flood lights, light towers, lights for construction equipment and other lights as determined by the Engineer. All traffic control devices, including warning lights, arrow boards, portable changeable message signs and other lighting device as determined by the Engineer shall be shielded.

(g) Night work and the use of all temporary lights shall cease during the peak fallout period from September 15 through December 15.

(h) The Contractor shall furnish and maintain a small (approximately 10" x 12" x 19"), portable cat kennel on site to temporarily hold a downed seabird. The Contractor shall obtain acceptance of the cat kennel from the Engineer prior to use.

(i) If a downed dead seabird is found, the Contractor shall contact the U.S. Fish and Wildlife Service (Ms. Megan Laut at 808-792-9400) within 24 hours.

(j) If the downed seabird is alive, the Contractor shall:

- i.** Pick up the seabird from behind as soon as possible using a clean towel, t-shirt or cloth by gently wrapping it around its back and wings.
- ii.** Place the seabird in the cat kennel and immediately contact the Save Our Shearwater Program Coordinator at 808-246-4348) for further instructions on where to deliver the seabird.
- iii.** Deliver the seabird to the location determined by the coordinator of the Save Our Shearwater program and as directed by the Engineer.
- iv.** Keep the seabird in a cool, quiet location and out of direct sunlight with adequate ventilation.

149 The Contractor shall not feed, provide water, handle or
150 release the seabird.

151
152 **(k)** The Contractor shall maintain records of all downed
153 seabirds for the duration of the project. The records shall
154 include the date, time, location and condition (dead or alive)
155 the seabird was found and delivered. Submit a copy of the
156 records to the Engineer after finding each and every downed
157 seabird.

158
159 No night-time construction shall occur during the peak seabird
160 fledging period (September 15 through December 15).

161
162 **(4) Hawaiian Waterbirds.** Hawaiian waterbirds occupy fresh
163 and brackish water marshes and natural or manmade ponds.
164 Hawaiian stilts also occupy areas with ephemeral or persistent
165 standing water. Because this project occurs near water, threats to
166 these species from this project may include disturbance from human
167 activity and injury or mortality from vehicle strikes.

168
169 Contractor shall incorporate these measures to avoid and
170 minimize project-related adverse effects to the Hawaiian waterbirds:

171
172 **(a)** In areas where known presence of Hawaiian
173 waterbirds occurs, post and implement reduced speed limits,
174 and inform project personnel and Contractors of the presence
175 of these endangered species.

176
177 **(b)** Because water resources occur in the project site,
178 employ U.S. Fish and Wildlife Service Recommended
179 Standard Best Management Practices when working in
180 aquatic environments.

181
182 **(c)** Survey for Hawaiian waterbirds in or near the project
183 area prior to work using survey biologists. Survey biologists
184 should be trained and capable of identifying adults and
185 juveniles of each species, nesting behaviors, and nests.

186
187 **i.** Surveys for species and nests should be repeated
188 when a delay of work occurs that is three days or
189 more (during which the birds may attempt to nest).

190
191 **ii.** If a nest or active brood is found, contact the
192 Service within 24 hours for further guidance.

193
194 **iii.** Establish and maintain a 100-ft buffer around all
195 active nests and/or broods until the
196 chicks/ducklings have fledged. Do not conduct

197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241

potentially disruptive activities or habitat alteration within this buffer.

- iv. Have a biological monitor that is familiar with the species' biology present on the project site during all construction or earth moving activities until the chicks/ducklings fledge to ensure that Hawaiian waterbirds and nests are not adversely affected.

(B) Compliance Requirements. The Contractor shall protect all species noted above for the duration of construction. Failure to comply with the construction requirements, harm or a taking of an individual during the construction duration shall be enforceable by the U.S. Fish and Wildlife Service as set forth by the Endangered Species Act. Resultant penalties and/or fines shall be at the Contractor's expense without cost or liability to the State.

671.04 Measurement. The Engineer will measure the work required for the protection of threatened and endangered species on a force account basis in accordance with Subsection 109.06 – Force Account Provisions and Compensation and as ordered by the Engineer.

671.05 Payment. The Engineer will pay for the accepted protection of threatened and endangered species on a force account basis in accordance with Subsection 109.06 – Force Account Provisions and Compensation. Payment will be full compensation for the work prescribed in this section, by the Engineer, and in the contract documents.

The Engineer will pay for the following pay item when included in the proposal schedule:

Pay Item	Pay Unit
Protection of Threatened and Endangered Species	Force Account

An estimated amount may be allocated in the proposal schedule under "Protection of Threatened and Endangered Species", but the actual amount to be paid will be the sum shown on the accepted force account records, whether this sum be more or less than the estimated amount allocated in the proposal schedule."

END OF SECTION 671

1 Make the following Section a part of the Standard Specifications:
2

3 **“SECTION 675 – VEGETATIVE GEOTEXTILE FOR SLOPE STABILIZATION**
4

5 **675.01 Description.** This section describes furnishing and placing
6 vegetative geotextile, also referred to as rolled erosion control products (RECPs),
7 on slopes for erosion control and to promote growth of vegetation.
8

9 **675.02 Materials.**

10
11 Structure Backfill Material

703.20

12
13 **(A) Vegetative Geotextile.** Composite turf reinforcement mat of 100%
14 coconut fiber matrix incorporated into a permanent three-dimensional turf
15 reinforcement matting. The matrix shall be evenly distributed across the
16 entire width of the matting and stitch bonded between a super heavy duty
17 UV stabilized netting with 0.50 x 0.50 inch (1.27 x 1.27 cm) opening, an
18 ultra heavy UV stabilized, dramatically corrugated (crimped) intermediate
19 netting with 0.5 x 0.5 inch (1.27 x 1.27 cm) openings. The three nettings
20 shall be stitched together on 1.50 inch (3.81cm) centers with UV stabilized
21 polypropylene thread to form permanent three-dimensional turf
22 reinforcement matting. RECPs shall meet the requirements of the Material
23 Content, Property, and Anchor Type tables below, unless otherwise
24 instructed.
25

Material Content		
Matrix	100% Coconut Fiber	0.50 lbs/yd ²
Netting	Top and Bottom, UV stabilized Polypropylene	8 lb/1000 ft ²
	Middle, Corrugated UV stabilized Polypropylene	24 lb/1000 ft ²
Thread	Polypropylene, UV Stable	

26

Property	Test Method	Typical
Thickness	ASTM D6525	0.67 in (17.0mm)
Resiliency	ASTM 6524	90%
Density	ASTM D792	0.53 oz/in ³
Stiffness	ASTM 1388	3.83 oz-in
Tensile Strength – MD	ASTM 6818	625 lbs/ft (9.12 kN/m)
Elongation – MD	ASTM 6818	22%
Tensile Strength – TD	ASTM 6818	768 lbs/ft (11.21 kN/m)
Elongation – TD	ASTM 6818	15%

27
28 **(B) Staples and Stakes.**
29

Soil Type	Anchor Type
Clay – Clay Loam	10 inch 8 ga. steel wire staple
Silt Loam – Loam	10 inch 8 ga. steel wire staple
Sandy Loam	12 inch 8 ga. steel wire staple
Sand/Muck ≤ 6 in	12 inch #3 rebar staple

30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77

675.03 Construction.

(A) Site Preparation. Prepare soil in accordance with Section 206 – Excavation and Backfill for Drainage Facilities before installing rolled erosion control products (RECP's), including any necessary application of lime, fertilizer, and seed in accordance with manufacturer's specifications.

(B) Storage and Handling. Geotextiles shall be stored and handled in accordance with ASTM D 4873 and this subsection. Geotextiles shall be kept dry and stored off the ground. During shipment and storage, material shall not be exposed to sunlight or other forms of light that contain ultraviolet rays, for more than five days.

(C) Installation.

(1) Begin at top of the slope by anchoring the RECPs in a 6" deep x 6" wide trench with approximately 12" of RECPs extended beyond the up-slope portion of the trench. Backfill and compact the trench after stapling. Apply seed to compacted soil and fold remaining 12" portion of RECPs back over seed and compacted soil. Secure RECPs over compacted soil with a row of staples/stakes spaced approximately 12" apart across the width of the RECPs.

(2) Roll the RECPs (A.) down or (B.) horizontally across the slope. RECPs will unroll with appropriate side against the soil surface. All RECPs must be securely fastened to soil surface by placing staples/stakes in appropriate locations. Follow manufacturer's recommendation for staple/stake pattern.

(3) Place consecutive RECPs end over end (single style) with a 2' overlap. Use a double row of staples staggered 4" apart and 4" on center to secure RECPs.

(4) Full length edge of RECPs at top and side slopes must be anchored with a row of staples approximately 12" apart in a 6" deep x 6" wide trench. Backfill and compact the trench after staking.

(5) The terminal end of the RECPs must be anchored with a row of staples approximately 12" apart in a 6" deep x 6" wide trench. Backfill and compact the trench after staking.

675.04 Measurement. Vegetative geotextile will be measured per square foot.

78 **675.05 Payment.** The Engineer will pay for the accepted quantities of
79 vegetative geotextile per square foot. Payment will be full compensation for the
80 work prescribed in this section, by the Engineer, and in the contract documents.

81
82 The Engineer will pay for the following pay item when included in the
83 proposal schedule:

84	Pay Item	Pay Unit
85		
86		
87	Vegetative Geotextile for Erosion Control Applications	Square Foot
88		
89		
90		

END OF SECTION 675

1 **Amend Section 701- HYDRAULIC CEMENT to read as follows:**

2
3 **“SECTION 701 - HYDRAULIC CEMENT**

4
5 **701.01 Portland Cement.** Portland cement shall consist of Type I or Type II
6 portland cement, Type IL portland-limestone cement, or Type IP portland-pozzolan
7 cement.

8
9 Type I and Type II portland cement shall conform to AASHTO M 85 and the
10 28-day compressive strength requirement cited in AASHTO M 85, Table 4.

11
12 Type IL portland-limestone cement and Type IP portland-pozzolan cement
13 shall conform to AASHTO M 240.

14
15 Mineral admixtures may be used to replace a portion of the required Portland
16 cement in accordance with Subsection 711.03 - Admixtures.

17
18 Safe and suitable facilities for sampling cement shall be provided at the weigh
19 hopper or in the feedline immediately in advance of the hopper. Cement shall be
20 stored in a weathertight building that will protect cement from dampness and
21 minimize warehouse set, and stored in such a manner to permit easy access for
22 proper inspection and identification of each shipment.

23
24 Cement which for any reason has become partially set or which contains
25 caked lumps shall not be used.

26
27 Different types of cement shall not be mixed or used in the same unit of
28 construction. Cement used in the manufacture of cast-in-place concrete for
29 exposed surfaces of like elements of a structure shall be from the same mill.

30
31 Certificate of compliance that complies with Subsection 106.07 – Certificate of
32 Compliance shall be submitted to the Engineer before using any cement.
33 Certificate of compliance shall include pertinent information as to the type of cement;
34 and applicable chemical and physical test results from samples taken at local
35 distribution sites or concrete batch plants.

36
37 Once certificate of compliance has been accepted, the Engineer may permit use of
38 cement before release by the laboratory. Cement furnished without an
39 accepted certificate of compliance shall not be used until the Engineer has had
40 sufficient time to make appropriate tests and has accepted cement for use.

41
42 If cement does not conform to requirements of the contract documents, as
43 determined by laboratory test samples, use of cement from the same source shall
44 be delayed until the Engineer can make tests on each cement lot delivered.

45
46 **END OF SECTION 701”**

SECTION 702 – BITUMINOUS MATERIALS

Make the following amendments to said Section:

(I) Amend **Subsection 702.01** by replacing lines 4 to 5 to read:

“702.01 Asphalt Cement.

(A) **PG 64-16.** Performance graded (PG) asphalt binder (neat or unmodified) shall conform to AASHTO M 320.

(B) **PG 64E-22.** Performance graded binder (polymer modified) shall conform to AASHTO M 332 and meet the following additional requirement:

AASHTO T 315 Determining the Rheological Properties of Asphalt Binder Using a Dynamic Shear Rheometer (DSR). Phase angle on original binder shall be less than 77 degrees.

(C) **Submittals.** Submit, before usage, a Certificate of Compliance, accompanied by substantiating test data, showing conformance with Performance Graded Asphalt Binder Specification. The Engineer will not accept the PG binder without adequate documentation.”

(II) Amend **Subsection 702.04** to add under line 17:

Polymer modified asphalt shall conform to AASHTO M 316, except cationic type CQS-1P or CQS-1hP used for micro surfacing shall meet the requirements in Table 702.04-1.

TABLE 702.04-1 – Polymer Modified Emulsion for Micro Surfacing Requirements			
Property	Test Procedure (AASHTO)	Specification	
		Min	Max
Emulsion Properties			
Viscosity, Saybolt-Furol, @ 122°F, SFS	T59	15	150
Sieve Test, %	T59		0.1
Residue by Evaporation, %	T59	62	
Residue Properties From Low Temperature Evaporation		AASHTO R-78 ^b	
MSCR @ 70° C, Recovery @ 3.2 kPa, %	T350	80	
MSCR @ 70°C, J _{nr} @3.2, 1/kPa	T350		0.50
<u>Notes:</u>			
(a) Maintain the test temperature at 350°F (177°C) for 20 minutes. (b) After recovering the residue from AASHTO R-78, the sample may be annealed prior to testing to remove any excess moisture and provide for a consistent sample. The annealing can be accomplished by placing 20 grams of residue in a 6 oz. metal container (approx. 3-inch diameter) and heating to 163°C for no more than 15 minutes. The sample should be stirred with a spatula every 5 minutes. The sample can then be poured directly into a 25mm DSR silicone mold for evaluation.			

30 (III) Amend **Subsection 702.06 (Unassigned)** by replacing line 23 to read:
31
32 **“702.06 Warm Mix Asphalt (WMA) Additive.** Additives for WMA shall be
33 approved by the Engineer.”
34

35
36

END OF SECTION 702

SECTION 703 – AGGREGATES

Make the following amendments to said Section:

(I) Amend TABLE 703.01-3 FINE AGGREGATE GRADING REQUIREMENTS, HAWAII AND KAUAI to read as follows:

“

TABLE 703.01-3 - FINE AGGREGATE GRADING REQUIREMENTS, HAWAII AND KAUAI		
Sieve Sizes	Percent Passing by Weight	
	Calcareous Sand	Crusher Screenings
3/8 Inch	100	100
No. 4	95 – 100	95 - 100
No. 8	-	50 - 85
No. 16	-	32 - 60
No. 30	-	-
No. 50	-	15 - 30
No. 100	0 – 5	5 - 20

“

(II) Amend Subsection 703.11 Aggregate for Slurry Seal by replacing subsection to read:

“703.11 Aggregate for Slurry Seal and Micro Surfacing. Aggregate for slurry seal and micro surfacing shall consist of crushed rock and shall be free of dirt, clay, and other deleterious material. Aggregate shall be nonplastic in accordance with AASHTO T 89 and AASHTO T 90 and shall not contain free water, which is defined as water that is free to move under influence of gravity.

Aggregate for slurry seal and micro surfacing shall conform to Table 703.11-1 – Slurry System Test Requirements and Table 703-11-2 – Slurry System Grading Requirements:

TABLE 703.11-1 – SLURRY SYSTEM TEST REQUIREMENTS			
Test	Method	Slurry Seal	Micro Surfacing
Sand Equivalent, min	AASHTO T 176	45	65
Magnesium Sulfate Soundness, max loss, %, 4 cycles ^c	AASHTO T 104	25	25
Los Angeles Abrasion, %, max ^c	AASHTO T 96	35	30 (a)
Notes:			
(a) Perform tests on aggregate before crushing.			
(b) Do not use predominantly limestone or dolomite aggregate.			
(c) The abrasion and soundness test is to be run on the parent aggregate.			

26

TABLE 703.11-2 - SLURRY SYSTEM GRADING REQUIREMENTS				
Sieve Size	Percent Passing by Weight.325			Stockpile Tolerance (Percent)
	Type 1	Type 2	Type 3	
3/8 Inch	-	100	100	-
No. 4	100	90 - 100	70 - 90	± 5
No. 8	90 - 100	65 - 90	45 - 70	± 5
No. 16	65 - 90	45 - 70	28 - 50	± 5
No. 30	40 - 65	30 - 50	19 - 34	± 5
No. 50	25 - 42	18 - 30	12 - 25	± 4
No. 100	15 - 30	10 - 21	7 - 18	± 3
No. 200	10 - 20	5 - 15	5 - 15	± 2
Type 1 - Crack filling and fine seal. Type 2 - Medium seal. Type 3 - 1 st and/or 2 nd application, two-course seal.				

27

28

END OF SECTION 703

1 **SECTION 717 – CULLET AND CULLET-MADE MATERIALS**

2
3 Make the following amendments to said Section:

4
5 **(I) Amend Subsection 717.01 – Cullet and Cullet-Aggregate Mixtures as**
6 **Construction Materials** by revising the third paragraph from line 16 to 20 to
7 read:

8
9 “Debris shall not exceed values specified in Tables 717.02-1 - Cullet in
10 Roadway Applications, 717.03-1 - Cullet in Utility Applications, and 717.04-1 -
11 Cullet in Drainage Applications. Debris is defined as deleterious material that
12 includes plastics, papers, and non-ceramic constituents of cullet. Hazardous
13 material will not be allowed in cullet such as but not limited to, TV or other
14 cathode ray tubes, fluorescent light bulbs, and any toxic or hazardous materials.
15 Test cullet stockpile for toxic or hazardous materials every 90 days and submit
16 the results to the Engineer.”

17
18 **(II) Amend Subsection 717.01 – Cullet and Cullet-Aggregate Mixtures as**
19 **Construction Materials** by adding the following paragraph after line 21:

20
21 “Cullet shall not be used in concrete.”

22
23 **(III) Amend Table 717.03-1 – Cullet in Utility Applications** from line 37 to
24 line 39 to read:

25

TABLE 717.03-1 - CULLET IN UTILITY APPLICATIONS		
Utility Trench Bedding and Backfill Applications	Maximum Cullet Content (Percent By Weight)	Maximum Debris Level (Percent By Weight Of Cullet)
Sewer Pipes	25	0.3
Electrical Conduits	25	0.3
Fiber Optic Lines	25	0.3

26
27

28
29
30
31

(IV) Amend **Table 717.04-1 – Cullet in Drainage Applications** from line 47 to line 49 to read:

TABLE 717.04-1 - CULLET IN DRAINAGE APPLICATIONS		
Drainage Fill Applications	Maximum Cullet Content (Percent By Weight)	Maximum Debris Level (Percent By Weight Of Cullet)
Retaining Walls	25	0.2
Foundation Drains	25	0.2
Drainage Blankets	25	0.2
French Drains	25	0.2

32
33
34
35
36
37

END OF SECTION 717

1 **SECTION 750 – TRAFFIC CONTROL SIGN AND MARKER MATERIALS**

2
3 Make the following amendments to said Section:

4
5 **(I)** Amend **Subsection 750.01(A)(1) Retroreflectorization** by replacing lines
6 8 through 31 to read:

7
8 **“(1) Retroreflectorization.** The following shall be retroreflectorized:

9
10 **(a)** Background for illuminated guide signs and exit number panels (“E”
11 designation) with ASTM D 4956 Type XI retroreflective sheeting.

12
13 **(b)** Background for non-illuminated guide signs and exit number panels
14 (“D” designation) with ASTM D 4956 Type XI retroreflective sheeting.

15
16 **(c)** Messages, arrows, and borders of guide signs and exit number
17 panels (“D” and “E” designations) with ASTM D 4956 Type XI
18 retroreflective sheeting.

19
20 **(d)** Regulatory and warning signs, directional signs (“DIR” designation),
21 route and auxiliary markers, shield symbols, yellow “EXIT ONLY” panels,
22 construction warning signs, and barricade rails, completely, with Type III,
23 IV, or IX retroreflective sheeting.

24
25 **(e)** Pedestrian, school, bicycle crossing series, completely with Type IX
26 fluorescent yellow green retroreflective sheeting.”

27
28
29 **(II)** Amend **Subsection 750.01(B) Backing** by replacing lines 72 through 73
30 to read:

31
32 “Aluminum sheet shall conform to ASTM B 209, alloy 5052-H38 or 6061-
33 T6 flat sheet.”

34
35 **(III)** Amend **Subsection 750.01(E) Retroreflective Sheeting Materials** by
36 replacing lines 1126 through 1137 to read:

37
38 **“(E) Retroreflective Sheeting Materials.** Retroreflective sheeting
39 includes white or colored sheeting having smooth outer surface.

40
41 Retroreflective sheeting shall be classified in accordance with ASTM D
42 4956.

43
44 The coefficient of retroreflection shall meet the minimum requirements of
45 ASTM D 4956 for the type of reflective sheeting specified.

47 The color shall conform to the latest appropriate standard color tolerance
48 chart issued by the U.S. Department of Transportation, Federal Highway
49 Administration and to the daytime and nighttime color requirements of ASTM D
50 4956.

51
52 Test methods and procedures shall be in accordance with ASTM.

53
54 **(IV)** Amend **Subsection 750.02 Sign Posts** by replacing lines 1168 through
55 1172 to read:

56
57 **“(C) Square Tube Posts.** Square posts shall conform to ASTM A 653 for cold-
58 rolled, carbon steel sheet, commercial quality; or ASTM A 787 for electric-
59 resistance-welded, metallic-coated carbon steel mechanical tubing.”

60
61
62
63
64
65
66
67
68
69
70

END OF SECTION 750

1 **SECTION 755 – PAVEMENT MARKING MATERIALS**

2
3 Make the following amendments to said Section:

4
5 **(I)** Amend **Subsection 755.02 (C) Retroreflective Pavement Markers** by
6 revising lines 223 to 236 to read:

7
8 “Exterior surface of shell shall be smooth and contain one or two
9 retroreflective faces of specified color.”

10
11 **(II)** Amend **Subsection 755.05 (C)(1) Glass Beads** by adding the following
12 after line 869:

13
14 **(f)** The glass spheres shall not contain more than 200 ppm (total)
15 arsenic, 200 ppm (total) antimony nor more than 200 ppm (total)
16 lead, when tested according to EPA Methods 3052 and 6010C.
17 Other suitable x-ray fluorescence spectrometry analysis methods
18 may be used to screen samples of glass spheres for arsenic and
19 lead content.”

20
21
22
23
24
25
26
27 **END OF SECTION 755**

Requirements of Chapter 104, HRS Wages and Hours of Employees on Public Works Law

Chapter 104, HRS, applies to every public works construction project over \$2,000, regardless of the method of procurement or financing (purchase order, voucher, bid, contract, lease arrangement, warranty, SPRB).

Rate of Wages for Laborers and Mechanics

- Minimum prevailing wages (basic hourly rate plus fringe benefits), as determined by the Director of Labor and Industrial Relations and published in wage rate schedules, shall be paid to the various classes of laborers and mechanics working on the job site. [§104-2(a), (b), Hawaii Revised Statutes (HRS)]
- If the Director of Labor determines that prevailing wages have increased during the performance of a public works contract, the rate of pay of laborers and mechanics shall be raised accordingly. [§104-2(a) and (b), HRS; §12-22-3(d) Hawaii Administrative Rules (HAR)]

Overtime

- Laborers and mechanics working on a Saturday, Sunday, or a legal holiday of the State or more than eight hours a day on any other day shall be paid overtime compensation at not less than one and one-half times the basic hourly rate plus the cost of fringe benefits for all hours worked. If the Director of Labor determines that a prevailing wage is defined by a collective bargaining agreement, the overtime compensation shall be at the rates set by the applicable collective bargaining agreement [§§104-1, 104-2(c), HRS; §12-22-4.1, HAR]

Weekly Pay

- Laborers and mechanics employed on the job site shall be paid their full wages at least once a week, without deduction or rebate, except for legal deductions, within five working days after the cutoff date. [§104-2(d), HRS]

Posting of Wage Rate Schedules

- Wage rate schedules with the notes for prevailing wages and special overtime rates, shall be posted by the contractor in a prominent and easily accessible place at the job site. A copy of the entire wage rate schedule shall be given to each laborer and mechanic employed under the contract, except when the employee is covered by a collective bargaining agreement. [§104-2(d), HRS]

Withholding of Accrued Payments

- If necessary, the contracting agency may withhold accrued payments to the contractor to pay to laborers and mechanics employed by the contractor or subcontractor on the job site any difference between the wages required by the public works contract or specifications and the wages received. [§104-2(e), HRS]

Certified Weekly Payrolls and Payroll Records

- A certified copy of all payrolls shall be submitted weekly to the contracting agency. [§104-3(a), HRS; §12-22-10, HAR]
- The contractor is responsible for the submission of certified copies of the payrolls of all subcontractors. The certification shall affirm that the payrolls are correct and complete, that the wage rates listed are not less than the applicable rates contained in the applicable wage rate schedule, and that the classifications for each laborer or mechanic conform with the work the laborer or mechanic performed. [§104-3(a), HRS; §12-22-10, HAR]
- Payroll records shall be maintained by the contractor and subcontractors for three years after completion of construction. The records shall contain: [§104-3(b), HRS; §12-22-10, HAR]
 - the name and home address of each employee
 - the last four digits of social security number
 - a copy of the apprentice's registration with DLIR
 - the employee's correct classification
 - rate of pay (basic hourly rate + fringe benefits)
 - itemized list of fringe benefits paid
 - daily and weekly hours worked
 - weekly straight time and overtime earnings
 - amount and type of deductions
 - total net wages paid
 - date of payment
- Records shall be made available for examination by the contracting agency, the Department of Labor and Industrial Relations (DLIR), or any of its authorized representatives, who may also interview employees during working hours on the job. [§§104-3(c), 104-22(a), HRS; §12-22-10, HAR]

Termination of Work on Failure to Pay Wages

- If the contracting agency finds that any laborer or mechanic employed on the job site by the contractor or any subcontractor has not been paid prevailing wages or overtime, the contracting agency may, by written notice to the contractor, terminate the contractor's or subcontractor's right to proceed with the work or with the part of the work in which the required wages or overtime compensation have not been paid. The contracting agency may complete this work by contract or otherwise, and the contractor or contractor's sureties shall be liable to the contracting agency for any excess costs incurred. [§104-4, HRS]

Apprentices

- Apprentice wage rates apply to contractors who are a party to a bona fide apprenticeship program which has been registered with the DLIR. In order to be paid apprentice rates, apprentices must be parties to an agreement either registered with or recognized as a USDOL nationally approved apprenticeship program by the DLIR, Workforce Development Division, (808) 586-8877, and the apprentice must be individually registered by name with the DLIR. [§12-22-6(1) and (2), HAR]
- The number of apprentices on any public work in relation to the number of journeyworkers in the same craft classification as the apprentices employed by the same employer on the same public work may not exceed the ratio allowed under the apprenticeship standards registered with or recognized by the DLIR. A registered or recognized apprentice receiving the journeyworker rate will not be considered a journeyworker for the purpose of meeting the ratio requirement. [§12-22-6(3), HAR]

Enforcement

- To ensure compliance with the law, DLIR and the contracting agency will conduct investigations of contractors and subcontractors. If a contractor or subcontractor violates the law, the penalties are: [§104-24, HRS]
 - First Violation Equal to 25% of back wages found due or \$250 per offense up to \$2,500, whichever is greater.
 - Second Violation Equal to amount of back wages found due or \$500 for each offense up to \$5,000, whichever is greater.
 - Third Violation Equal to two times the amount of back wages found due or \$1,000 for each offense up to \$10,000, whichever is greater; and
Suspension from doing any new work on any public work of a governmental contracting agency for three years.
- A violation would be deemed a second violation if it occurs within two years of the **first notification of violation**, and a third violation if it occurs within three years of **the second notification of violation**. [§104-24, HRS; §12-22-25(b), HAR]
- **Suspension:** For a first or second violation, the department shall immediately suspend a contractor who fails to pay wages or penalties until all wages and penalties are paid in full. For a third violation, the department shall penalize and suspend the contractor as described above, **except that if the contractor continues to violate the law, then the department shall immediately suspend the contractor for a mandatory three years. The contractor shall remain suspended until all wages and penalties are paid in full.** [§§104-24, 104-25, HRS]
- **Suspension:** Any contractor who fails to make payroll records accessible or provide requested information within 10 days, or fails to keep or falsifies any required record, shall be assessed a penalty including suspension as provided in Section 104-22(b) and 104-25(a)(3), HRS. [§104-3(c), HRS; §12-22-26, HAR]
- If any contractor interferes with or delays any investigation, the contracting agency shall withhold further payments until the delay has ceased. Interference or delay includes failure to provide requested records or information within ten days, failure to allow employees to be interviewed during working hours on the job, and falsification of payroll records. The department shall assess a penalty of \$10,000 per project, and \$1,000 per day thereafter, for interference or delay. [§104-22(b), HRS; §12-22-26, HAR]
- Failure by the contracting agency to include in the provisions of the contract or specifications the requirements of Chapter 104, HRS, relating to coverage and the payment of prevailing wages and overtime, is not a defense of the contractor or subcontractor for noncompliance with the requirements of this chapter. [§104-2(f), HRS]



For additional information, visit the department's website at <http://labor.hawaii.gov/wsd> or contact any of the following DLIR offices:

Oahu (Wage Standards Division)(808) 586-8777
Hawaii Island.....(808) 974-6464
Maui and Kauai(808) 243-5322

"General Decision Number: HI20240001 09/06/2024

Superseded General Decision Number: HI20230001

State: Hawaii

Construction Types: Building, Heavy (Heavy and Dredging), Highway and Residential

Counties: Hawaii Statewide.

BUILDING CONSTRUCTION PROJECTS; RESIDENTIAL CONSTRUCTION PROJECTS (consisting of single family homes and apartments up to and including 4 stories); HEAVY AND HIGHWAY CONSTRUCTION PROJECTS AND DREDGING

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(1).

<p>If the contract is entered into on or after January 30, 2022, or the contract is renewed or extended (e.g., an option is exercised) on or after January 30, 2022:</p>	<ul style="list-style-type: none"> . Executive Order 14026 generally applies to the contract. . The contractor must pay all covered workers at least \$17.20 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in 2024.
<p>If the contract was awarded on or between January 1, 2015 and January 29, 2022, and the contract is not renewed or extended on or after January 30, 2022:</p>	<ul style="list-style-type: none"> . Executive Order 13658 generally applies to the contract. . The contractor must pay all covered workers at least \$12.90 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on that contract in 2024.

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

Additional information on contractor requirements and worker protections under the Executive Orders is available at <http://www.dol.gov/whd/govcontracts>.

Modification Number	Publication Date
0	01/05/2024
1	01/12/2024
2	01/19/2024
3	04/19/2024
4	05/17/2024
5	06/07/2024
6	07/19/2024
7	08/30/2024
8	09/06/2024

* ASBE0132-001 09/01/2024

	Rates	Fringes
Asbestos Workers/Insulator Includes application of all insulating materials, protective coverings, coatings and finishes to all types of mechanical systems. Also the application of firestopping material for wall openings and penetrations in walls, floors, ceilings and curtain walls.....	\$ 45.80	30.35

BOIL0627-005 01/01/2021

	Rates	Fringes
BOILERMAKER.....	\$ 37.25	31.25

BRHI0001-001 09/05/2023

	Rates	Fringes
BRICKLAYER Bricklayers and Stonemasons.	\$ 48.03	32.23
Pointers, Caulkers and Weatherproofers.....	\$ 48.28	32.23

BRHI0001-002 09/05/2023

	Rates	Fringes
Tile, Marble & Terrazzo Worker Terrazzo Base Grinders.....	\$ 44.69	33.00
Terrazzo Floor Grinders and Tenders.....	\$ 43.14	33.00
Tile, Marble and Terrazzo Workers.....	\$ 46.50	33.00

CARP0745-001 10/01/2021

	Rates	Fringes
Carpenters: Carpenters; Hardwood Floor Layers; Patent Scaffold Erectors (14 ft. and over); Piledrivers;		

Pneumatic Nailers; Wood Shinglers and Transit and/or Layout Man.....	\$ 51.25	24.84
Millwrights and Machine Erectors.....	\$ 51.50	24.84
Power Saw Operators (2 h.p. and over).....	\$ 51.40	24.84

 CARP0745-002 09/04/2023

	Rates	Fringes
Drywall and Acoustical Workers and Lathers.....	\$ 53.00	27.74

 ELEC1186-001 08/25/2024

	Rates	Fringes
Electricians:		
Cable Splicers.....	\$ 62.77	32.46
Electricians.....	\$ 55.55	32.25
Telecommunication worker....	\$ 40.00	15.50

 ELEC1186-002 08/25/2024

	Rates	Fringes
Line Construction:		
Cable Splicers.....	\$ 62.77	32.46
Groundmen/Truck Drivers.....	\$ 41.66	26.50
Heavy Equipment Operators...	\$ 50.00	29.90
Linemen.....	\$ 55.55	32.25
Telecommunication worker....	\$ 40.00	15.50

 ELEV0126-001 01/01/2024

	Rates	Fringes
ELEVATOR MECHANIC.....	\$ 70.90	37.885+a+b

a. VACATION: Employer contributes 8% of basic hourly rate for 5 years service and 6% of basic hourly rate for 6 months to 5 years service as vacation pay credit.

b. PAID HOLIDAYS: New Year's Day, Memorial Day, Independence Day, Labor Day, Veterans' Day, Thanksgiving Day, the Friday after Thanksgiving Day and Christmas Day.

 ENGI0003-002 09/03/2018

	Rates	Fringes
Diver (Aqua Lung) (Scuba))		
Diver (Aqua Lung) (Scuba) (over a depth of 30 feet)...	\$ 66.00	31.26
Diver (Aqua Lung) (Scuba) (up to a depth of 30 feet)..	\$ 56.63	31.26
Stand-by Diver (Aqua Lung) (Scuba).....	\$ 47.25	31.26
Diver (Other than Aqua Lung)		
Diver (Other than Aqua Lung).....	\$ 66.00	31.26
Diver Tender (Other than		

Aqua Lung).....	\$ 44.22	31.26
Stand-by Diver (Other than Aqua Lung).....	\$ 47.25	31.26
Helicopter Work		
Airborne Hoist Operator for Helicopter.....	\$ 45.80	31.26
Co-Pilot of Helicopter.....	\$ 45.98	31.26
Pilot of Helicopter.....	\$ 46.11	31.26
Power equipment operator - tunnel work		
GROUP 1.....	\$ 42.24	31.26
GROUP 2.....	\$ 42.35	31.26
GROUP 3.....	\$ 42.52	31.26
GROUP 4.....	\$ 42.79	31.26
GROUP 5.....	\$ 43.10	31.26
GROUP 6.....	\$ 43.75	31.26
GROUP 7.....	\$ 44.07	31.26
GROUP 8.....	\$ 44.18	31.26
GROUP 9.....	\$ 44.29	31.26
GROUP 9A.....	\$ 44.52	31.26
GROUP 10.....	\$ 44.58	31.26
GROUP 10A.....	\$ 44.73	31.26
GROUP 11.....	\$ 44.88	31.26
GROUP 12.....	\$ 45.24	31.26
GROUP 12A.....	\$ 45.60	31.26
Power equipment operators:		
GROUP 1.....	\$ 41.94	31.26
GROUP 2.....	\$ 42.05	31.26
GROUP 3.....	\$ 42.22	31.26
GROUP 4.....	\$ 42.49	31.26
GROUP 5.....	\$ 42.80	31.26
GROUP 6.....	\$ 43.45	31.26
GROUP 7.....	\$ 43.77	31.26
GROUP 8.....	\$ 43.88	31.26
GROUP 9.....	\$ 43.99	31.26
GROUP 9A.....	\$ 44.22	31.26
GROUP 10.....	\$ 44.28	31.26
GROUP 10A.....	\$ 44.43	31.26
GROUP 11.....	\$ 44.58	31.26
GROUP 12.....	\$ 44.94	31.26
GROUP 12A.....	\$ 45.30	31.26
GROUP 13.....	\$ 42.22	31.26
GROUP 13A.....	\$ 42.49	31.26
GROUP 13B.....	\$ 42.80	31.26
GROUP 13C.....	\$ 43.45	31.26
GROUP 13D.....	\$ 43.77	31.26
GROUP 13E.....	\$ 43.88	31.26

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Fork Lift (up to and including 10 tons); Partsman (heavy duty repair shop parts room when needed).

GROUP 2: Conveyor Operator (Handling building material); Hydraulic Monitor; Mixer Box Operator (Concrete Plant).

GROUP 3: Brakeman; Deckhand; Fireman; Oiler; Oiler/Gradechecker; Signalman; Switchman; Highline Cableway Signalman; Bargeman; Bunkerman; Concrete Curing Machine (self-propelled, automatically applied unit on streets, highways, airports and canals); Leveeman; Roller (5 tons and under); Tugger Hoist.

GROUP 4: Boom Truck or dual purpose ""A"" Frame Truck (5 tons or less); Concrete Placing Boom (Building Construction);

Dinky Operator; Elevator Operator; Hoist and/or Winch (one drum); Straddle Truck (Ross Carrier, Hyster and similar).

GROUP 5: Asphalt Plant Fireman; Compressors, Pumps, Generators and Welding Machines ("Bank" of 9 or more, individually or collectively); Concrete Pumps or Pumpcrete Guns; Lubrication and Service Engineer (Grease Rack); Screedman.

GROUP 6: Boom Truck or Dual Purpose "A" Frame Truck (over 5 tons); Combination Loader/Backhoe (up to and including 3/4 cu. yd.); Concrete Batch Plants (wet or dry); Concrete Cutter, Groover and/or Grinder (self-propelled unit on streets, highways, airports, and canals); Conveyor or Concrete Pump (Truck or Equipment Mounted); Drilling Machinery (not to apply to waterliners, wagon drills or jack hammers); Fork Lift (over 10 tons); Loader (up to and including 3 and 1/2 cu. yds); Lull High Lift (under 40 feet); Lubrication and Service Engineer (Mobile); Maginnis Internal Full Slab Vibrator (on airports, highways, canals and warehouses); Man or Material Hoist; Mechanical Concrete Finisher (Large Clary, Johnson Bidwell, Bridge Deck and similar); Mobile Truck Crane Driver; Portable Shotblast Concrete Cleaning Machine; Portable Boring Machine (under streets, highways, etc.); Portable Crusher; Power Jumbo Operator (setting slip forms, etc., in tunnels); Rollers (over 5 tons); Self-propelled Compactor (single engine); Self-propelled Pavement Breaker; Skidsteer Loader with attachments; Slip Form Pumps (Power driven by hydraulic, electric, air, gas, etc., lifting device for concrete forms); Small Rubber Tired Tractors; Trencher (up to and including 6 feet); Underbridge Personnel Aerial Platform (50 feet of platform or less).

GROUP 7: Crusher Plant Engineer, Dozer (D-4, Case 450, John Deere 450, and similar); Dual Drum Mixer, Extend Lift; Hoist and/or Winch (2 drums); Loader (over 3 and 1/2 cu. yds. up to and including 6 yards.); Mechanical Finisher or Spreader Machine (asphalt), (Barber Greene and similar) (Screedman required); Mine or Shaft Hoist; Mobile Concrete Mixer (over 5 tons); Pipe Bending Machine (pipelines only); Pipe Cleaning Machine (tractor propelled and supported); Pipe Wrapping Machine (tractor propelled and supported); Roller Operator (Asphalt); Self-Propelled Elevating Grade Plane; Slusher Operator; Tractor (with boom) (D-6, or similar); Trencher (over 6 feet and less than 200 h.p.); Water Tanker (pulled by Euclids, T-Pulls, DW-10, 20 or 21, or similar); Winchman (Stern Winch on Dredge).

GROUP 8: Asphalt Plant Operator; Barge Mate (Seagoing); Cast-in-Place Pipe Laying Machine; Concrete Batch Plant (multiple units); Conveyor Operator (tunnel); Deckmate; Dozer (D-6 and similar); Finishing Machine Operator (airports and highways); Gradesetter; Kolman Loader (and similar); Mucking Machine (Crawler-type); Mucking Machine (Conveyor-type); No-Joint Pipe Laying Machine; Portable Crushing and Screening Plant; Power Blade Operator (under 12); Saurman Type Dragline (up to and including 5 yds.); Stationary Pipe Wrapping, Cleaning and Bending Machine; Surface Heater and Planer Operator, Tractor (D-6 and similar); Tri-Batch Paver; Tunnel Badger; Tunnel Mole and/or Boring Machine Operator Underbridge Personnel Aerial Platform (over 50 feet of platform).

GROUP 9: Combination Mixer and Compressor (gunite); Do-Mor

Loader and Adams Elegrader; Dozer (D-7 or equal); Wheel and/or Ladder Trencher (over 6 feet and 200 to 749 h.p.).

GROUP 9A: Dozer (D-8 and similar); Gradesetter (when required by the Contractor to work from drawings, plans or specifications without the direct supervision of a foreman or superintendent); Push Cat; Scrapers (up to and including 20 cu. yds); Self-propelled Compactor with Dozer; Self-Propelled, Rubber-Tired Earthmoving Equipment (up to and including 20 cu. yds) (621 Band and similar); Sheep's Foot; Tractor (D-8 and similar); Tractors with boom (larger than D-6, and similar).

GROUP 10: Chicago Boom; Cold Planers; Heavy Duty Repairman or Welder; Hoist and/or Winch (3 drums); Hydraulic Skooper (Koehring and similar); Loader (over 6 cu. yds. up to and including 12 cu. yds.); Saurman type Dragline (over 5 cu. yds.); Self-propelled, rubber-tired Earthmoving Equipment (over 20 cu. yds. up to and including 31 cu. yds.) (637D and similar); Soil Stabilizer (P & H or equal); Sub-Grader (Gurries or other automatic type); Tractors (D-9 or equivalent, all attachments); Tractor (Tandem Scraper); Watch Engineer.

GROUP 10A: Boat Operator; Cable-operated Crawler Crane (up to and including 25 tons); Cable-operated Power Shovel, Clamshell, Dragline and Backhoe (up to and including 1 cu. yd.); Dozer D9-L; Dozer (D-10, HD41 and similar) (all attachments); Gradall (up to and including 1 cu. yd.); Hydraulic Backhoe (over 3/4 cu. yds. up to and including 2 cu. yds.); Mobile Truck Crane Operator (up to and including 25 tons) (Mobile Truck Crane Driver Required); Self-propelled Boom Type Lifting Device (Center Mount) (up to and including 25 tons) (Grove, Drott, P&H, Pettibone and similar); Trencher (over 6 feet and 750 h.p. or more); Watch Engineer (steam or electric).

GROUP 11: Automatic Slip Form Paver (concrete or asphalt); Band Wagon (in conjunction with Wheel Excavator); Cable-operated Crawler Cranes (over 25 tons but less than 50 tons); Cable-operated Power Shovel, Clamshell, Dragline and Backhoe (over 1 cu. yd. up to 7 cu. yds.); Gradall (over 1 cu. yds. up to 7 cu. yds.); DW-10, 20, etc. (Tandem); Earthmoving Machines (multiple propulsion power units and 2 or more Scrapers) (up to and including 35 cu. yds., "struck" m.r.c.); Highline Cableway; Hydraulic Backhoe (over 2 cu. yds. up to and including 4 cu. yds.); Leverman; Lift Slab Machine; Loader (over 12 cu. yds); Master Boat Operator; Mobile Truck Crane Operator (over 25 tons but less than 50 tons); (Mobile Truck Crane Driver required); Pre-stress Wire Wrapping Machine; Self-propelled Boom-type Lifting Device (Center Mount) (over 25 tons m.r.c); Self-propelled Compactor (with multiple-propulsion power units); Single Engine Rubber Tired Earthmoving Machine (with Tandem Scraper); Tandem Cats; Trencher (pulling attached shield).

GROUP 12: Clamshell or Dipper Operator; Derricks; Drill Rigs; Multi-Propulsion Earthmoving Machines (2 or more Scrapers) (over 35 cu. yds "struck" m.r.c.); Operators (Derricks, Piledrivers and Cranes); Power Shovels and Draglines (7 cu. yds. m.r.c. and over); Self-propelled rubber-tired Earthmoving equipment (over 31 cu. yds.) (657B and similar); Wheel Excavator (up to and including 750 cu. yds. per hour); Wheel Excavator (over 750 cu. yds. per hour).

GROUP 12A: Dozer (D-11 or similar or larger); Hydraulic Excavators (over 4 cu. yds.); Lifting cranes (50 tons and over); Pioneering Dozer/Backhoe (initial clearing and excavation for the purpose of providing access for other equipment where the terrain worked involves 1-to-1 slopes that are 50 feet in height or depth, the scope of this work does not include normal clearing and grubbing on usual hilly terrain nor the excavation work once the access is provided); Power Blade Operator (Cat 12 or equivalent or over); Straddle Lifts (over 50 tons); Tower Crane, Mobile; Traveling Truss Cranes; Universal, Liebherr, Linden, and similar types of Tower Cranes (in the erection, dismantling, and moving of equipment there shall be an additional Operating Engineer or Heavy Duty Repairman); Yo-Yo Cat or Dozer.

GROUP 13: Truck Driver (Utility, Flatbed, etc.)

GROUP 13A: Dump Truck, 8 cu.yds. and under (water level); Water Truck (up to and including 2,000 gallons).

GROUP 13B: Water Truck (over 2,000 gallons); Tandem Dump Truck, over 8 cu. yds. (water level).

GROUP 13C: Truck Driver (Semi-trailer. Rock Cans, Semi-Dump or Roll-Offs).

GROUP 13D: Truck Driver (Slip-In or Pup).

GROUP 13E: End Dumps, Unlicensed (Euclid, Mack, Caterpillar or similar); Tractor Trailer (Hauling Equipment); Tandem Trucks hooked up to Trailer (Hauling Equipment)

BOOMS AND/OR LEADS (HOURLY PREMIUMS):

The Operator of a crane (under 50 tons) with a boom of 80 feet or more (including jib), or of a crane (under 50 tons) with leads of 100 feet or more, shall receive a per hour premium for each hour worked on said crane (under 50 tons) in accordance with the following schedule:

Booms of 80 feet up to but not including 130 feet or Leads of 100 feet up to but not including 130 feet	0.50
Booms and/or Leads of 130 feet up to but not including 180 feet	0.75
Booms and/or Leads of 180 feet up to and including 250 feet	1.15
Booms and/or Leads over 250 feet	1.50

The Operator of a crane (50 tons and over) with a boom of 180 feet or more (including jib) shall receive a per hour premium for each hour worked on said crane (50 tons and over) in accordance with the following schedule:

Booms of 180 feet up to and including 250 feet	1.25
Booms over 250 feet	1.75

 ENGI0003-004 09/04/2017

	Rates	Fringes
Dredging: (Boat Operators)		
Boat Deckhand.....	\$ 41.22	30.93
Boat Operator.....	\$ 43.43	30.93
Master Boat Operator.....	\$ 43.58	30.93
Dredging: (Clamshell or Dipper Dredging)		
GROUP 1.....	\$ 43.94	30.93
GROUP 2.....	\$ 43.28	30.93
GROUP 3.....	\$ 42.88	30.93
GROUP 4.....	\$ 41.22	30.93
Dredging: (Derricks)		
GROUP 1.....	\$ 43.94	30.93
GROUP 2.....	\$ 43.28	30.93
GROUP 3.....	\$ 42.88	30.93
GROUP 4.....	\$ 41.22	30.93
Dredging: (Hydraulic Suction Dredges)		
GROUP 1.....	\$ 43.58	30.93
GROUP 2.....	\$ 43.43	30.93
GROUP 3.....	\$ 43.28	30.93
GROUP 4.....	\$ 43.22	30.93
GROUP 5.....	\$ 37.88	26.76
Group 5.....	\$ 42.88	30.93
GROUP 6.....	\$ 37.77	26.76
Group 6.....	\$ 42.77	30.93
GROUP 7.....	\$ 36.22	26.76
Group 7.....	\$ 41.22	30.93

CLAMSHELL OR DIPPER DREDGING CLASSIFICATIONS

- GROUP 1: Clamshell or Dipper Operator.
- GROUP 2: Mechanic or Welder; Watch Engineer.
- GROUP 3: Barge Mate; Deckmate.
- GROUP 4: Bargeman; Deckhand; Fireman; Oiler.

HYDRAULIC SUCTION DREDGING CLASSIFICATIONS

- GROUP 1: Leverman.
- GROUP 2: Watch Engineer (steam or electric).
- GROUP 3: Mechanic or Welder.
- GROUP 4: Dozer Operator.
- GROUP 5: Deckmate.
- GROUP 6: Winchman (Stern Winch on Dredge)
- GROUP 7: Deckhand (can operate anchor scow under direction of Deckmate); Fireman; Leveeman; Oiler.

DERRICK CLASSIFICATIONS

- GROUP 1: Operators (Derricks, Piledrivers and Cranes).
- GROUP 2: Saurman Type Dragline (over 5 cubic yards).
- GROUP 3: Deckmate; Saurman Type Dragline (up to and including 5 yards).
- GROUP 4: Deckhand, Fireman, Oiler.

 ENGI0003-044 09/03/2018

	Rates	Fringes
Power Equipment Operators (PAVING)		
Asphalt Concrete Material Transfer.....	\$ 42.92	32.08

Asphalt Plant Operator.....	\$ 43.35	32.08
Asphalt Raker.....	\$ 41.96	32.08
Asphalt Spreader Operator...	\$ 43.44	32.08
Cold Planer.....	\$ 43.75	32.08
Combination Loader/Backhoe (over 3/4 cu.yd.).....	\$ 41.96	32.08
Combination Loader/Backhoe (up to 3/4 cu.yd.).....	\$ 40.98	32.08
Concrete Saws and/or Grinder (self-propelled unit on streets, highways, airports and canals).....	\$ 42.92	32.08
Grader.....	\$ 43.75	32.08
Laborer, Hand Roller.....	\$ 41.46	32.08
Loader (2 1/2 cu. yds. and under).....	\$ 42.92	32.08
Loader (over 2 1/2 cu. yds. to and including 5 cu. yds.).....	\$ 43.24	32.08
Roller Operator (five tons and under).....	\$ 41.69	32.08
Roller Operator (over five tons).....	\$ 43.12	32.08
Screed Person.....	\$ 42.92	32.08
Soil Stabilizer.....	\$ 43.75	32.08

IRON0625-001 09/01/2023

	Rates	Fringes
Ironworkers:.....	\$ 46.50	39.00
a. Employees will be paid \$.50 per hour more while working in tunnels and coffer dams; \$1.00 per hour more when required to work under or are covered with water (submerged) and when they are required to work on the summit of Mauna Kea, Mauna Loa or Haleakala.		

* LAB00368-001 09/02/2024

	Rates	Fringes
Laborers:		
Driller.....	\$ 44.75	25.96
Final Clean Up.....	\$ 31.40	21.37
Gunite/Shotcrete Operator and High Scaler.....	\$ 42.25	25.96
Laborer I.....	\$ 41.75	25.96
Laborer II.....	\$ 39.15	25.96
Mason Tender/Hod Carrier....	\$ 42.25	25.96
Powderman.....	\$ 42.75	25.96
Window Washer (bosun chair).\$	41.25	25.96

LABORERS CLASSIFICATIONS

Laborer I: Air Blasting run by electric or pneumatic compressor; Asphalt Laborer, Ironer, Raker, Luteman, and Handroller, and all types of Asphalt Spreader Boxes; Asphalt Shoveler; Assembly and Installation of Multiplates, Liner Plates, Rings, Mesh, Mats; Batching Plant (portable and temporary); Boring Machine Operator (under streets and sidewalks); Buggymobile; Burning and Welding; Chainsaw, Faller, Logloader, and Bucker; Compactors (Jackson Jumping Jack and similar); Concrete Bucket Dumpman; Concrete Chipping; Concrete Chuteman/Hoseman (pouring concrete) (the handling of the chute from ready-mix trucks for such jobs

as walls, slabs, decks, floors, foundations, footings, curbs, gutters, and sidewalks); Concrete Core Cutter (Walls, Floors, and Ceiling); Concrete Grinding or Sanding; Concrete: Hooking on, signaling, dumping of concrete for tremie work over water on caissons, pilings, abutments, etc.; Concrete: Mixing, handling, conveying, pouring, vibrating, otherwise placing of concrete or aggregates or by any other process; Concrete: Operation of motorized wheelbarrows or buggies or machines of similar character, whether run by gas, diesel, or electric power; Concrete Placement Machine Operator: operation of Somero Hammerhead, Copperheads, or similar machines; Concrete Pump Machine (laying, coupling, uncoupling of all connections and cleaning of equipment); Concrete and/or Asphalt Saw (Walking or Handtype) (cutting walls or flatwork) (scoring old or new concrete and/or asphalt) (cutting for expansion joints) (streets and ways for laying of pipe, cable or conduit for all purposes); Concrete Shovelers/Laborers (Wet or Dry); Concrete Screeding for Rough Strike-Off: Rodding or striking-off, by hand or mechanical means prior to finishing; Concrete Vibrator Operator; Coring Holes: Walls, footings, piers or other obstructions for passage of pipes or conduits for any purpose and the pouring of concrete to secure the hole; Cribbers, Shorer, Lagging, Sheeting, and Trench Jacking and Bracing, Hand-Guided Lagging Hammer Whaling Bracing; Curbing (Concrete and Asphalt); Curing of Concrete (impervious membrane and form oiler) mortar and other materials by any mode or method; Cut Granite Curb Setter (setting, leveling and grouting of all precast concrete or stone curbs); Cutting and Burning Torch (demolition); Dri Pak-It Machine; Environmental Abatement: removal of asbestos, lead, and bio hazardous materials (EPA and/or OSHA certified); Falling, bucking, yarding, loading or burning of all trees or timber on construction site; Forklift (9 ft. and under); Gas, Pneumatic, and Electric tools; Grating and Grill work for drains or other purposes; Green Cutter of concrete or aggregate in any form, by hand, mechanical means, grindstone or air and/or water; Grout: Spreading for any purpose; Guinea Chaser (Grade Checker) for general utility trenches, sitework, and excavation; Headerboard Man (Asphalt or Concrete); Heat Welder of Plastic (Laborers' AGC certified workers) (when work involves waterproofing for waterponds, artificial lakes and reservoir) heat welding for sewer pipes and fusion of HDPE pipes; Heavy Highway Laborer (Rigging, signaling, handling, and installation of pre-cast catch basins, manholes, curbs and gutters); High Pressure Nozzleman - Hydraulic Monitor (over 100# pressure); Jackhammer Operator; Jacking of slip forms: All semi and unskilled work connected therewithin; Laying of all multi-cell conduit or multi-purpose pipe; Magnesite and Mastic Workers (Wet or Dry)(including mixer operator);Mortar Man; Mortar Mixer (Block, Brick, Masonry, and Plastering); Nozzleman (Sandblasting and/or Water Blasting): handling, placing and operation of nozzle; Operation, Manual or Hydraulic jacking of shields and the use of such other mechanical equipment as may be necessary; Pavement Breakers; Paving, curbing and surfacing of streets, ways, courts, under and overpasses, bridges, approaches, slope walls, and all other labor connected therewith; Pilecutters; Pipe Accessment in place, bolting and lining up of sectional metal or other pipe including corrugated pipe; Pipelayer performing all services in the laying and installation of pipe from the point of receiving pipe in the ditch until completion of operation, including any and all forms of tubular material, whether pipe, HDPE,

metallic or non-metallic, conduit, and any other stationary-type of tubular device used for conveying of any substance or element, whether water, sewage, solid, gas, air, or other product whatsoever and without regard to the nature of material from which tubular material is fabricated; No-joint pipe and stripping of same, Pipewrapper, Caulker, Bander, Kettlemen, and men applying asphalt, Laykold, treating Creosote and similar-type materials (6-inch) pipe and over); Piping: resurfacing and paving of all ditches in preparation for laying of all pipes; Pipe laying of lateral sewer pipe from main or side sewer to buildings or structure (except Contactor may direct work be done under proper supervision); Pipe laying, leveling and marking of the joint used for main or side sewers and storm sewers; Laying of all clay, terra cotta, ironstone, vitrified concrete, HDPE or other pipe for drainage; Placing and setting of water mains, gas mains and all pipe including removal of skids; Plaster Mortar Mixer/Pump; Pneumatic Impact Wrench; Portable Sawmill Operation: Choker setters, off bearers, and lumber handlers connected with clearing; Posthole Digger (Hand Held, Gas, Air and Electric); Powderman's Tender; Power Broom Sweepers (Small); Preparation and Compaction of roadbeds for railroad track laying, highway construction, and the preparation of trenches, footings, etc., for cross-country transmission by pipelines, electrical transmission or underground lines or cables (by mechanical means); Raising of structure by manual or hydraulic jacks or other methods and resetting of structure in new locations, including all concrete work; Ramming or compaction; Rigging in connection with Laborers' work (except demolition), Signaling (including the use of walkie talkie) Choke Setting, tag line usage; Tagging and Signaling of building materials into high rise units; Riprap, Stonepaver, and Rock Slinger (includes placement of stacked concrete, wet or dry and loading, unloading, signaling, slinging and setting of other similar materials); Rotary Scarifier (including multiple head concrete chipping Scarifier); Salamander Heater, Drying of plaster, concrete mortar or other aggregate; Scaffold Erector Leadman; Scaffolds: (Swing and hanging) including maintenance thereof; Scaler; Septic Tank/Cesspool and Drain Fields Digger and Installer; Shredder/Chipper (tree branches, brush, etc.); Stripping and Setting Forms; Stripping of Forms: Other than panel forms which are to be re-used in their original form, and stripping of forms on all flat arch work; Tampers (Barko, Wacker, and similar type); Tank Scaler and Cleaners; Tarman; Tree Climbers and Trimmers; Trencher (includes hand-held, Davis T-66 and similar type); Trucks (flatbed up to and including 2 1/2 tons when used in connection with on-site Laborers' work; Trucks (Refuse and Garbage Disposal) (from job site to dump); Vibra-Screed (Bull Float in connection with Laborers' work); Well Points, Installation of or any other dewatering system.

Laborer II: Asphalt Plant Laborer; Boring Machine Tender; Bridge Laborer; Burning of all debris (crates, boxes, packaging waste materials); Chainman, Rodmen, and Grade Markers; Cleaning, clearing, grading and/or removal for streets, highways, roadways, aprons, runways, sidewalks, parking areas, airports, approaches, and other similar installations; Cleaning or reconditioning of streets, ways, sewers and waterlines, all maintenance work and work of an unskilled and semi-skilled nature; Concrete Bucket Tender (Groundman) hooking and unhooking of bucket; Concrete

Forms; moving, cleaning, oiling and carrying to the next point of erection of all forms; Concrete Products Plant Laborers; Conveyor Tender (conveying of building materials); Crushed Stone Yards and Gravel and Sand Pit Laborers and all other similar plants; Demolition, Wrecking and Salvage Laborers: Wrecking and dismantling of buildings and all structures, with use of cutting or wrecking tools, breaking away, cleaning and removal of all fixtures, All hooking, unhooking, signaling of materials for salvage or scrap removed by crane or derrick; Digging under streets, roadways, aprons or other paved surfaces; Driller's Tender; Chuck Tender, Outside Nipper; Dry-packing of concrete (plugging and filling of she-bolt holes); Fence and/or Guardrail Erector: Dismantling and/or re-installation of all fence; Finegrader; Firewatcher; Flagman (Coning, preparing, stablishing and removing portable roadway barricade devices); Signal Men on all construction work defined herein, including Traffic Control Signal Men at construction site; General Excavation; Backfilling, Grading and all other labor connected therewith; Digging of trenches, ditches and manholes and the leveling, grading and other preparation prior to laying pipe or conduit for any purpose; Excavations and foundations for buildings, piers, foundations and holes, and all other construction. Preparation of street ways and bridges; General Laborer: Cleaning and Clearing of all debris and surplus material. Clean-up of right-of-way. Clearing and slashing of brush or trees by hand or mechanical cutting. General Clean up: sweeping, cleaning, wash-down, wiping of construction facility and equipment (other than "Light Clean up (Janitorial) Laborer. Garbage and Debris Handlers and Cleaners. Appliance Handling (job site) (after delivery unloading in storage area); Ground and Soil Treatment Work (Pest Control); Gunite/Shotcrete Operator Tender; Junk Yard Laborers (same as Salvage Yard); Laser Beam "Target Man" in connection with Laborers' work; Layout Person for Plastic (when work involves waterproofing for waterponds, artificial lakes and reservoirs); Limbers, Brush Loaders, and Pilers; Loading, Unloading, carrying, distributing and handling of all rods and material for use in reinforcing concrete construction (except when a derrick or outrigger operated by other than hand power is used); Loading, unloading, sorting, stockpiling, handling and distribution of water mains, gas mains and all pipes; Loading and unloading of all materials, fixtures, furnishings and appliances from point of delivery to stockpile to point of installation; hooking and signaling from truck, conveyance or stockpile; Material Yard Laborers; Pipelayer Tender; Pipewrapper, Caulker, Bander, Kettlemen, and men applying asphalt, Laykold, Creosote, and similar-type materials (pipe under 6 inches); Plasterer Laborer; Preparation, construction and maintenance of roadbeds and sub-grade for all paving, including excavation, dumping, and spreading of sub-grade material; Prestressed or precast concrete slabs, walls, or sections: all loading, unloading, stockpiling, hooking on of such slabs, walls or sections; Quarry Laborers; Railroad, Streetcar, and Rail Transit Maintenance and Repair; Roustabout; Rubbish Trucks in connection with Building Construction Projects (excluding clearing, grubbing, and excavating); Salvage Yard: All work connected with cutting, cleaning, storing, stockpiling or handling of materials, all cleanup, removal of debris, burning, back-filling and landscaping of the site; Sandblasting Tender (Pot Tender): Hoses and pots or markers; Scaffolds: Erection, planking and removal of all scaffolds used for

support for lathers, plasters, brick layers, masons, and other construction trades crafts; Scaffolds: (Specially designed by carpenters) laborers shall tend said carpenter on erection and dismantling thereof, preparation for foundation or mudsills, maintenance; Scraping of floors; Screeds: Handling of all screeds to be reused; handling, dismantling and conveyance of screeds; Setting, leveling and securing or bracing of metal or other road forms and expansion joints; Sheeting Piling/trench shoring (handling and placing of skip sheet or wood plank trench shoring); Ship Scalers; Shipwright Tender; Sign Erector (subdivision traffic, regulatory, and street-name signs); Sloper; Slurry Seal Crews (Mixer Operator, Applicator, Squeegee Man, Shuttle Man, Top Man); Snapping of wall ties and removal of tie rods; Soil Test operations of semi and unskilled labor such as filling sand bags; Striper (Asphalt, Concrete or other Paved Surfaces); Tool Room Attendant (Job Site); Traffic Delineating Device Applicator; Underpinning, lagging, bracing, propping and shoring, loading, signaling, right-of-way clearance along the route of movement, The clearance of new site, excavation of foundation when moving a house or structure from old site to new site; Utilities employees; Water Man; Waterscape/Hardscape Laborers; Wire Mesh Pulling (all concrete pouring operations); Wrecking, stripping, dismantling and handling concrete forms an false work.

 * LAB00368-002 09/03/2024

	Rates	Fringes
Landscape & Irrigation Laborers		
GROUP 1.....	\$ 28.40	17.15
GROUP 2.....	\$ 29.40	17.15
GROUP 3.....	\$ 23.00	17.15

LABORERS CLASSIFICATIONS

GROUP 1: Installation of non-potable permanent or temporary irrigation water systems performed for the purposes of Landscaping and Irrigation architectural horticultural work; the installation of drinking fountains and permanent or temporary irrigation systems using potable water for Landscaping and Irrigation architectural horticultural purposes only. This work includes (a) the installation of all heads, risers, valves, valve boxes, vacuum breakers (pressure and non-pressure), low voltage electrical lines and, provided such work involves electrical wiring that will carry 24 volts or less, the installation of sensors, master control panels, display boards, junction boxes, conductors, including all other components for controllers, (b) and metallic (copper, brass, galvanized, or similar) pipe, as well as PVC or other plastic pipe including all work incidental thereto, i.e., unloading, handling and distribution of all pipes fittings, tools, materials and equipment, (c) all soldering work in connection with the above whether done by torch, soldering iron, or other means; (d) tie-in to main lines, thrust blocks (both precast and poured in place), pipe hangers and supports incidental to installation of the entire irrigation system, (e) making of pressure tests, start-up testing, flushing, purging, water balancing, placing into operation all irrigation equipment, fixtures and appurtenances installed

under this agreement, and (f) the fabrication, replacement, repair and servicing of landscaping and irrigation systems. Operation of hand-held gas, air, electric, or self-powered tools and equipment used in the performance of Landscape and Irrigation work in connection with architectural horticulture; Choke-setting, signaling, and rigging for equipment operators on job-site in the performance of such Landscaping and Irrigation work; Concrete work (wet or dry) performed in connection with such Landscaping and Irrigation work. This work shall also include the setting of rock, stone, or riprap in connection with such Landscape, Waterscape, Rockscape, and Irrigation work; Grubbing, pick and shovel excavation, and hand rolling or tamping in connection with the performance of such Landscaping and Irrigation work; Sprigging, handseeding, and planting of trees, shrubs, ground covers, and other plantings and the performance of all types of gardening and horticultural work relating to said planting; Operation of flat bed trucks (up to and including 2 1/2 tons):.

GROUP 2. Layout of irrigation and other non-potable irrigation water systems and the layout of drinking fountains and other potable irrigation water systems in connection with such Landscaping and Irrigation work. This includes the layout of all heads, risers, valves, valve boxes, vacuum breakers, low voltage electrical lines, hydraulic and electrical controllers, and metallic (coppers, brass, galvanized, or similar) pipe, as well as PVC or other plastic pipe. This work also includes the reading and interpretation of plans and specifications in connection with the layout of Landscaping, Rockscape, Waterscape, and Irrigation work; Operation of Hydro-Mulching machines (sprayman and driver), Drillers, Trenchers (riding type, Davis T-66, and similar) and fork lifts used in connection with the performance of such Landscaping and Irrigation work; Tree climbers and chain saw tree trimmers, Sporadic operation (when used in connection with Landscaping, Rockscape, Waterscape, and Irrigation work) of Skid-Steer Loaders (Bobcat and similar), Cranes (Bantam, Grove, and similar), Hoptos, Backhoes, Loaders, Rollers, and Dozers (Case, John Deere, and similar), Water Trucks, Trucks requiring a State of Hawaii Public Utilities Commission Type 5 and/or type 7 license, sit-down type and ""gang"" mowers, and other self-propelled, sit-down operated machines not listed under Landscape & Irrigation Maintenance Laborer; Chemical spraying using self-propelled power spraying equipment (200 gallon capacity or more).

GROUP 3: Maintenance of trees, shrubs, ground covers, lawns and other planted areas, including the replanting of trees, shrubs, ground covers, and other plantings that did not ""take"" or which are damaged; provided, however, that re-planting that requires the use of equipment, machinery, or power tools shall be paid for at the rate of pay specified under Landscape and Irrigation Laborer, Group 1; Raking, mowing, trimming, and runing, including the use of ""weed eaters"", hedge trimmers, vacuums, blowers, and other hand-held gas, air, electric, or self-powered tools, and the operation of lawn mowers (Note: The operation of sit-down type and ""gang"" mowers shall be paid for at the rate of pay specified under Landscape & Irrigation Laborer, Group 2); Guywiring, staking, propping, and supporting trees; Fertilizing, Chemical spraying using spray equipment with less than 200 gallon capacity, Maintaining irrigation

and sprinkler systems, including the staking, clamping, and adjustment of risers, and the adjustment and/or replacement of sprinkler heads, (Note: the cleaning and gluing of pipe and fittings shall be paid for at the rate of pay specified under Landscape & Irrigation Laborer(Group 1); Watering by hand or sprinkler system and the performance of other types of gardening, yardman, and horticultural-related work.

LAB00368-003 09/05/2023

	Rates	Fringes
Underground Laborer		
GROUP 1.....	\$ 41.25	24.96
GROUP 2.....	\$ 42.75	24.96
GROUP 3.....	\$ 43.25	24.96
GROUP 4.....	\$ 44.25	24.96
GROUP 5.....	\$ 44.50	24.96
GROUP 6.....	\$ 44.60	24.96
GROUP 7.....	\$ 44.85	24.96

GROUP 1: Watchmen; Change House Attendant.

GROUP 2: Swamper; Brakeman; Bull Gang-Muckers, Trackmen; Dumpmen (any method); Concrete Crew (includes rodding and spreading); Grout Crew; Reboundmen

GROUP 3: Chucktenders and Cabletenders; Powderman (Prime House); Vibratorman, Pavement Breakers

GROUP 4: Miners - Tunnel (including top and bottom man on shaft and raise work); Timberman, Retimberman (wood or steel or substitute materials thereof); Blasters, Drillers, Powderman (in heading); Microtunnel Laborer; Headman; Cherry Pickerman (where car is lifted); Nipper; Grout Gunmen; Grout Pumpman & Potman; Gunite, Shotcrete Gunmen & Potmen; Concrete Finisher (in tunnel); Concrete Screed Man; Bit Grinder; Steel Form Raisers & Setters; High Pressure Nozzleman; Nozzleman (on slick line); Sandblaster-Potman (combination work assignment interchangeable); Tugger

GROUP 5: Shaft Work & Raise (below actual or excavated ground level); Diamond Driller; Gunite or Shotcrete Nozzleman; Rodman; Groundman

GROUP 6: Shifter

GROUP 7: Shifter (Shaft Work & Raiser)

PAIN1791-001 01/01/2024

	Rates	Fringes
Painters:		
Brush.....	\$ 41.65	30.05
Sandblaster; Spray.....	\$ 41.65	30.05

PAIN1889-001 07/01/2024

	Rates	Fringes
Glaziers.....	\$ 46.00	37.15

PAIN1926-001 03/05/2023

	Rates	Fringes
Soft Floor Layers.....	\$ 39.77	33.80

PAIN1944-001 01/07/2024

	Rates	Fringes
Taper.....	\$ 45.20	31.40

PLAS0630-001 09/04/2023

	Rates	Fringes
PLASTERER.....	\$ 46.12	34.53

PLAS0630-002 09/04/2023

	Rates	Fringes
Cement Masons:		
Cement Masons.....	\$ 44.12	33.63
Trowel Machine Operators....	\$ 44.27	33.63

PLUM0675-001 01/07/2024

	Rates	Fringes
Plumber, Pipefitter, Steamfitter & Sprinkler Fitter...	\$ 52.83	31.02

ROOF0221-001 11/06/2022

	Rates	Fringes
Roofers (Including Built Up, Composition and Single Ply).....	\$ 43.15	21.21

SHEE0293-001 03/05/2023

	Rates	Fringes
Sheet metal worker.....	\$ 47.37	31.71

* SUHI1997-002 09/15/1997

	Rates	Fringes
Drapery Installer.....	\$ 13.60 **	1.20
FENCE ERECTOR (Chain Link Fence).....	\$ 9.33 **	1.65

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====

** Workers in this classification may be entitled to a higher minimum wage under Executive Order 14026 (\$17.20) or 13658 (\$12.90). Please see the Note at the top of the wage determination for more information. Please also note that the

minimum wage requirements of Executive Order 14026 are not currently being enforced as to any contract or subcontract to which the states of Texas, Louisiana, or Mississippi, including their agencies, are a party.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at <https://www.dol.gov/agencies/whd/government-contracts>.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (iii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that

no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

State Adopted Rate Identifiers

Classifications listed under the "SA" identifier indicate that the prevailing wage rate set by a state (or local) government was adopted under 29 C.F.R. 1.3(g)-(h). Example: SAME2023-007 01/03/2024. SA reflects that the rates are state adopted. ME refers to the State of Maine. 2023 is the year during which the state completed the survey on which the listed classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 01/03/2024 reflects the date on which the classifications and rates under the ?SA? identifier took effect under state law in the state from which the rates were adopted.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour National Office because National Office has responsibility for the Davis-Bacon survey program. If the response from this

initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION"

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS DIVISION
HONOLULU, HAWAII

P R O P O S A L

6/02/98

**PROPOSAL TO THE
STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION**

PROJECT: Waimea Canyon Drive/Kokee Road Improvements,
Phase 2B
Mile Post 4.6 to 11.5
District of Waimea
Island of Kauai

**FEDERAL AID
PROJECT NO.:** STP-0550(006)

COMPLETION TIME: Five Hundred Four (504) Working days from the
Start Work Date from the Department.

DBE PROJECT GOAL: 4.2%

DESIGN PROJECT MANAGER:

NAME: Eric Fujikawa
ADDRESS: 1720 Haleukana Street, Lihue, Hawaii 96766
PHONE NO.: (808) 241-3015
EMAIL: eric.i.fujikawa@hawaii.gov
FAX NO.: (808) 241-3011

ELECTRONIC SUBMITTAL:

Bidders shall submit and upload the complete proposal to HlePRO prior to the bid opening date and time. Any additional support documents explicitly designated as confidential and/or proprietary shall be uploaded as a separate file to HlePRO. Do not include confidential and/or proprietary documents with the proposal. See SPECIAL PROVISIONS 102.09 Delivery of Proposal for complete details. FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HlePRO SHALL BE GROUNDS FOR REJECTION OF THE BID.

Director of Transportation
869 Punchbowl Street
Honolulu, Hawaii 96813

Dear Sir:

The undersigned Bidder declares the following:

1. It has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal.
2. It has not been assisted or represented on this matter by any individual who has, in a State capacity, been involved in the subject matter of this contract within the past two years.
3. It has not and will not, either directly or indirectly offered or given a gratuity (i.e., an entertainment or gift) to any State or County employee to obtain a contract or favorable treatment under a contract.
4. It will not maintain for its employees any segregated facilities at any of its establishments.
5. Does not and will not permit its employees to perform their services at any location under its control, where segregated facilities are maintained.

The undersigned Bidder further agrees to the following:

1. If this proposal is accepted, it shall execute a contract with the Department to provide all necessary labor, machinery, tools, equipment, apparatus and any other means of construction, to do all the work and to furnish all the materials specified in the contract in the manner and within the time therein prescribed in the contract, and that it shall accept in full payment therefore the sum of the unit and/or lump sum prices as set forth in the attached proposal schedule for the actual quantities of work performed and materials furnished and furnish satisfactory security in accordance with Section 103D-324, Hawaii Revised Statutes, within 10 days after the award of the contract or within such time as the Director of Transportation may allow after the undersigned has received the contract documents for execution, and is fully aware that non-compliance with the aforementioned terms will result in the forfeiture of the full amount of the bid guarantee required under Section 1032D-323, Hawaii Revised Statutes.
2. That the quantities given in the attached proposal schedule are approximate only and are intended principally to serve as a guide in determining and comparing the bids.

3. That the Department does not either expressly or by implication, agree that the actual amount of work will correspond therewith, but reserves the right to increase or decrease the amount of any class or portion of the work, or to omit portions of the work, as may be deemed necessary or advisable by the Director of Transportation, and that all increased or decreased quantities of work shall be performed at the unit prices set forth in the attached proposal schedule except as provided for in the specifications.
4. In case of a discrepancy between unit prices and the totals in said Proposal Schedule, the unit prices shall prevail.
5. Unless amended by Special Provision, agrees to begin work within 10 working days after the date of notification to commence with the work, which date is in the notice to proceed, and shall finish the entire project within the time prescribed.
6. The Director of Transportation reserves the right to reject any or all bids and to waive any defects when in the Director's opinion such rejections or waiver will be for the best interest of the public.

The Bidder acknowledges receipt of and certifies that it has completely examined the following listed items: Hawaii Standard Specifications for Road and Bridge Construction, 2005, and/or the General Provisions for Construction Projects for AIR and WATER Transportation Facilities Division dated 2016, as applicable, the Notice to Bidders, Special Provisions, Proposal, Contract, Bond Forms, and Project Plans.

In accordance with Section 103D-323, Hawaii Revised Statutes, this proposal is accompanied with a bid security in the amount of 5% of the total amount bid, in the form checked below. (Check applicable bid security submitted with bid.)

_____ Surety Bid Bond (Use standard form),

_____ Cash,

_____ Cashier's Check,

_____ Certified Check, or

_____ (Fill in other acceptable security.)

The undersigned Bidder acknowledges receipt of any addendum issued by the Department by recording in the space below the date of receipt.

Addendum No. 1 _____ Addendum No. 3 _____

Addendum No. 2 _____ Addendum No. 4 _____

In accordance with Section 103D-302, Hawaii Revised Statutes, the undersigned as Bidder has listed the name of each person or firm who will be engaged by the Bidder on the project as Subcontractor or Joint Contractor and the nature of work to be done by each on the following page. The Bidder must adequately and unambiguously disclose the unique nature and scope of the work to be performed by each Subcontractor or Joint Contractor. For each listed firm, the Bidder declares the respective firm is a Subcontractor or Joint Contractor and is subject to evaluation as a Subcontractor or Joint Contractor. It is understood that failure to comply with the aforementioned requirements may be cause for rejection of the bid submitted.

The undersigned Bidder asserts that affirmative action has been taken to seek out and consider Disadvantaged Business Enterprises (DBEs) for portions of the work which can be subcontracted, and the affirmative actions of the Bidder are fully documented in its records and are available upon request by the Department. It is also understood that it must meet or exceed the DBE contract goal listed on page P-1 or demonstrate that it made good faith efforts to meet the DBE project goal. The undersigned as Bidder, agrees to utilize each participating DBE that it submitted to meet the contract goal of _____% (percentage to be completed by Bidder) DBE participation if the contract is awarded to it, and shall maintain such DBE participation during the construction of this project.

SUBCONTRACTOR LISTING
(Attach additional sheets if necessary.)

	NAME OF FIRM	NATURE OF WORK
SUBCONTRACTOR:		
1.	_____	_____
	1a ¹ . _____	_____
2.	_____	_____
	2a. _____	_____
3.	_____	_____
	3a. _____	_____
4.	_____	_____
	4a. _____	_____
5.	_____	_____
	5a. _____	_____
6.	_____	_____
	6a. _____	_____
7.	_____	_____
	7a. _____	_____

NOTES:

The Name of Firm and Nature of Work shall be indicated for all listed firms. The Bidder must adequately and unambiguously disclose the unique nature and scope of the work to be performed by each Sub- or Joint Contractor.

For each listed firm, the Bidder declares the respective firm is a Sub- or Joint Contractor and subject to evaluation as a Sub- or Joint Contractor.

¹ Second tier subcontractors

JOINT CONTRACTOR LISTING
 (Attach additional sheets if necessary.)

	NAME OF FIRM	NATURE OF WORK
JOINT CONTRACTOR:		
1.	_____	_____
	1a ¹ . _____	_____
2.	_____	_____
	2a. _____	_____
3.	_____	_____
	3a. _____	_____
4.	_____	_____
	4a. _____	_____
5.	_____	_____
	5a. _____	_____
6.	_____	_____
	6a. _____	_____
7.	_____	_____
	7a. _____	_____

NOTES:

The Name of Firm and Nature of Work shall be indicated for all listed firms. The Bidder must adequately and unambiguously disclose the unique nature and scope of the work to be performed by each Sub- or Joint Contractor.

For each listed firm, the Bidder declares the respective firm is a Sub- or Joint Contractor and subject to evaluation as a Sub- or Joint Contractor.

¹ Second tier joint contractors

The undersigned hereby certifies that the bid prices contained in the attached proposal schedule have been carefully checked and are submitted as correct and final.

This declaration is made with the understanding that the undersigned is subject to the penalty of perjury under the laws of the United States and is in violation of the Hawaii Penal Code, Section 710-1063, unsworn falsification to authorities, of the Hawaii Revised Statutes, for knowingly rendering a false declaration.

Bidder (Company Name)

Authorized Signature

Title

Business Address

Business Telephone

Email

Date

Contact Person (If different from above.)

Phone: _____ Email: _____

NOTE:

If Bidder is a CORPORATION, the legal name of the corporation shall be set forth above, the corporate seal affixed, together with the signature(s) of the officer(s) authorized to sign contracts for the corporation. Please attach to this page current (not more than six months old) evidence of the authority of the officer(s) to sign for the corporation.

If Bidder is a PARTNERSHIP, the true name of the partnership shall be set forth above, with the signature(s) of the general partner(s). Please attach to this page current (not more than six months old) evidence of the authority of the partner authorized to sign for the partnership.

If Bidder is an INDIVIDUAL, the bidder's signature shall be placed above.

If signature is by an agent, other than an officer of a corporation or a partner of a partnership, a POWER OF ATTORNEY must be on file with the Department before opening bids or submitted with the bid. Otherwise, the Department may reject the bid as irregular and unauthorized.

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
201.0100	Clearing and Grubbing	7	AC	\$ _____	\$ _____
202.0100	Removal of Existing Tree Root	1	EA	\$ _____	\$ _____
202.0310	Removal of Existing Guardrail	2665	LF	\$ _____	\$ _____
202.0320	Removal of Existing Guardrail End Treatment	525	LF	\$ _____	\$ _____
202.0330	Removal of Existing Signs	60	EA	\$ _____	\$ _____
202.0340	Removal of Existing Posts	38	EA	\$ _____	\$ _____
202.0350	Removal of Existing Concrete Mow Strip	66	SY	\$ _____	\$ _____
202.0360	Removal of Existing Delineators	60	EA	\$ _____	\$ _____
202.0370	Removal and Relocation of Existing Dry Stack Rock Wall	30	CY	\$ _____	\$ _____
202.0380	Removal of Existing CRM Wall	3	CY	\$ _____	\$ _____
203.0100	Roadway Excavation	6,300	CY	\$ _____	\$ _____
203.0310	Ditch Backfill	675	CY	\$ _____	\$ _____
206.0000	Excavation and Backfill for Drainage Facilities	100	CY	\$ _____	\$ _____
207.0000	Ditch and Channel Excavation	875	CY	\$ _____	\$ _____

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
209.0100	Installation, Maintenance, Monitoring, and Removal of BMP	LS	LS	LS	\$ _____
209.0200	Additional Water Pollution, Dust, and Erosion Control	FA	FA	FA	\$ <u>625,000.00</u>
301.0100	Hot Mix Asphalt Base Course	3,500	TN	\$ _____	\$ _____
305.0100	Aggregate Subbase	3,450	CY	\$ _____	\$ _____
307.0100	Test Holes and Temporary patching of Test Holes	52	EA	\$ _____	\$ _____
307.0200	Untreated Recycled Base	4,250	CY	\$ _____	\$ _____
307.0300	Lith Tec (or equivalent) Adjustment	125	SACK	\$ _____	\$ _____
321.0100	Hexagonal, Trapezoidal, and Triangular Geogrid	FA	FA	FA	\$ <u>350,000.00</u>
401.0410	PMA Pavement, Mix No. IV PG 64E-22	11,200	TN	\$ _____	\$ _____
401.0900	Pavement Smoothness Incentive	Allow	Allow	Allow	\$ <u>10,000.00</u>
404.0300	Slurry Seal, Type 2	21,700	SY	\$ _____	\$ _____
414.0110	Excavation of Weakened Pavement Areas	30	CY	\$ _____	\$ _____
415.0110	Cold Planning of Existing Pavement	64,600	SY	\$ _____	\$ _____
508.0500	Cement Rubble Masonry	60	CY	\$ _____	\$ _____

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
603.0100	Clean Existing Culverts	FA	FA	FA	\$ <u>100,000.00</u>
603.0300	Bed Course Material for Culvert	6	CY	\$ _____	\$ _____
603.0400	18-Inch Reinforced Concrete Pipe, Class 3	43	LF	\$ _____	\$ _____
603.0500	Reinforced Concrete Collar	1	EA	\$ _____	\$ _____
604.0500	Type 1-A9 Inlet, 3 feet to 3.99 feet	1	EA	\$ _____	\$ _____
606.2000	31" W-Beam Guardrail with Standard 8" Offset Block, Steel 6-Ft Posts	9,440	LF	\$ _____	\$ _____
606.2008	31" W-Beam Guardrail with Standard 8" Offset Block, Steel 8-Ft Posts, Double Nested	670	LF	\$ _____	\$ _____
606.5000	Terminal Section, MSKT-SP-MGS, SoftStop, Max Tension or Approved Equal	104	EA	\$ _____	\$ _____
606.5010	Terminal Section, Type A	5	EA	\$ _____	\$ _____
606.7500	MGS Transition to Strong Post Guardrail	1	EA	\$ _____	\$ _____
629.1010	Double 4-Inch Pavement Striping (Thermoplastic Extrusion)	36,300	LF	\$ _____	\$ _____
629.1020	6-Inch Pavement Striping (Thermoplastic Extrusion)	72,700	LF	\$ _____	\$ _____
629.1050	12-Inch Pavement Striping (Thermoplastic Extrusion)	25	LF	\$ _____	\$ _____

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
629.1110	Pavement Arrow (Thermoplastic)	2	EA	\$ _____	\$ _____
629.1130	Yield Line (Thermoplastic)	1	LN	\$ _____	\$ _____
629.2020	Type C Pavement Marker	3,630	EA	\$ _____	\$ _____
629.2030	Type D Pavement Marker	7,260	EA	\$ _____	\$ _____
630.1210	Type B Route Marker Assembly	2	EA	\$ _____	\$ _____
631.0100	Regulatory Sign (10 Sq. Ft. or Less)	15	EA	\$ _____	\$ _____
631.0200	Warning Sign (10 Sq. Ft. or Less)	90	EA	\$ _____	\$ _____
631.0300	Miscellaneous Sign	25	EA	\$ _____	\$ _____
631.0400	Supplemental Plaque	30	EA	\$ _____	\$ _____
632.0120	Reflector Marker (RM-3) with Steel Post	260	EA	\$ _____	\$ _____
632.0122	Reflector Marker (RM-3) with Flexible Delineator	150	EA	\$ _____	\$ _____
632.0500	Milepost Marker with Post (Bi-Directional)	15	EA	\$ _____	\$ _____
632.1010	Type II Object Marker (OM2-2H)	70	EA	\$ _____	\$ _____
632.1020	Type II Object Marker (OM2-2V)	20	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
632.1050	Type V Object Marker (OM-5)	60	EA	\$ _____	\$ _____
636.1000	Additional E-Construction Programs, Additional Licenses or Additional Equipment	FA	FA	FA	\$ <u>10,000.00</u>
641.0100	Hydro-Mulch Seeding	15,350	SY	\$ _____	\$ _____
643.0110	Maintenance of Existing Landscape Areas	FA	FA	FA	\$ <u>100,000.00</u>
645.1000	Traffic Control	LS	LS	LS	\$ _____
645.2000	Additional Police Officers, Additional Traffic Control Devices, and Additional Advertisements	FA	FA	FA	\$ <u>200,000.00</u>
648.1000	Field Posted Drawings	LS	LS	LS	\$ _____
655.0200	Dumped Riprap	75	CY	\$ _____	\$ _____
671.1000	Protection of Threatened and Endangered Species	FA	FA	FA	\$ <u>10,000.00</u>
675.1000	Vegetative Geotextile for Erosion Control Application	11,800	SF	\$ _____	\$ _____
699.1000	Mobilization (Not to Exceed 6% of the Sum of All Items Excluding the Bid Price of this Item)	LS	LS	LS	\$ _____

PROPOSAL SCHEDULE

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<p>Total Amount for Comparison of Bids</p> <p>1.0 Bids shall include all Federal, State, County and other applicable taxes and fees.</p> <p>2.0 The Total Amount for Comparison of Bids shall be used to determine the lowest responsible bidder.</p> <p>3.0 Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.</p> <p>4.0 If a discrepancy occurs between unit bid price and the bid price, the unit bid price shall govern.</p> <p>5.0 Bidders shall submit and <u>upload the complete proposal to HlePro</u> prior to bid opening date and time. Proposals received after said due date and time shall not be considered. Any additional support documents explicitly designated as <u>confidential and/or proprietary</u> shall be uploaded as a <u>separate file</u> to HlePRO. Do not include confidential and/or proprietary documents with the proposal. The record of each bidder and respective bid shall be open to public inspection. Original (wet ink, hard copy) proposal documents are not required to be submitted. Contract award shall be based on evaluation of proposals submitted and uploaded to HlePRO.</p> <p><u>FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HlePRO SHALL BE GROUNDS FOR REJECTION OF THE BID.</u></p> <p>If there is a conflict between the specification document and the HlePRO solicitation, the specifications shall govern and control, unless otherwise specified.</p>				<p>\$ _____</p>

1 **PROPOSAL SCHEDULE**

2
3 The bidder is directed to Subsection 105.16 – Subcontracts.

4
5 The bidder's attention is directed to Sections 696 - Field Office and Project
6 Site Laboratory and 699 - Mobilization for the limitation of the amount bidders are
7 allowed to bid.

8
9 If the bid price for any proposal item having a maximum allowable bid
10 indicated therefore in any of the contract documents is in excess of such a
11 maximum amount, the bid price for such proposal item shall be adjusted to reflect
12 the limitation thereon. The comparison of bids to determine the successful
13 bidder and the amount of contract to be awarded shall be determined after such
14 adjustments are made, and such adjustments shall be binding upon the bidder.

15
16 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials
17 regarding recycling of waste glass.

SURETY BID BOND

Bond No. _____

KNOW ALL BY THESE PRESENTS:

That we, _____
(Full name or legal title of offeror)

as Offeror, hereinafter called the Principal, and

(Name of bonding company)

as Surety, hereinafter called Surety, a corporation authorized to transact business as a Surety in the State of Hawaii, are held and firmly bound unto

(State/county entity)

as Owner, hereinafter called Owner, in the penal sum of

(Required amount of bid security)

Dollars (\$ _____), lawful money of the United States of America, for the payment of which sum well and truly to be made, the said Principal and the said Surety bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS:

The Principal has submitted an offer for _____

(Project by number and brief description)

NOW, THEREFORE:

The condition of this obligation is such that if the Owner shall reject said offer, or in the alternate, accept the offer of the Principal and the Principal shall enter into a contract with the Owner in accordance with the terms of such offer, and give such bond or bonds as may be specified in the solicitation or Contract Documents with good and sufficient surety for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof as specified in the solicitation then this obligation shall be null and void, otherwise to remain in full force and effect.

Signed this _____ day of _____, _____

(Seal) _____
Name of Principal (Offeror)

Signature

Title

(Seal) _____
Name of Surety

Signature

Title

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HONOLULU, HAWAII

SAMPLE FORMS

Contract

Performance Bond (Surety)

Performance Bond

Labor and Material Payment Bond (Surety)

Labor and Material Payment Bond

Disclosure of Lobbying Activities (Standard Form - LLL and LLL-A)

Statement of Compliance (Form WH-348)

Chapter 104, HRS Compliance Certificate

C O N T R A C T

THIS AGREEMENT, made this day _____, by and between the STATE OF HAWAII, by its Director of Transportation, hereinafter referred to as "STATE", and «CONTRACTOR», «STATE_OF_INCORPORATON», whose business/post office address is «ADDRESS» hereinafter referred to as "CONTRACTOR",

WITNESSETH: That for and in consideration of the payments hereinafter mentioned, the CONTRACTOR hereby covenants and agrees with the STATE to complete in place, furnish and pay for all labor and materials necessary for

“«PROJECT_NAME_AND_NO»”,

or such a part thereof as shall be required by the STATE, the total amount of which labor, materials and construction shall be computed at the unit and/or lump sum prices set forth in the attached proposal schedule and shall be the sum of «BASIC»----- DOLLARS

(\$«BASIC_NUMERIC») as follows:

TOTAL AMOUNT FOR COMPARISON OF BIDS.....\$«BASIC_NUMERIC»

which shall be provided from the following funds:

Federal Funds.....
State Funds.....
TOTAL AMOUNT.....

all in accordance with the specifications, the special provisions, if any, the notice to bidders, the instructions to bidders, the proposal and plans for «PROJECT NO ONLY», and any supplements thereto, on file in the office of the Director of Transportation. These documents, together with all alterations, amendments, and additions thereto and deductions therefrom, are attached hereto or incorporated herein by reference and made a part of this contract.

The CONTRACTOR hereby covenants and agrees to complete such construction within «WORKING DAYS», from the date indicated in the notice to proceed from the STATE, subject, however, to such extensions as may be provided for under the specifications.

For and in consideration of the covenants, undertakings and agreements of the CONTRACTOR herein set forth and upon the full and faithful performance thereof by the CONTRACTOR, the STATE hereby agrees to pay the CONTRACTOR the sum of «BASIC»-----DOLLARS (\$«BASIC NUMERIC») in lawful money, but not more than such part of the same as is actually earned according to the STATE's determination of the actual quantities of work performed and materials furnished by the CONTRACTOR at the unit or lump sum prices set forth in the attached proposal schedule. Such payment, including any extras, shall be made, subject to such additions or deductions hereto or hereafter made in the manner and at the time prescribed in the specifications and this contract.

An additional sum of «EXTRAS»-----DOLLARS (\$«EXTRA NUMERIC») is hereby provided for extra work and shall be provided from the following funds:

Federal Funds.....
State Funds.....
Total.....

Where Federal funds are involved, it is covenanted and agreed by and between the parties hereto that the sum of ----«FEDERAL_BASIC»----DOLLARS (\$«FEDERAL_BASIC_NUMERIC») and ----«FEDERAL_EXTRAS»----DOLLARS (\$«FEDERAL_EXTRAS_NUMERIC»), a portion of the contract price and extras, respectively, shall be paid out of the applicable Federal funds, and that this contract shall be construed to be an agreement to pay said sums to the Contractor only out of the aforesaid Federal funds if and when such Federal funds shall be received from the Federal Government, and that this contract shall not be construed to be a general agreement to pay said portions at all events out of any funds other than those which may be so received from the Federal Government; provided, that if the Federal share of the cost of the project is not immediately forthcoming from the Federal Government, the STATE may advance the CONTRACTOR the anticipated Federal reimbursement of the cost of the completed portions of the work from funds which have been appropriated by the STATE for its pro rata share.

All words used herein in the singular shall extend to and include the plural. All words used in the plural shall extend to and include the singular. The use of any gender shall extend to and include all genders.

IN WITNESS WHEREOF, the parties hereto have caused this instrument to be duly executed the day and year first above written.

STATE OF HAWAII

Director of Transportation

«CONTRACTOR»

Signature

Print name

Print Title

Date

PERFORMANCE BOND (SURETY)
(6/21/07)

KNOW TO ALL BY THESE PRESENTS:

That _____,
(Full Legal Name and Street Address of Contractor)

as Contractor, hereinafter called Principal, and _____

(Name and Street Address of Bonding Company)

as Surety, hereinafter called Surety, a corporation(s) authorized to transact business as a
surety in the State of Hawaii, are held and firmly bound unto the _____,
(State/County Entity)

its successors and assigns, hereinafter called Obligee, in the amount of _____

_____ DOLLARS (\$ _____), to which payment Principal and Surety bind themselves,
their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by
these presents.

WHEREAS, the above-bound Principal has signed a Contract with Obligee on
_____, for the following project: _____

hereinafter called Contract, which Contract is incorporated herein by reference and made a part
hereof.

NOW THEREFORE, the condition of this obligation is such that:

If the Principal shall promptly and faithfully perform, and fully complete the Contract in
strict accordance with the terms of the Contract as said Contract may be modified or amended
from time to time; then this obligation shall be void; otherwise to remain in full force and effect.

Surety to this Bond hereby stipulates and agrees that no changes, extensions of time, alterations, or additions to the terms of the Contract, including the work to be performed thereunder, and the specifications or drawings accompanying same, shall in any way affect its obligation on this bond, and it does hereby waive notice of any such changes, extensions of time, alterations, or additions, and agrees that they shall become part of the Contract.

In the event of Default by the Principal, of the obligations under the Contract, then after written Notice of Default from the Oblige to the Surety and the Principal and subject to the limitation of the penal sum of this bond, Surety shall remedy the Default, or take over the work to be performed under the Contract and complete such work, or pay moneys to the Oblige in satisfaction of the surety's performance obligation on this bond.

Signed this _____ day of _____, _____.

(Seal)

Name of Principal (Contractor)

*

Signature

Title

(Seal)

Name of Surety

*

Signature

Title

***ALL SIGNATURES MUST BE ACKNOWLEDGED
BY A NOTARY PUBLIC**

PERFORMANCE BOND

KNOW ALL BY THESE PRESENTS:

That we, _____
(full legal name and street address of Contractor)

as Contractor, hereinafter called Contractor, is held and firmly bound unto the

(State/County entity)

its successors and assigns, as Obligee, hereinafter called Obligee, in the amount

_____ DOLLARS (\$ _____),
(Dollar amount of Contract)

lawful money of the United States of America, for the payment of which to the said Obligee, well and truly to be made, Contractor binds itself, its heir, executors, administrators, successors and assigns, firmly by these presents. Said amount is evidenced by:

- Legal Tender;**
- Share Certificate** unconditionally assigned to or made payable at sight to _____
Description: _____;
- Certificate of Deposit, No.** _____, dated _____
issued by _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Cashier's Check No.** _____, dated _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Teller's Check No.** _____, dated _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Treasurer's Check No.** _____, dated _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Official Check No.** _____, dated _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Certified Check No.** _____, dated _____
accepted by a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;

WHEREAS:

The Contractor has by written agreement dated _____ entered into a contract with Oblige for the following Project: _____

_____ hereinafter called Contract, which Contract is incorporated herein by reference and made a part hereof.

NOW THEREFORE,

The Condition of this obligation is such that, if Contractor shall promptly and faithfully perform the Contract in accordance with, in all respects, the stipulations, agreements, covenants and conditions of the Contract as it now exists or may be modified according to its terms, and shall deliver the Project to the Oblige, or to its successors or assigns, fully completed as in the Contract specified and free from all liens and claims and without further cost, expense or charge to the Oblige, its officers, agents, successors or assigns, free and harmless from all suits or actions of every nature and kind which may be brought for or on account of any injury or damage, direct or indirect, arising or growing out of the doing of said work or the repair or maintenance thereof or the manner of doing the same or the neglect of the Contractor or its agents or servants or the improper performance of the Contract by the Contractor or its agents or servants or from any other cause, then this obligation shall be void; otherwise it shall be and remain in full force and effect.

AND IT IS HEREBY STIPULATED AND AGREED that suit on this bond may be brought before a court of competent jurisdiction without a jury, and that the sum or sums specified in the said Contract as liquidated damages, if any, shall be forfeited to the Oblige, its successors or assigns, in the event of a breach of any, or all, or any part of, covenants, agreements, conditions, or stipulations contained in the Contract or in this bond in accordance with the terms thereof.

The amount of this bond may be reduced by and to the extent of any payment or payments made in good faith hereunder.

Signed and sealed this _____ day of _____, _____.

(Seal) _____
Name of Contractor

* _____
Signature

Title

*ALL SIGNATURES MUST BE
ACKNOWLEDGED BY A NOTARY PUBLIC

LABOR AND MATERIAL PAYMENT BOND (SURETY)
(6/21/07)

KNOW TO ALL BY THESE PRESENTS:

That _____,
(Full Legal Name and Street Address of Contractor)

as Contractor, hereinafter called Principal, and _____

(Name and Street Address of Bonding Company)

as Surety, hereinafter called Surety, a corporation(s) authorized to transact business as a surety in the State of Hawaii, are held and firmly bound unto the _____,
(State/County Entity)

its successors and assigns, hereinafter called Oblige, in the amount of _____

_____ Dollars (\$_____), to which payment Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS, the above-bound Principal has signed Contract with the Oblige on _____ for the following project: _____

hereinafter called Contract, which Contract is incorporated herein by reference and made a part hereof.

NOW THEREFORE, the condition of this obligation is such that if the Principal shall promptly make payment to any Claimant, as hereinafter defined, for all labor and materials supplied to the Principal for use in the performance of the Contract, then this obligation shall be void; otherwise to remain in full force and effect.

1. Surety to this Bond hereby stipulates and agrees that no changes, extensions of time, alterations, or additions to the terms of the Contract, including the work to be performed thereunder, and the specifications or drawings accompanying same, shall in any way affect its obligation on this bond, and it does hereby waive notice of any such changes, extensions of time, alterations, or additions, and agrees that they shall become part of the Contract.

2. A "Claimant" shall be defined herein as any person who has furnished labor or materials to the Principal for the work provided in the Contract.

Every Claimant who has not been paid amounts due for labor and materials furnished for work provided in the Contract may institute an action against the Principal and its Surety on this bond at the time and in the manner prescribed in Section 103D-324, Hawaii Revised Statutes, and have the rights and claims adjudicated in the action, and judgment rendered thereon; subject to the Obligee's priority on this bond. If the full amount of the liability of the Surety on this bond is insufficient to pay the full amount of the claims, then after paying the full amount due the Obligee, the remainder shall be distributed pro rata among the claimants.

Signed this _____ day of _____, _____.

(Seal)

Name of Principal (Contractor)

*

Signature

Title

(Seal)

Name of Surety

*

Signature

Title

***ALL SIGNATURES MUST BE ACKNOWLEDGED
BY A NOTARY PUBLIC**

LABOR AND MATERIAL PAYMENT BOND

KNOW ALL BY THESE PRESENTS:

That we, _____
(full legal name and street address of Contractor)
as Contractor, hereinafter called Contractor, is held and firmly bound unto _____
(State/County entity)
its successors and assigns, as Obligee, hereinafter called Obligee, in the amount
_____ DOLLARS (\$ _____),
(Dollar amount of Contract)

lawful money of the United States of America, for the payment of which to the said Obligee, well and truly to be made, Contractor binds itself, its heir, executors, administrators, successors and assigns, firmly by these presents. Said amount is evidenced by:

- Legal Tender;**
- Share Certificate** unconditionally assigned to or made payable at sight to _____
Description: _____
- Certificate of Deposit, No.** _____, dated _____
issued by _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Cashier's Check No.** _____, dated _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Teller's Check No.** _____, dated _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Treasurer's Check No.** _____, dated _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Official Check No.** _____, dated _____
drawn on _____
a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;
- Certified Check No.** _____, dated _____
accepted by a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation or the National Credit Union Administration, payable at sight or unconditionally assigned to _____;

WHEREAS:

The Contractor has by written agreement dated _____ entered into a contract with Obligee for the following Project: _____

hereinafter called Contract, which Contract is incorporated herein by reference and made a part hereof.

NOW THEREFORE,

The condition of this obligation is such that, if Contractor shall promptly and faithfully perform the Contract in accordance with, in all respects, the stipulations, agreements, covenants and conditions of the Contract as it now exists or may be modified according to its terms, free from all liens and claims and without further cost, expense or charge to the Obligee, its officers, agents, successors or assigns, free and harmless from all suits or actions of every nature and kind which may be brought for or on account of any injury or damage, direct or indirect, arising or growing out of the doing of said work or the repair or maintenance thereof or the manner of doing the same or the neglect of the Contractor or its agents or servants or the improper performance of the Contract by the Contractor or its agents or servants or from any other cause, then this obligation shall be void; otherwise it shall be and remain in full force and effect.

AND IT IS HEREBY STIPULATED AND AGREED that suit on this bond may be brought before a court of competent jurisdiction without a jury, and that the sum or sums specified in the said Contract as liquidated damages, if any, shall be forfeited to the Obligee, its successors or assigns, in the event of a breach of any, or all, or any part of, covenants, agreements, conditions, or stipulations contained in the Contract or in this bond in accordance with the terms thereof.

AND IT IS HEREBY STIPULATED AND AGREED that this bond shall inure to the benefit of any and all persons entitled to file claims for labor performed or materials furnished in said work so as to give any and all such persons a right of action as contemplated by Sections 103D-324(d) and 103D-324(e), Hawaii Revised Statutes.

The amount of this bond may be reduced by and to the extent of any payment or payments made in good faith hereunder, inclusive of the payments of mechanics' liens which may be filed of record against the Project, whether or not claim for the amount of such lien be presented under and against this bond.

Signed this _____ day of _____, _____.

(Seal) _____
Name of Contractor

* _____
Signature

Title

*ALL SIGNATURES MUST BE
ACKNOWLEDGED BY A NOTARY PUBLIC

DISCLOSURE OF LOBBYING ACTIVITIES
 Complete this form to disclose lobbying activities pursuant to 31 U.S.C. 1352
 (See reverse for public burden disclosure.)

Approved by
 0348-0046

1. Type of Federal Action: <input type="checkbox"/> a. contract <input type="checkbox"/> b. grant <input type="checkbox"/> c. cooperative agreement <input type="checkbox"/> d. loan <input type="checkbox"/> e. loan guarantee <input type="checkbox"/> f. loan insurance	2. Status of Federal Action: <input type="checkbox"/> a. bid/offer/application <input type="checkbox"/> b. initial award <input type="checkbox"/> c. post-award	3. Report Type: <input type="checkbox"/> a. initial filing <input type="checkbox"/> b. material change For Material Change Only: year _____ quarter _____ date of last report _____
4. Name and Address of Reporting Entity: <input type="checkbox"/> Prime <input type="checkbox"/> Subawardee Tier _____, <i>if known</i> : Congressional District, <i>if known</i> :		5. If Reporting Entity in No. 4 is Subawardee, Enter Name and Address of Prime Congressional District, <i>if known</i> :
6. Federal Department/Agency:	7. Federal Program Name/Destination: CFDA Number, <i>if applicable</i> :	
8. Federal Action Number, <i>if known</i> :	9. Award Amount, <i>if known</i> : \$	
10. a. Name and address of Lobbying Entity (if individual, last name, first name, MI):		b. Individuals Performing Services (including address if different from No. 10a) (last name, first name, MI):
(attach Continuation Sheet(s) SF-LLL-A, if necessary)		
11. Amount of Payment (<i>check all that apply</i>): \$ _____ <input type="checkbox"/> actual <input type="checkbox"/> planned	13. Type of Payment (<i>check all that apply</i>): <input type="checkbox"/> a. retainer <input type="checkbox"/> b. one-time fee <input type="checkbox"/> c. commission <input type="checkbox"/> d. contingent fee <input type="checkbox"/> e. deferred <input type="checkbox"/> f. other; specify: _____	
12. Form of Payment (<i>check all that apply</i>): <input type="checkbox"/> a. cash <input type="checkbox"/> b. in-kind; specify: nature _____ value _____		
14. Brief Description of Services Performed or to be Performed and Date(s) of Service, including officer(s), employees(s) or Member(s) contacted, for Payment Indicated in Item 11: (attach Continuation Sheet(s) SF-LLL-A, if necessary)		
15. Continuation Sheet(s) SF-LLL-A attached: <input type="checkbox"/> Yes <input type="checkbox"/> No		
16. Information requested through this form is authorized by title 31 U.S.C. section 1352. This disclosure of lobbying activities is a material representation of fact upon which reliance was placed by the tier above when this transaction was made or entered into. This disclosure is required pursuant to 31 U.S.C. 1352. This information will be reported to the Congress semi-annually and will be available for public inspection. Any person who fails to file the required disclosure shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.	Signature: _____ Print Name: _____ Title: _____ Telephone No.: _____ Date: _____	
Federal Use Only:		Authorized for Local Reproduction Standard Form - LLL

INSTRUCTIONS FOR COMPLETION OF SF-LLL, DISCLOSURE OF LOBBYING ACTIVITIES

This disclosure form shall be completed by the reporting entity, whether subawardee or prime Federal recipient, at the initiation or receipt of a covered Federal action, or a material change to a previous filing, pursuant to title 31 U.S.C. section 1352. The filing of a form is required for each payment or agreement to make payment to any lobbying entity for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with a covered Federal action. Use the SF-LLL-A Continuation Sheet for additional information if the space on the form is inadequate. Complete all items that apply for both the initial filing and material change report. Refer to the implementing guidance published by the Office of Management and Budget for additional information.

1. Identify the type of covered Federal action for which lobbying activity is and/or has been secured to influence the outcome of a covered Federal action.
2. Identify the status of the covered Federal action.
3. Identify the appropriate classification of this report. If this is a followup report caused by a material change to the information previously reported, enter the year and quarter in which the change occurred. Enter the date of the last previously submitted report by this reporting entity for this covered Federal action.
4. Enter the full name, address, city, state and zip code of the reporting entity. Include Congressional District, if known. Check the appropriate classification of the reporting entity that designates if it is, or expects to be, a prime or subaward recipient. Identify the tier of the subawardee, e.g., the first subawardee of the prime is the 1st tier. Subawards include but are not limited to subcontracts, subgrants and contract awards under grants.
5. If the organization filing the report in item 4 checks "Subawardee", then enter the full name, address, city, state and zip code of the prime Federal recipient. Include Congressional District, if known.
6. Enter the name of the Federal agency making the award or loan commitment. Include at least one organizational level below agency name, if known. For example, Department of Transportation, United States Coast Guard.
7. Enter the Federal program name or description for the covered Federal action (item 1). If known, enter the full Catalog of Domestic Assistance (CFDA) number for grants, cooperative agreements, loans, and loan commitments.
8. Enter the most appropriate Federal identifying number available for the Federal action identified in item 1 (e.g., Request for Proposal (RFP) number; Invitation for Bid (IFB) number; grant announcement number; the contract, grant, or loan award number; the application/proposal control number assigned by the Federal Agency). Include prefixes, e.g., "RFP-DE-90-001."
9. For a covered Federal action where there has been an award or loan commitment by the Federal agency, enter the Federal amount of the award/loan commitment for the prime entity identified in item 4 or 5.
10.
 - (a) Enter the full name, address, city, state and zip code of the lobbying entity engaged by the reporting entity identified in item 4 to influence the covered Federal action.
 - (b) Enter the full names of the individual(s) performing services, and include full address if different from 10(a). Enter Last Name, First Name, and Middle Initial (MI).
11. Enter the amount of compensation paid or reasonably expected to be paid by the reporting entity (item 4) to the lobbying entity (item 10). Indicate whether the payment has been made (actual) or will be made (planned). Check all boxes that apply. If this is a material change report, enter the cumulative amount of payment made or planned to be made.
12. Check the appropriate box(es). Check all boxes that apply. If payment is made through an in-kind contribution, specify the nature and value of the in-kind payment.
13. Check the appropriate box(es). Check all boxes that apply. If other, specify nature.
14. Provide a specific and detailed description of the services that the lobbyist has performed, or will be expected to perform, and the date(s) of any services rendered. Include all preparatory and related activity, not just time spent in actual contact with Federal officials. Identify the federal official(s) or employee(s) contacted or the officer(s), employee(s), or Member(s) or Congress that were contacted.
15. Check whether or not a SF-LLL-A Continuation Sheet(s) is attached.
16. The certifying official shall sign and date the form, print his/her name, title, and telephone number.

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Office of Management and Budget, Paperwork Reduction (0348-0046), Washington, D.C. 20503.

DISCLOSURE OF LOBBYING ACTIVITIES
CONTINUATION SHEET

Approved by
0348-0046

Reporting Entity: _____ Page _____ of _____

STATEMENT OF COMPLIANCE

Date _____

I, _____ do hereby state:

(Name of signatory party) (Title)
(1) That I pay or supervise the payment of the persons employed by _____ on
(Contractor or subcontractor)
the _____; that during the payroll period commencing on the _____ day of _____,
(Building or work)
_____ and ending the _____ day of _____, all persons employed on said project have been paid the
full weekly wages earned, that no rebates have been or will be made either directly or indirectly to or on behalf of said
_____ from the full weekly wages earned by any person and that no deductions have
(Contractor or subcontractor)
been made either directly or indirectly from the full wages earned by any person, other than permissible deductions as defined in
Regulations, Part 3 (29 CFR Subtitle A), issued by the Secretary of Labor under the Copeland Act, as amended (48 Stat. 948.63
Stat. 108, 72 Stat. 967; 76 Stat. 357; 40 U.S.C. 2760), and described below:

(2) That any payrolls otherwise under this contract required to be submitted for the above period are correct and complete; that the wage rates for laborers or mechanics contained therein are not less than the applicable wage rates contained in any wage determination incorporated into the contract; that the classifications set forth therein for each laborers or mechanic conform with the work he performed.

(3) That any apprentices employed in the above period are duly registered in a bona fide apprenticeship program registered with a State apprenticeship agency recognized by the Bureau of Apprenticeship and Training, United States Department of Labor, or if no such recognized agency exists in a State, are registered with the Bureau of Apprenticeship and Training, United States Department of Labor.

(4) That:

(a) WHERE FRINGE BENEFITS ARE PAID TO APPROVED PLANS, FUNDS, OR PROGRAMS
 In addition to the basic hourly wage rates paid to each laborer or mechanic listed in the above-
Referenced payroll, payments of fringe benefits as listed in the contract have been or will be made to
appropriate program for the benefit of such employees, except as noted in Section 4(c) below.

(b) WHERE FRINGE BENEFITS ARE PAID IN CASH
 Each Laborer or mechanic listed in the above referenced payroll has been paid as indicated on the payroll, an
amount not less than the sum of the applicable basic hourly wage rate plus the amount of the required fringe
benefits as listed in the contract, except as noted in Section 4(c) below.

(c) EXCEPTIONS

EXCEPTION (CRAFT)	EXPLANATION

REMARK

NAME AND TITLE	SIGNATURE
----------------	-----------

THE WILFUL FALSIFICATION OF ANY OF THE ABOVE STATEMENTS MAY SUBJECT THE CONTRACTOR OR SUBCONTRACTOR TO CIVIL OR CRIMINAL PROSECUTION. SEE SECTION 1001 OF TITLE 18 AND SECTION 231 OF TITLE 31 OF THE UNITED STATES CODE.

INSTRUCTIONS FOR PREPARATION OF STATEMENT OF COMPLIANCE

This statement of compliance meets needs resulting from the amendment of the Davis-Bacon Act to include fringe benefits provisions. Under this amended law, the contractor is required to pay fringe benefits as predetermined by the Department of Labor, in addition to payment of the minimum rates. The contractor's obligation to pay fringe benefits may be met by payment of the fringes to the various plans, funds, or programs or by making these payments to the employees as cash in lieu of fringes.

The contractor should show on the face of his payroll all monies paid to the employees whether as basic or as cash in lieu of fringes. The contractor shall represent in the statement of compliance that he is paying to others fringes required by the contract and not paid as cash in lieu of fringes. Detailed instructions follow:

Contractors who pay all required fringe benefits:

A contractor who pays fringe benefits to approved plans, funds, or programs in amounts not less than were determined in the applicable wage decision of the Secretary of Labor shall continue to show on the face of his payroll the basic cash hourly rate and overtime rate paid to his employees, just as he has always done. Such a contractor shall check paragraph 4(a) of the statement to indicate that he is also paying to approved plans, funds, or programs not less than the amount predetermined as fringe benefits for each craft. Any exception shall be noted in Section 4(c).

Contractors who pay no fringe benefits:

A contractor who pays no fringe benefits shall pay to the employee and insert in the straight time hourly rate column of his payroll an amount not less than the predetermined rate for each classification plus the amount of fringe benefits determined for each classification in the applicable wage decision. Inasmuch as it is not necessary to pay time and a half on cash paid in lieu of fringes, the overtime rate shall be not less than the sum of the basic predetermined rate, plus the half time premium on the basic or regular rate plus the required cash in lieu of fringes at the straight time rate. To simplify computation of overtime, it is suggested that the straight time basic rate and cash in lieu of fringes be separately stated in the hourly rate column, thus \$3.25/.40. In addition, the contractor shall check paragraph 4(b) of the statement to indicate that he is paying fringe benefits in cash directly to his employees. Any exceptions shall be noted in Section 4(c).

Use of Section 4(c), Exceptions

Any contractor who is making payment to approved plans, funds, or programs in amounts less than the wage determination requires is obliged to pay the deficiency directly to the employees as cash in lieu of fringes. Any exceptions to Section 4(a) or 4(b), whichever the contractor may check, shall be entered in Section 4(c). Enter in the Exception column the craft, and enter in the Explanation column the hourly amount paid the employees as cash in lieu of fringes, and the hourly amount paid to plans, funds, or programs as fringes.

CHAPTER 104, HRS COMPLIANCE CERTIFICATE

The undersigned bidder does hereby certify to the following:

1. Individuals engaged in the performance of the contract on the job site shall be paid:

A. Not less than the wages that the director of labor and industrial relations shall have determined to be prevailing for corresponding classes of laborers and mechanics employed on public works projects; and

B. Overtime compensation at one and one-half times the basic hourly rate plus fringe benefits for hours worked on Saturday, Sunday, or a legal holiday of the State or in excess of eight hours on any other day.

2. All applicable laws of the federal and state governments relating to workers' compensation, unemployment compensation, payment of wages, and safety shall be fully complied with.

DATED at Honolulu, Hawaii, this _____ day of _____, 20__.

«CONTRACTOR»
Name of Corporation, Partnership, or Individual

Signature and Title of Signer

Notary Seal
NOTARY ACKNOWLEDGEMENT

Subscribed and sworn before me this _____ day of _____
Notary signature _____
Notary public, State of _____
My Commission Expires: _____

Notary Seal
NOTARY CERTIFICATION

Doc. Date: _____ #Pages: _____
Notary Name: _____ Circuit _____
Doc. Description: _____

Notary signature _____
Date _____