




Corrugated Functional and Architectural Distinction

Add strength, character, and long lasting style to both residential and commercial projects with Island Metals corrugated panel. Featuring a continuous $3/4''$ rolling rib that offers a timeless and classic Hawaiian building look.



32" coverage with exposed fasteners allows the Island Metals corrugated panel to cover a lot of space quickly and makes for easy installation

ACCESSORY OPTIONS FOR ISLAND METALS - CORRUGATED PROFILE

Reflective Foil Insulation

- Reflect 96% of Radiant Energy
- Energy Star Compliant
- Reduce Building Heat



Stainless Steel Screws

- Corrosion protection of stainless steel
- Painted screw heads to match the roof




Pipe Boots

- Designed for metal roofs
- Different size options



Underlayment

- 100% Waterproof and nail sealable
- UL Classified for protection
- Maximum flexibility and longevity



Custom Trim

- Same roof color metal
- Ridge cap, valley, drip edge, skylight kit, rake trim, sidewall, transition, end wall, and others

Metal Roof Sealant

- Weather-tight seal against the elements
- Exceptional adhesion
- Color match to roof



Corrugated Profile Specifications

Colors:	12 Colors & Metal Finishes Available
Coverage:	32" Net Coverage
Material:	26 & 24 Gauge Steel
Finish:	Primer and PVDF Coating
Warranty:	30 Year Limited Paint Warranty
Min. Slope:	3:12
Substructure:	15/32" (min.) Plywood


Island Metals

Metal Roofing Supply

808-246-6600

www.IslandMetals.com

Info@IslandMetals.com



Island Metals

Color Chart


808-246-6600

Info@IslandMetals.com

www.IslandMetals.com

Mauna Kea White

SRI - 68 SRV - 58.5 E - 0.85




Almond

SRI - 77 SRV - 65.0 E - 0.83




Bronze

SRI - 31 SRV - 30.0 E - 0.87




Terra Cotta Red

SRI - 38 SRV - 36.7 E - 0.83



Patina Green

SRI - 43 SRV - 39.1 E - 0.87



Classic Green

SRI - 29 SRV - 29.0 E - 0.86



Slate Gray

SRI - 32 SRV - 31.3 E - 0.86




Kelly Green

SRI - 28 SRV - 28.5 E - 0.85




Platinum

SRI - 44 SRV - 39.7 E - 0.87



Regal Blue

SRI - 25 SRV - 26.0 E - 0.85




Copper

SRI - 69 SRV - 75.8 E - 0.05 (New)



Gavalume

SRI - 59 SRV - 67.0 E - 0.20



Trim is available in all colors

Final color selection should be made from metal color from coils in our shop since slight color variance can occur. Colors in specific gauges (24ga/26ga) and widths are subject to warehouse availability.

Other colors are available by special order.

SRI (Solar Reflectance Index) - Incorporates both solar reflectance and thermal emissivity; 0 = Black and 100 = white

SRV (Solar Reflectivity Value) - Ability of a material to reflect solar energy from its surface back into the atmosphere

E (Emittance) - Thermal emittance has a direct correlation between the light absorbed by the surface and resulting corrosion

KYNAR⁵⁰⁰ FSF
ARKEMA


DURANAR[®] ULTRA-Cool[®]
PPG

PPG Coatings
Protected

valspar[®]




PBR Panel



Corrugated Panel



Standing Seam Panel



0, 2, or 3 Striations available