

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
AIRPORTS

SPECIFICATIONS AND PROPOSAL

FOR

HAZARDOUS MATERIAL ABATEMENT SERVICES

STATEWIDE AIRPORTS

STATE OF HAWAII

PROJECT NO. BS1630-23

NOTICE TO BIDDERS
Hawaii Revised Statutes (HRS),
Chapter 103D

The receiving of bids for **HAZARDOUS MATERIAL ABATEMENT SERVICES, STATEWIDE AIRPORTS, PROJECT NO. BS1630-23**, will begin as of the HiePRO Release Date. Bidders shall register and submit complete bids through HiePRO only. Refer to the following HiePRO link for important information on Vendor Registration:
<https://hiepro.ehawaii.gov/welcome.html>.

The solicitation, specifications, proposal, and additional documents designated or incorporated by reference shall be available in HiePRO.

HiePRO OFFER DUE DATE AND TIME is **July 2, 2026**, at 2:00 p.m., Hawaii Standard Time (HST). **Bidders shall submit and upload the complete proposal to HiePRO prior to the offer due date and time. Proposals received after said due date and time shall not be considered. Any additional support documents explicitly designated as confidential and/or proprietary shall be uploaded as a separate file to HiePRO. Bidders shall not include confidential and/or proprietary documents as part of their proposal. The record of each bidder and their respective proposal shall be open to public inspection. FAILURE TO UPLOAD THE PROPOSAL TO HiePRO SHALL BE GROUNDS FOR REJECTION.**

The scope of work consists of on an open end, "as needed" basis, to provide hazardous material abatement work at various airports throughout the State of Hawaii. Work may include the handling, removal and disposal of hazardous materials including but not limited to asbestos-containing materials, lead based paints, and demolition associated with hazardous materials.

To be eligible for award, bidders shall possess a valid State of Hawaii Specialty Contractor's "C-19" license **at the time of bidding**.

A virtual pre-bid conference is scheduled for **June 12, 2026**, at 1:00 p.m., HST. Interested bidders shall contact Paul Nakasone, Project Manager, directly at paul.m.nakasone@hawaii.gov, no later than three working days prior to the scheduled pre-bid conference to receive the meeting invitation. All prospective bidders and/or their respective representatives are encouraged to attend, however, attendance is not mandatory. All information presented at the pre-bid conference shall be provided for clarification and information only. Any amendments to the solicitation shall be made by formal addendum and posted in HiePRO.

All Request for Information (RFI) questions and Substitution Requests shall be submitted in HiePRO **no later than June 18, 2026, at 2:00 p.m., HST**. RFI questions received after the stated deadline shall not be addressed. Substitution Requests received after the stated deadline shall not be considered. Verbal RFI(s) shall not receive a response. All responses to RFI questions shall be provided for clarification and information only and issued by formal addendum. Any amendments to the solicitation shall be made by formal addendum and posted in HiePRO.

If there is a conflict between the solicitation and information stated in the pre-bid conference, the meeting minutes, and/or the responses to RFI questions, the solicitation shall govern and control, unless as amended by formal addendum.

Campaign contributions by State and County Contractors. Contractors are hereby notified of the applicability of HRS § 11-355 which states that campaign contributions are prohibited from specified State or County government contractors during the term of the contract if the contractors are paid with funds appropriated by a legislative body. For more information, contact the Campaign Spending Commission at (808) 586-0285.

Protests. Any protest of this solicitation shall be submitted in writing to the Director of

Transportation, in accordance with HRS § 103D-701 and Hawaii Administrative Rules § 3-126.

The Equal Employment Opportunity Regulations of the Secretary of Labor implementing Executive Order 11246, as amended, shall be complied with on this project.

The U.S. Department of Transportation Regulation entitled “Nondiscrimination in Federally Assisted Programs of the U.S. Department of Transportation,” Title 49, Code of Federal Regulations (CFR), Part 21, is applicable to this project. Bidders are hereby notified that the Department of Transportation shall affirmatively ensure that the contract entered into pursuant to this advertisement shall be awarded to the lowest responsible bidder without discrimination on the grounds of race, color, national origin, or sex (as directed by 23 CFR Part 200).

For additional information, contact Paul Nakasone, Project Manager, by phone at (808) 838-8807, or by email at paul.m.nakasone@hawaii.gov.

The State reserves the right to reject any or all proposals and to waive any defects in said proposals in the best interest of the public.



CURT T. OTAGURO
Deputy Director of Transportation for Airports

HIePRO RELEASE DATE: June 5, 2026

TABLE OF CONTENTS

	<u>Page No.</u>
Special Provisions	SP-1 - SP-6
Specifications	
Section 1 Definition of Terms	1-1 - 1-4
Section 2 Proposal Requirements and Conditions	2-1 - 2-3
Section 3 Award and Execution of Contract	3-1 - 3-5
Section 4 Scope of Work	4-1 - 4-3
Section 5 Control of Work	5-1 - 5-3
Section 6 Control of Material and Equipment	6-1 - 6-3
Section 7 Legal Relations and Responsibility	7-1 - 7-4
Section 8 Prosecution and Progress	8-1 - 8-8
Section 9 Payment	9-1 - 9-2
Section 10 Contract Quality Control Program...	10-1 - 10-7
Section 11 Hazardous Material and Hazardous Waste Release Response, Repair, Clean-up and Disposal.....	11-1 - 11-26
Proposal	PF-1 - PF-5
Proposal Schedule	PF-6
Forms	
Contract	
Certificate for Performance of Services	

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
AIRPORTS

S P E C I A L P R O V I S I O N S

SPECIAL PROVISIONS

The Specifications contained herein are amended as follows:

A. SECTION 1 - DEFINITION AND TERMS is amended as follows:

1. The following definition shall be deleted in its entirety and replaced with the following:

"1.33 SUBCONTRACTOR - An individual, partnership, firm, corporation, joint venture or other legal entity, as licensed or required to be licensed under Chapter 444, Hawaii Revised Statutes, as amended, which enters into an agreement with the Contractor to perform a portion of the work."

2. Add the following new definition:

"1.39 HAWAII ePROCUREMENT SYSTEM (HIePRO) - The State of Hawaii eProcurement System for issuing solicitations, receiving proposals and responses, and issuing notices of award."

B. SECTION 2 - PROPOSAL REQUIREMENTS AND CONDITIONS is amended as follows:

1. 2.3 PROPOSAL GUARANTY is deleted in its entirety.
2. 2.4 DELIVERY OF PROPOSALS is amended by replacing the entire subsection with the following:

"2.4 DELIVERY OF PROPOSALS - **Bidders shall submit and upload the complete proposal to HIePRO prior to the bid opening date and time. Proposals received after said due date and time shall not be considered. Any additional support documents explicitly designated as confidential and/or proprietary shall be uploaded as a separate file to HIePRO. Do not include confidential and/or proprietary documents with the proposal.** The record of each bidder and respective bid shall be open to public inspection. Original (wet ink, hard copy) proposal documents are not required to be submitted. **Contract award shall be based on evaluation of proposals submitted and uploaded to HIePRO.**

FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HIePRO SHALL BE GROUNDS FOR REJECTION OF THE BID.

If there is a conflict between the specification document and the HIePRO solicitation, the specifications shall govern and control, unless

otherwise specified."

3. 2.5 WITHDRAWAL OF PROPOSALS is amended by replacing the entire subsection with the following:

"2.5 WITHDRAWAL OF PROPOSALS - Bids may be modified or withdrawn prior to the bid opening date and time. Withdrawal or revision of proposal shall be completed, and submitted and uploaded to HIEPRO prior to the bid opening date and time."

4. 2.6 PUBLIC OPENING OF PROPOSALS is not applicable.

5. Add the following to the end of the section:

"2.9 CERTIFICATE FOR PERFORMANCE OF SERVICES - Pursuant to Section 103-55, Hawaii Revised Statutes, and unless indicated otherwise, each bidder is required to submit the attached "Certificate for Performance of Services" in the event the bidder submits a bid in excess of \$25,000. The notarized certificate must be submitted to said Contracts Office, Department of Transportation, 869 Punchbowl Street, Honolulu, Hawaii 96813, before entering into a contract to perform services.

As of the bid opening date, salaries of State employees performing work similar to the work called for under this contract are as follows:

<u>Class</u>	<u>Salary Range</u>	<u>Minimum Hourly Rate</u>
General Laborer III	WS-03	\$30.05
General Laborer II	BC-03	\$28.08
General Laborer I	BC-02	\$27.30

The above information is provided to the Contractor for guidance only and is subject to change in accordance with existing collective bargaining contracts or shall change as contracts are renegotiated. It is the bidder's responsibility to verify the accuracy of the wage rates contained herein and to provide for changes in the minimum wages which must be paid personnel working on this project at all times. Information on the status of Bargaining Unit (BU) contracts can be obtained from the Airports Division Personnel Management Office (838-8619).

Bidders are further advised that they are not

restricted to hire only those classifications of employees as listed, but are free to employ such other classifications of workers as the bidder deems proper and proposes to use on the project, and as may be according to the bidder's common hiring practice.

However, the principal duties of employees other than those listed hereinabove working on the project will be matched against those of State workers to determine the closest equivalent State employee classification, and the Contractor must compensate such employee(s) at a rate which is no less than that of the equivalent State employee."

- C. SECTION 3 - AWARD AND EXECUTION OF CONTRACT is amended as follows:

3.1 AWARD OF CONTRACT is amended by replacing the second paragraph with the following:
"The award of contract, if it be awarded, shall be made within ninety (90) calendar days after the opening of bids to the lowest responsive and responsible bidder whose proposal complies with all the prescribed requirements. The Department may request the bidders to allow the Department to consider the bids for the issuance of an award beyond the ninety (90) calendar day period. Agreement to such an extension shall be made by a bidder in writing. Only bidders who have agreed to such an extension shall be eligible for the award. No response to request shall mean bidder shall no longer be eligible for award."

- D. SECTION 6 - CONTROL OF MATERIAL AND EQUIPMENT - is amended as follows:

6.2 TRADE NAMES AND ALTERNATES is amended as follows:

1. The first paragraph of A. QUALIFICATION BEFORE BID OPENING shall be replaced with the following:

"A. QUALIFICATION BEFORE BID OPENING - When the specifications and/or plans specify one or more manufacturer's brand names of materials or equipment to indicate a quality, style, appearance, or performance, the bidder will be assumed to have based its bid on one of the specified named products, except where such proprietary product are specified, alternate brands may be qualified if found equal or better by the Department. The bidder shall submit a request to the Department for review and approval at the earliest date possible. As specified in the Notice to Bidders, all requests shall be posted as a question in HIePRO under the "Question and Answer" tab. Supporting documents for specific

request shall be emailed to the Project Manager specified in the Notice to Bidders. Request must be posted in HIEPRO and supporting documents received by the Project Manager no later than thirteen (13) calendar days before the bid opening date."

2. The first sentence of the second paragraph of A. QUALIFICATION BEFORE BID OPENING shall be replaced with the following:

"It shall be the responsibility of the bidder to submit sufficient evidence based upon which a determination can be made by the Department that the alternate brand is a qualified equivalent."

E. SECTION 7 - LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC - is amended as follows:

1. 7.8 LABOR AND COMPENSATION REQUIREMENTS - is amended by replacing the first two paragraphs with the following:

"Pursuant to Section 103-55, H.R.S., Wages, Hours, Working Conditions of Employees of Contractor's Supplying Services, services to be rendered shall be performed by employees paid at wages or salaries not less than the wages paid to public officers and employees for similar work.

Additional information on the requirements of Section 103-55, H.R.S. may be obtained at http://www.capitol.hawaii.gov/hrscurrent/Vol102_Ch0046-0115/HRS0103/HRS_0103-0055.htm" -

2. Add the following to the end of the section:

"7.10 SPECIAL REQUIREMENTS FOR CONTRACTOR'S OPERATIONS IN THE AIRPORT OPERATIONAL AREAS (AOA) - The Contractor shall conform with the applicable sections of the State Airports Division Rules and Regulations pertaining to its access and operation in the AOA hereinafter described as follows:

A. Comprehensive General Liability Insurance - The Contractor shall obtain and maintain during the course of work, insurance coverage as specified by Section 7.9.

B. Authorized Vehicles

1. Only vehicles considered safe and necessary for the performance of this contract shall be allowed to operate in the AOA.
2. All authorized vehicles shall be identified with the Contractor's company name on each side with letters not less than four (4) inches in height or a logo no less than six

(6) inches in height.

3. As a condition to enter and operate in the AOA, the Contractor shall obtain insurance coverage as required by Section 7.9.
4. The Contractor's operations on, over, across, and/or immediately adjacent to any runway and/or taxiway at a towered airport may require the use of a two-way radio communication. The Contractor shall obtain the necessary equipment at its own expense.
5. No person shall operate a motor vehicle on the AOA without personally possessing a current Motor Vehicle Operator's Permit issued by the Airport Manager to that person.
 - a. The Motor Vehicle Operator's Permit will be issued only to persons who apply through the Airport Security Section and pass a written exam covering those portions of the Airport Rules and Regulations relating to the operation of vehicles in the AOA.
 - b. Permits issued may be suspended or revoked for cause at any time by the Airports Division.

C. Airport Operational Area Identification Badge - Contractor's employees requiring entrance to the AOA must apply and obtain identification badges through the Airport Security Office.

1. All persons employed under this contract who have unescorted access to the AOA shall have background checks (to the extent permitted by law) including at a minimum, references and prior employment histories by the employees relating to employment in the preceding ten (10) years.
2. As a condition in the issuance of AOA Identification Badges, Certification of Compliance shall be submitted with the application. The Certification shall affirm that a background check has been performed, correct and complete of those persons requiring access to the AOA. Background check records shall be

maintained by the Contractor during the course of the work and shall contain the name, address, social security number, and previous employment and the person(s) contacted to verify such employment. The records shall be made available for inspection by the State."

E. SECTION 8 - PROSECUTION AND PROGRESS - is amended as follows:

1. Subsection 8.2 SUBCONTRACTING - is amended by adding the following sentence after the first (1st) sentence in the second (2nd) paragraph:

"The Contractor, however, shall perform with its own organization, work amounting to not less than fifty percent (50%) of the total contract cost."

2. Subsection 8.11 Termination of Contract for Cause - is amended by adding the following paragraphs to Section 8.11(a):

"The System shall be maintained in a satisfactory condition at all times. Failure to comply with these requirements within seven (7) calendar days shall be cause for the State to terminate the contract without any liability on the part of the State.

The State shall have the right to terminate this Contract with cause or lack of available funding and shall notify the Contractor of its intent to exercise its option to terminate maintenance service at least 30 days prior to termination."

F. SECTION 9 - PAYMENT - add the following to the end of the section:

"SECTION 9.6 - RELEASE OF RETAINAGE - The State may release the payments withheld (retainage) at the end of a one-year term provided:

- A. The Contractor has satisfactorily fulfilled the terms and conditions of the Contract for that one-year term.
- B. The Contractor submits a current tax clearance certificate."

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
AIRPORTS

S P E C I F I C A T I O N S

SECTION 1 - DEFINITION AND TERMS

Whenever the following pronouns are used in these specifications, or in any documents or instruments where these specifications govern, the intent and meaning shall be interpreted as follows:

1.1 ADDENDA - A written document which may be issued by the Director during the bidding period involving changes to the specifications and plans, if any, which shall be considered and made a part of the contract.

1.2 AIRPORTS DIVISION - Airports Division, Department of Transportation, State of Hawaii.

1.3 AWARD - The written acceptance of a proposal by the State.

1.4 BIDDER - Any individual, partnership, corporation or other legal entity, or combination thereof, submitting a proposal for the work contemplated, acting either directly or through a duly authorized representative.

1.5 CALENDAR DAY - Every day shown on the calendar. If no designation of calendar or working day is made, "day" shall mean calendar day.

1.6 CHANGE ORDER - A written order issued by the Director to the Contractor requiring the contract work to be performed in accordance with a change or changes that may involve an adjustment in contract time and price or requiring performance of any unforeseen work essential to complete the contract.

1.7 CONTRACT - The written agreement between the State and the Contractor setting forth the obligations of the parties thereunder, including, but not limited to, the performance of the work, the furnishing of labor and materials, and the basis of payment.

The contract includes the (1) notice to bidders, (2) proposal, (3) contract form and contract bond, (4) specifications, (5) special provisions and plans, if any, (6) addenda, (7) notice to proceed, and (8) change orders and agreements that are required to complete the work, all of which constitute one instrument.

1.8 CONTRACT BOND - The approved form of security, executed by the Contractor and its Surety or Sureties, guaranteeing the completion of the work in accordance with the terms of the contract, and guaranteeing full payment of all claims for labor, materials, and supplies used or incorporated in the work.

1.9 CONTRACT TIME - The number of working days or calendar days allowed for completion of the contract, including authorized time extensions.

If a calendar date is specified as the date of completion in lieu of the number of working days or calendar days, the contract shall be completed by that date.

In case the contract is for a specified period of time, the contract time shall be for said specified period of time.

1.10 CONTRACTOR - The individual, partnership, corporation or other legal entity, or combination thereof, contracting with the State for performance of the prescribed work.

1.11 DEPARTMENT - The State Department of Transportation.

1.12 DIRECTOR - The Director of Transportation, acting either directly or through the Director's duly authorized representative.

1.13 EQUAL OR APPROVED EQUAL - Whenever this term is used in the specifications and plans, if any, it means a brand or article pre-qualified in accordance with Section 6.2 Trade Names and Alternates and which may be used in place of the one specified.

1.14 H.A.R. or HAR - Hawaii Administrative Rules.

1.15 H.R.S. or HRS - Hawaii Revised Statutes.

1.16 HARBORS DIVISION - Harbors Division, Department of Transportation, State of Hawaii.

1.17 HIGHWAYS DIVISION - Highways Division, Department of Transportation, State of Hawaii.

1.18 HOLIDAYS - The days which are set apart and established as State holidays pursuant to Section 8-1, H.R.S.

1.19 INSPECTOR - The Director's authorized representative assigned to make detailed inspections of contract performance and materials supplied.

1.20 NOTICE TO BIDDERS - The public announcement, as required by law, inviting proposals for the work to be performed or materials to be furnished.

1.21 NOTICE OF FINAL ACCEPTANCE - Written notice from the Director to the Contractor that the entire contract has been completed in all respects in accordance with the specifications and plans, if any, and any changes thereof previously approved by the Director.

1.22 NOTICE TO PROCEED - Written notice from the Director to the Contractor advising the Contractor of the date on which he is to begin the prosecution of the work.

1.23 PLANS - The contract drawings approved by the Director which show the location, character, dimensions and details of the work to be done and shall be a part of the contract.

1.24 PROCUREMENT OFFICER - The Director's duly authorized representative including project managers, project engineers and contract administrators assigned to prepare, evaluate and administer contracts for the purchasing of goods and services.

1.25 PROPOSAL (OR BID) - The offer of a bidder, on the prescribed form, to perform the work and to furnish the labor and materials at the prices quoted.

1.26 PROPOSAL FORM - The approved format prepared by the Department or a facsimile thereof on which bids for the work must be prepared and submitted. (Reasonable facsimile acceptable for bidding.)

1.27 PROPOSAL GUARANTY - The security furnished with a proposal to guarantee that the bidder will enter into the contract and furnish all other requirements if the bidder's proposal is accepted.

1.28 QUALIFICATION QUESTIONNAIRE - The specified forms on which the bidder shall furnish required information as to the bidder's ability to perform and finance the work.

1.29 S.L.H. or SLH - Session Laws of Hawaii.

1.30 SPECIAL PROVISIONS - Revisions to the specifications. The specific clauses setting forth conditions or requirements peculiar to the project under consideration which are not thoroughly or satisfactorily stipulated in these specifications.

1.31 SPECIFICATIONS - The directions, provisions, and requirements pertaining to the method and manner of performing the work and to the quantities and qualities of materials to be furnished under the contract.

1.32 STATE - The State of Hawaii.

1.33 SUBCONTRACTOR - An individual, partnership, corporation, other legal entity, or any combination thereof, that enters into an agreement with the Contractor to perform a portion of the work for the Contractor.

1.34 SUPERINTENDENT - The Contractor's representative who is responsible for and in charge of the work.

1.35 SURETY - The corporation, partnership or individual, other than the Contractor, executing a bond furnished by the Contractor and guaranteeing performance by the Contractor.

1.36 TITLES (OR HEADINGS) - The titles or headings of the Sections herein are intended for convenience of reference and shall not be considered as having any bearing on their interpretation. Unless otherwise indicated, whenever the word "Section" is used, reference is being made to a Section in these specifications.

1.37 WORK - The furnishing of all labor, materials, equipment, and other incidentals necessary or convenient for the successful completion of the project and the execution of all the duties and obligations imposed by the contract.

1.38 WORKING DAY - Any day, except Saturdays, Sundays and State holidays.

SECTION 2 - PROPOSAL REQUIREMENTS AND CONDITIONS

2.1 QUALIFICATION OF BIDDERS - Prospective bidders must be capable of performing the work for which bids are called.

In accordance with Section 103D-310, HRS, the Department may require any prospective bidder to submit answers to questions contained in the "Standard Qualification Questionnaire for Prospective Bidders on Public Works Contracts" on the form furnished by the Department, properly executed and notarized, setting forth a complete statement of the experience of such prospective bidder and its organization in performing similar work and a statement of the equipment proposed to be used, together with adequate proof of the availability of such equipment. Whenever it appears to the Department, from answers to the questionnaire or otherwise, that the prospective bidder is not fully qualified and able to perform the intended work, the Department will, after affording the prospective bidder an opportunity to be heard and if still of the opinion that the bidder is not fully qualified to perform the work, refuse to receive or consider any bid offered by the prospective bidder. All information contained in the answers to the questionnaire shall be kept confidential. Questionnaire so submitted shall be returned to the bidders after serving their purpose.

Failure to complete the qualification questionnaire will be sufficient cause for the Department to disqualify a prospective bidder.

No person, firm or corporation may bid where (1) the person, firm, or corporation, or (2) a corporation owned substantially by the person, firm, or corporation, or (3) a substantial stockholder or an officer of the corporation, or (4) a partner or substantial investor in the firm is in arrears in payments owed to the State of Hawaii or its political subdivisions or is in default as a surety or failure to do faithfully and diligently previous contracts with the State.

2.2 REJECTION OF PROPOSALS CONTAINING ALTERATIONS, ERASURES, OR IRREGULARITIES - Proposals may be rejected if they show any alterations of form, additions not called for, conditional bids, incomplete bids, erasures, or irregularities of any kind.

When proposals are signed by any agent, other than the officer or officers of a corporation authorized to sign contract on its behalf or a member of copartnership, a Power of Attorney must be on file with the Department prior to opening bids or shall be submitted with the proposal; otherwise, the proposal may be rejected as irregular and unauthorized.

Members of a joint venture may be requested to supply the Department with a copy of their joint venture agreement or each member of the joint venture may be required to sign the proposal.

2.3 PROPOSAL GUARANTY - A proposal guaranty (bid bond) is not required except when specifically noted in the proposal section of the bid document.

When a proposal guaranty is required with a bid, it will be specifically stated in the proposal; and no proposal totaling \$25,000 or more will be considered unless accompanied by one of the following forms of bidder's security:

- A. a deposit of legal tender; or
- B. a surety bid bond underwritten by a company licensed to issue bonds in the State of Hawaii and submitted on the standard form provided herewith; or
- C. a certificate of deposit, share certificate, cashier's check, treasurer's check, teller's check, or official check drawn by, or a certified check accepted by and payable on demand to the State by a bank, savings institution, or credit union insured by the Federal Deposit Insurance Corporation (FDIC) or the National Credit Union Administration (NCUA).
 - 1. The bidder may use these instruments only to a maximum of one hundred thousand dollars (\$100,000.00).
 - 2. If the required security or bond amount totals over one hundred thousand dollars (\$100,000.00), more than one instrument not exceeding one hundred thousand dollars (\$100,000.00) each and issued by different financial institutions shall be acceptable.
 - 3. The instrument shall be made payable at sight to the Department of Transportation, State of Hawaii.

According to Section 103D-323, HRS, the above shall be in a sum not less than five percent (5%) of the amount bid.

2.4 DELIVERY OF PROPOSALS - Each proposal shall be placed, together with the proposal guaranty when required, in an envelope and sealed and so marked as to indicate the identity of the project, the name and address of the bidder, and other required information and then delivered as indicated in the Notice to Bidders. Proposals will be received up to the time fixed in the Notice to Bidders for the opening of bids.

2.5 WITHDRAWAL OF PROPOSALS - Any proposal may be withdrawn at any time prior to the time fixed in the Notice to Bidders for the opening of proposals upon the filing of a written request therefore with the Department, executed by the bidder or a duly authorized representative. The withdrawal of a proposal shall not preclude a bidder from submitting a new proposal.

2.6 PUBLIC OPENING OF PROPOSALS - Proposals will be opened and read publicly at the time and place indicated in the Notice to Bidders. Bidders or their authorized agents are invited to be present.

2.7 DISQUALIFICATION OF BIDDERS - Any of the following reasons may be considered as being sufficient grounds for the disqualification of a bidder and the rejection of his proposal or proposals.

- A. More than one proposal for the same work from an individual, firm, or corporation under the same or different name.
- B. Evidence of collusion among bidders. Participants in such collusion will receive no recognition as bidders for any future work of the Department until such participant shall have been reinstated as a qualified bidder.
- C. Evidence of assistance from a person who has been an employee of the agency within the preceding two years and who participated while in State office or employment in the matter with which the contract is directly concerned, pursuant to Section 84-15, H.R.S.
- D. Lack of proposal guaranty.
- E. Unsigned proposal or proposal not signed in ink by person or persons legally authorized to submit a proposal on behalf of the bidder.

2.8 MATERIAL GUARANTY - The bidder may be required to furnish a complete statement of the origin, composition and manufacture of any or all materials to be used in the prosecution of the work, together with samples. Such samples may be subjected to tests to determine their quality and fitness for the work.

SECTION 3 - AWARD AND EXECUTION OF CONTRACT

3.1 AWARD OF CONTRACT - The State reserves the right to reject any and all proposals and to waive any defects as may be deemed to be in the best interest of the public.

The award of contract, if it be awarded, shall be made within sixty (60) calendar days after the opening of bids to the lowest responsive and responsible bidder whose proposal complies with all the prescribed requirements. The Department may request the bidders to allow the Department to consider the bids for the issuance of an award beyond the sixty (60) calendar day period. Agreement to such an extension shall be made by a bidder in writing. Only bidders who have agreed to such an extension shall be eligible for the award. No response to request shall mean bidder shall no longer be eligible for award.

Requirement for award. The Bidder, as proof of compliance with the requirements of section 103D-310(c), HRS, upon award of a contract made pursuant to section 103D-302, HRS, shall provide the documents listed below. The documents shall be submitted promptly to the Department. If a valid certificate/clearance is not submitted on a timely basis upon award, the Bidder may be deemed non-responsible.

A. Tax Clearance.

Pursuant to section 103D-310(c), 103-53 and 103D-328, HRS, the bidder shall submit a tax clearance certificate from the State of Hawaii Department of Taxation (DOTAX) and the Internal Revenue Service (IRS), subject to section 103D-328, HRS, current within six months of issuance date.

FORM A6, TAX CLEARANCE CERTIFICATE, is available at the following website:

<https://tax.hawaii.gov/>

To receive DOTAX Forms by fax or mail, phone (808)587-4242 or 1-800-222-3229.

The application for the Tax Clearance Certificate is the responsibility of the bidder. Bidder shall submit directly to the DOTAX or IRS. The approved certificate may then be submitted to the Department.

B. Certificate of Compliance.

Pursuant to section 103D-310(c), HRS, the bidder shall submit a certificate of compliance for Hawaii Employment Security Law (Chapter 383, HRS), Workers' Compensation Law (Chapter 386, HRS), Temporary Disability Insurance (Chapter 392, HRS), and Prepaid Health Care Act (Chapter 393, HRS), from the State of Hawaii Department of Labor and Industrial Relations (DLIR), current within six months of issuance date.

Form LIR#27, Application for Certificate of Compliance with section 3-122-112, HAR, is available at the following website:

<https://labor.hawaii.gov/>

Contact the DLIR Unemployment Insurance Division at (808) 586-8926 for additional information.

Inquiries regarding the status of a LIR#27 Form are available from the DLIR Disability Compensation Division at (808)586-9200.

The application for the Certificate of Compliance is the responsibility of the bidder. Bidder shall submit directly to the DLIR. The approved certificate may then be submitted to the Department.

C. Certificate of Good Standing.

Pursuant to section 103D-310(c), HRS, the bidder shall submit a certificate of good standing from the business registration division (BREG) of the State of Hawaii Department of Commerce and Consumer Affairs (DCCA), current within six months of issuance date, to demonstrate it is either:

- (1) incorporated or organized under the laws of the State; or
- (2) registered to do business in the State as a separate branch or division that is capable of fully performing under the contract.

A Hawaii business that is a sole proprietorship, is not required to register with the BREG, and therefore not required to submit a certificate of good standing. Bidders are advised of costs associated

with registering and obtaining a Certificate of Good Standing from the DCCA.

To purchase a Certificate of Good Standing, go to On-Line Services at the following website:

<https://cca.hawaii.gov/>

The application for the Certificate of Good Standing is the responsibility of the bidder. Bidder shall submit directly to the DCCA. The approved certificate may then be submitted to the Department.

- D.** IN LIEU OF the certificates referenced in subsection A, B, and C, bidder may make available proof of compliance through a state procurement office designated certification process.

3.2 CANCELLATION OF AWARD - The State reserves the right to cancel the award of any contract any time before the execution of said contract by all parties without any liability to the successful bidder or any other bidder.

3.3 RETURN OF PROPOSAL GUARANTY - All proposal guaranties, except those of the lowest two (2) bidders, will be returned immediately following the opening and checking of the proposals. The retained proposal guaranty of the second lowest bidder, if not a bid bond, will be returned within ten (10) calendar days following execution of contract by the successful bidder. The successful bidder's proposal guaranty, if not a bid bond, will be returned after a satisfactory contract bond has been furnished and the contract has been executed.

3.4 REQUIREMENT OF CONTRACT BOND - Only when required by the proposal, the successful bidder at the time of the execution of the contract shall file good and sufficient performance and payment bonds on the forms furnished by the Department, or a facsimile thereof, conditioned for the full and faithful performance of the contract in accordance with the terms and intent thereof and also for the prompt payment to all others for all labor and materials furnished by them to it and use in the prosecution of the work provided for in such contract, in the manner, form and amount required by Section 3-122-224(b) (2), H.A.R., which bonds shall be in an amount equal to fifty per cent (50%) of the contract price, including amounts estimated to be required for extra work, or in the case of price-term, open-end, or requirements contract under which the total amount to be paid to the Contractor cannot be accurately estimated at the time the contract is to be awarded, the bond amounts shall be as designated in the bid documents. Such bonds shall also by

their terms inure to the benefit of any and all persons entitled to file claims for labor performed or materials furnished in the work so as to give them a right of action as contemplated by Section 103D-324, H.R.S.

The bidder shall limit the acceptable performance and payment bonds to the following:

- (a) Legal tender; or
- (b) Surety bond underwritten by a company licensed to issue bonds in the State of Hawaii; or
- (c) A certificate of deposit; share certificate; cashier's check; treasurer's check; teller's check drawn by or a certified check accepted by and payable on demand to the State by a bank, savings institution or credit union insured by the Federal Deposit Insurance Corporation (FDIC) or the National Credit Union Administration (NCUA).

1. The bidder may use these instruments only to a maximum of one hundred thousand dollars (\$100,000.00).

2. If the required security or bond amount totals over one hundred thousand dollars (\$100,000.00) more than one instrument not exceeding one hundred thousand dollars (\$100,000.00) each and issued by different financial institutions shall be acceptable.

3.5 EXECUTION OF CONTRACT - The contract and the "Certificate for Performance of Services", similar to a copy of the same annexed hereto, shall be executed by the successful bidder and returned, together with the contract bonds, when required, within ten (10) days after the award of the contract or within such further time as the Director may allow after the bidder has received the contract for execution.

Pursuant to Section 103D-309, H.R.S., the contract shall not bind the State in any way unless said contract has been fully and properly executed by all the parties thereto and the Comptroller has endorsed thereon a certificate that there is available an unexpended appropriation over and above all outstanding contracts, sufficient to cover the amount required by the contract.

3.6 FAILURE TO EXECUTE CONTRACT - Failure to execute the contract, Certificate for Performance of Services and file acceptable bonds, when required, within ten (10) days after

the award of the contract, or within such further time as the Director may allow, shall be cause for the cancellation of the award and the forfeiture of the proposal guaranty. Award of the contract may then be made to the next lowest responsible bidder.

SECTION 4 - SCOPE OF WORK

4.1 WORK TO BE DONE - The work to be done is described in the Section(s) following Section 9 of these specifications.

4.2 PERFORMANCE OF WORK - The Contractor shall employ, so far as possible, such methods and means in carrying out his work so as not to cause any interruption, disturbance, or interference with the public.

In case the Contractor is performing work in a building, the Contractor shall conduct the work in such a manner so as not to cause any interruption, disturbance, or interference with the business activities of the tenants in the building.

4.3 EXTRA WORK - New and unforeseen items of work will be classed as extra work when they cannot be covered by any of the various items for which there is a bid price.

4.4 CHANGES AND CLAIMS FOR ADJUSTMENT

A. Change order. By a written order, at any time, and without notice to any surety, the procurement officer may, subject to all appropriate adjustments, make changes within the general scope of this contract in any one or more of the following:

1. Drawings, designs, or specifications, if the goods to be furnished are to be specially manufactured for the State in accordance therewith;
2. Method of shipment or packing;
3. Place of delivery;
4. Changes in the work within the scope of the contract; or
5. Changes in the time of performance of the contract that do not alter the scope of work.

B. Adjustments of price or time for performance. If any change order increases or decreases the contractor's cost of, or the time required for, performance of any part of the work under this contract, whether or not changed by the order, an adjustment shall be made and the contract modified in writing accordingly. Any adjustment in contract price made pursuant to this clause shall be determined in accordance with the price adjustment clause of this contract. Failure of the parties to agree to an adjustment shall not excuse the contractor from proceeding with the contract as changed, provided that the procurement officer promptly and duly make the provisional adjustments in payment or time for performance as may be reasonable. By proceeding with the work, the contractor shall not be deemed to have

prejudiced any claim for additional compensation, or an extension of time for completion.

C. Time period for claim. Within thirty (30) days after receipt of a written change order under subsection (a) unless the period is extended by the procurement officer in writing, the contractor shall file notice of intent to assert a claim for an adjustment. Later notification shall not bar the contractor's claim unless the State or county is prejudiced by the delay in notification.

D. Claim barred after final payment. No claim by the contractor for an adjustment hereunder shall be allowed if notice is not given prior to final payment under this contract.

E. Other claims not barred. In the absence of a change order, nothing in this clause shall be deemed to restrict the contractor's right to pursue a claim as under the contract or for breach of contract.

4.5 PRICE ADJUSTMENT

Any adjustment in contract price pursuant to a clause in this contract shall be made in one or more of the following ways:

A. By agreement on a fixed price adjustment before commencement of the pertinent performance or as soon thereafter as practicable;

B. By unit prices specified in the contract or subsequently agreed upon;

C. By the costs attributable to the event or situation covered by the clause, plus appropriate profit or fee, all as specified in the contract or subsequently agreed upon;

D. In such other manner as the parties may mutually agree; or

E. In the absence of agreement between the parties, by a unilateral determination by the procurement officer of the costs attributable to the event or situation covered by the clause, plus appropriate profit or fee, all as computed by the procurement officer in accordance with generally accepted accounting principles and applicable sections of chapters 3-123 and 3-126 of the Hawaii Administrative Rules.

4.6 VARIATION IN QUANTITY

Upon agreement of the parties, the quantity of goods or services or both specified in this contract may be increased by a maximum of ten (10) percent provided (1) the unit prices will remain the same except for any price adjustments otherwise applicable and (2) the procurement officer makes a written determination that such an increase will either be more economical than awarding another contract or that it would not be practical to award another contract.

SECTION 5 - CONTROL OF WORK

5.1 AUTHORITY OF DIRECTOR - The Director shall decide all questions which may arise as to the quality or acceptability of materials furnished and work performed; the manner of performance and rate of progress of the work; the compensation for work performed; the interpretation of the contract and the fulfillment of the contract on the part of the Contractor. The Director's decision shall be final and the Director shall have the authority to enforce any such decision and order which the Contractor fails to carry out promptly and diligently. The Director shall have the following powers in the way of enforcement:

- A. The right to suspend the work.
- B. The right to withhold payment due the Contractor.

5.2 COORDINATION OF PLANS, SPECIFICATIONS AND SPECIAL PROVISIONS - These specifications, the plans, special provisions, and all supplementary documents are essential parts of the contract, and a requirement occurring in one is as binding as though occurring in all. They are intended to describe and provide for the complete work.

5.3 COOPERATION OF CONTRACTOR AND DIRECTOR - The Contractor shall have available at the work site at all times, a copy of the specifications, special provisions and plans. The Contractor shall give the work constant attention to facilitate the progress thereof and shall cooperate with the Director in every way possible.

Before starting work on the project, the Contractor shall designate in writing a superintendent who shall have complete authority to represent and to act for the Contractor.

5.4 INSPECTION - The Director at all times shall have access to the work during its prosecution and shall be furnished with every reasonable facility for ascertaining that the materials and the workmanship are in accordance with the requirements and intentions of these specifications and special provisions. All work done and all materials furnished shall be subject to the Director's inspection and approval.

The inspection of the work shall not relieve the Contractor of any of its obligations to fulfill its contract as prescribed, and defective work shall be made good and unsuitable materials may be rejected, notwithstanding that such defective work and materials may have been previously overlooked by the Director and accepted or included in an estimate for payment.

Projects financed in whole or in part with Federal funds shall be subject to inspection at all times by representatives of the Federal agency involved.

5.5 REMOVAL OF DEFECTIVE AND UNAUTHORIZED WORK - All work which has been rejected shall be corrected or removed and replaced by the Contractor in an acceptable manner and no compensation will be allowed the Contractor for such correction or removal and replacement. Upon failure on the part of the Contractor to comply promptly with any order of the Director, the Director may cause any rejected work to be corrected or removed and replaced and to deduct the costs thereof from any monies due or to become due the Contractor.

5.6 CLAIMS AND DISPUTES - The Contractor may give notice in writing to the Director for claims that extra compensation, damages, or an extension of time for completion is due the Contractor for one or more of the following reasons:

- A. Requirements not clearly covered in the contract, or not ordered by the Director as extra work;
- B. Failure between the State and the Contractor to agree to an adjustment in price for a contract change order issued by the State; or
- C. An action or omission on the part of the Director requiring performance changes within the scope of the contract.

The Contractor shall continue with performance of the contract in compliance with the directions or orders of the procurement officer, but by so doing, the Contractor shall not be deemed to have prejudiced any claim for additional compensation, damages, or an extension of time for completion; provided:

- A. The notice in writing be given:
 - 1. Before the commencement of the work involved, if at that time the Contractor knows of such requirements or the occurrence of such actions or omissions; or
 - 2. Within thirty (30) calendar days after the Contractor knows of such requirements or the occurrence of such action or omission if the Contractor did not have such knowledge before the commencement of the work; or
 - 3. Within thirty (30) calendar days after receipt of the written contract change order that was not

agreed upon by both parties; or

4. Within such further time as may be allowed by the Director in writing.

B. The notice shall clearly state the Contractor's intention to make claim and the reasons why the Contractor believes that additional compensation, changes or an extension of time may be remedies to which the Contractor is entitled; and afford the Director every facility for keeping records of the actual cost of work. Failure on the part of the Contractor to give such notification or to afford the procurement officer proper facilities for keeping strict account of actual cost shall constitute waiver of the claim for such extra compensation. The filing of such notice by the Contractor and the keeping of costs by the procurement officer shall not in any way be construed to prove the validity of the claim.

The Director will review the notice and render a decision. The Director's decision shall be final and conclusive unless, within thirty (30) calendar days from the date of the decision, the Contractor mails or otherwise furnishes a written appeal to the Director. The decision of the Director shall be final. Later notification of such claims shall not bar the Contractor's claim unless the State is prejudiced by the delay in notification. No claim by the Contractor for an adjustment hereunder shall be allowed if notice is not given before final payment under this contract. Any adjustment in the contract price made pursuant to this clause shall be determined according to Section 4.5 - Price Adjustment.

The provisions of this Section shall not be construed as establishing any claims contrary to the terms of Section 4.4 - Changes and Claims for Adjustment.

Nothing herein contained, however, shall excuse the Contractor from compliance with any rules of law precluding any state officers and any Contractors from acting in collusion or bad faith in issuing or performing contract change orders which are clearly not within the scope of the contract.

SECTION 6 - CONTROL OF MATERIAL AND EQUIPMENT

6.1 DEFECTIVE MATERIALS - All materials not conforming to the requirements of these specifications or the special provisions shall be considered defective and all such materials, whether in place or not, shall be rejected. They shall be removed immediately from the site of the work, unless otherwise permitted by the Director. No rejected materials, the defects of which have been subsequently corrected, shall be used until approval in writing has been given by the Director. Upon failure on the part of the Contractor to comply promptly with any order to remove and replace defective materials, the Director may remove and replace defective material and to deduct the cost of removal and replacement from any monies due or to become due the Contractor.

6.2 TRADE NAMES AND ALTERNATES - For convenience in designation on the plans or in the specifications, certain equipment or articles or materials may be designated under a trade name or the name of a manufacturer and its information catalogue. The use of alternate equipment or an article or material which is of equal quality and of the required characteristics for the purposes intended will be permitted, subject to the written approval of the Director, in accordance with the following requirements:

A. QUALIFICATION BEFORE BID OPENING - When the specifications and/or plans specify one or more manufacturer's brand names of materials or equipment to indicate a quality, style, appearance, or performance, the bidder will be assumed to have based its bid on one of the specified named products, except where such proprietary product are specified, alternate brands may be qualified if found equal or better by the Director. Bidders requesting qualification of alternate proprietary products must submit a request to the Director for review and approval at the earliest date possible, but in any event, such request must be received at the Contracts office not later than ten (10) days before the bid opening date, not including the bid opening date.

It shall be the responsibility of the bidder to submit sufficient evidence based upon which a determination can be made by the Director that the alternate brand is qualified. The evidence shall be transmitted with a covering letter which shall list the evidence submitted and the items for which the substitution is requested.

If the evidence accompanying a request for substitution is insufficient to qualify a particular

model, the request shall be denied provided that further evidence may be submitted to qualify the item five (5) days prior to the bid opening date if the initial request was made prior to the deadline set above.

B. SUBSTITUTION AFTER BID OPENING - Substitution of material or equipment will not be allowed after the bid opening date except under the following unforeseen circumstances:

1. If a specified or pre qualified item is delayed by a lengthy strike in the factory or other unforeseeable contingency beyond the control of the Contractor which would cause an abnormal delay in the project completion.
2. If a specified or pre qualified item is found to be unusable due to change or other circumstances.
3. If the Contractor is willing to provide a more recently developed or manufactured item of material or equipment of the same manufacturer which the Director determines to be equal or better than the one specified or pre-qualified.

A substitution request, regardless of reason, shall be fully explained in writing by the Contractor and shall include its justification for said request, the quantities and unit prices involved, quotations and such other documents as are deemed necessary to support the request. Any savings in cost will accrue to the State and any additional cost for the substituted items will be paid by the Contractor.

The burden of proof as to the comparative quality and suitability of alternate equipment, articles, or materials shall be upon the bidder or Contractor and bidder or Contractor shall furnish, at its own expense, all information necessary or related thereto as required by the Director. The Director shall be the sole judge as to the comparative quality and suitability of alternate equipment, articles or materials and the Director's decisions shall be final.

The above shall not be construed to mean that substitution for brand name specified materials and equipment will be allowed; the Director reserves the right to deny any request he deems irregular or not in the best interest of the State.

6.3 ASSIGNMENT OF ANTITRUST CLAIMS FOR OVERCHARGES FOR GOODS AND MATERIALS PURCHASED

A. Vendor and purchaser recognize that in actual economic practice, overcharges resulting from antitrust violations are in fact usually borne by the purchaser. Therefore, vendor hereby assigns to purchaser any and all claims for such overcharges as to goods and materials purchased in connection with this order or contract, except as to overcharges which result from antitrust violations commencing after the price is established under this order or contract and which are not passed on to the purchaser under an escalation clause.

B. Contractor and owner recognize that in actual economic practice, overcharges resulting from antitrust violations are in fact usually borne by the owner. Therefore, contractor hereby assigns to owner any and all claims for such overcharges as to goods and materials purchased in connection with this order or contract, except as to overcharges which result from antitrust violations commencing after the price is established under this order or contract and any change order. In addition, contractor warrants and represents that each of its first tier suppliers and subcontractors shall assign any and all such claims to owner, subject to the aforementioned exception.

SECTION 7 - LEGAL RELATIONS AND RESPONSIBILITY

7.1 LAWS TO BE OBSERVED - The Contractor shall comply with all federal, state, city and county laws, ordinances, rules and regulations which in any manner affect those engaged or employed in the work, the materials used in the work, and the conduct of the work. Any reference to such laws, ordinances, rules and regulations shall include any amendments thereto effective as of the date of the call for sealed proposals.

The Contractor shall hold harmless, indemnify, defend and where appropriate, insure the State, its officers, agents and employees against any claim or liability arising from or based on the violation of any such laws, ordinances, rules or regulations. If any discrepancy or inconsistency is discovered in the contract for the work in relation to any law, ordinance, rule, regulation, order or decree, the Contractor shall forthwith report the same to the Director in writing.

7.2 PERMITS AND LICENSES - The Contractor shall procure all permits and licenses, pay all charges and fees, and give all notices necessary and incident to the due and lawful prosecution of the work.

7.3 PATENTS - The Contractor shall assume all costs arising from the use of patented materials, equipment, devices, or processes used on or incorporated in the work, and shall hold harmless, indemnify, defend and where appropriate, insure the State, its officers, agents and employees from all suits at law or actions of every nature, for or on account of the use of any patented materials, equipment, devices or processes.

7.4 RESPONSIBILITY FOR INJURY AND DAMAGE - The State, its officers, agents and employees shall not be held accountable in any manner for any loss or damage to the work or any part thereof, or for any of the materials and equipment used or employed in performing the work, or for any injury to any person or persons either workers or the public, or for any damage to property caused by the Contractor or its workers or any one employed by the Contractor. The Contractor shall be responsible for any liability imposed by law for any injury to any person or any damage to property resulting from defects or obstructions or from any cause whatsoever during the progress of the work or at any time before its completion and final acceptance. The acceptance of the completed work of the Contractor by the Director shall not relieve the Contractor from any liability which may have accrued or may accrue as a result of the performance of the work by the Contractor. The Contractor shall hold harmless, indemnify, defend and where appropriate, insure the State, its officers, agents and employees, from all suits or actions of every name, kind and description, brought for or on account of

any injuries or damages sustained by any persons or property caused by the Contractor, its servants or agents, or by or on account of any act or omission of the Contractor or its servants or agents, regardless of whether such actions or any claim is brought against them or any one of them before or after the final acceptance of the work. In addition to any remedy authorized by law, the State may withhold payment of any money due to Contractor as shall be reasonable until disposition has been made of any suits or claims for injuries or damages.

It is not the intention of the parties to this contract to make the public or any member thereof a third party beneficiary hereunder, or to authorize anyone not a party hereto to maintain a suit for personal injuries or property damage based on a contract theory of liability. In any event, the Contractor shall hold harmless, indemnify, defend and where appropriate, insure the State from suits and claims for personal injuries or property damage where such injuries or damage are caused by the negligent acts or omissions of the Contractor, its agents or employees.

7.5 COOPERATION BETWEEN CONTRACTORS - Where two or more Contractors are employed on related or adjacent work, each shall conduct its operations in such a manner as not to cause any unnecessary delay or hindrance to the other.

7.6 CONTRACTOR'S RESPONSIBILITY FOR WORK - Until the acceptance of the contract, the Contractor shall have the charge and care thereof and shall bear the risk of injury or damage to any part thereof by the action of the elements or from any other cause, whether arising from the execution or from the non-execution of the work. The Contractor shall rebuild, repair, restore, and make good all damages to any portion of the work occasioned by any of the above causes before its completion and acceptance and shall bear the expenses thereof.

7.7 NO PERSONAL LIABILITY - Neither the Director nor any other officer or authorized employee of the Department shall be personally responsible for any liability arising under the contract.

7.8 LABOR AND COMPENSATION REQUIREMENTS - Wages paid each laborer employed by the Contractor or any subcontractor shall not be less than the prevailing minimum wage rate prescribed by law.

Every laborer employed by the Contractor or any subcontractor whose rate of compensation is Five Dollars (\$5.00) or less per day shall be paid his wages weekly pursuant to Section 103-54, H.R.S.

The Contractor's attention is directed to Chapter 377, H.R.S., Hawaii Employment Relations Act; Chapter 378, H.R.S., Employment Practices; Chapter 383, H.R.S., Hawaii Employment Security Law; Chapter 386, H.R.S., Workers' Compensation Law; Chapter 387, H.R.S., Wage and Hour Law; Chapter 392, H.R.S., Temporary Disability Insurance; Chapter 393, H.R.S., Prepared Health Care Act; Chapter 396, H.R.S., Occupational Safety and Health; and Section 103-55, H.R.S., Wages, Hours, Working Conditions of Employees of Contractor's Supplying Services.

7.9 INSURANCE - Prior to commencing with the work, the Contractor shall, at its own expense, obtain and submit to the Department, Certificate of Insurance from an insurance company authorized by the laws of the State to issue such insurance in the State of Hawaii showing full policy coverage of the Contractor.

TYPES OF INSURANCE:

A. Workers' Compensation:

The Contractor shall obtain worker's compensation insurance for all persons whom they employ in carrying out the work under this contract. This insurance shall be in strict conformity with the requirements of the most current and applicable State of Hawaii Worker's Compensation Insurance laws in effect on the date of the execution of this contract and as modified during the duration of the contract. The minimum limit of liability for workers compensation is the HRS 386 statutory limit.

B. Comprehensive Automobile Liability:

The Contractor shall obtain Auto Liability Insurance covering all owned, non-owned and hired autos with a combined single Limit of not less than \$1,000,000 per accident for bodily injury and property damage with the State of Hawaii named as additional insured. The required limit of insurance may be provided by a single policy or with a combination of primary and excess

policies.

C. Commercial General Liability:

The Contractor shall obtain General Liability insurance with a limit of not less than \$1,000,000 per occurrence and in the aggregates. The General liability insurance shall include the State of Hawaii as an additional insured. The required limit of insurance may be provided by a single policy or with a combination of primary and excess policies.

All policies must provide that 30 days prior written notice of cancellation or material change in coverage be given to certificate holders stated above.

Such insurance when accepted by the Director in writing shall become applicable and shall remain unmodified throughout the entire term of the contract and in no event shall be terminated or otherwise allowed to lapse prior to written certification of final acceptance of the work by the State. Such insurance aforementioned shall cover the State for all work performed under the contract, all work performed incidental thereto or directly or indirectly connected therewith, including other work performed outside of the work area, and all change orders.

Any delay in the submission and approval of insurance certificates shall not be justification of or grounds for a request by the Contractor postponing the issuance of a notice to proceed notwithstanding the fact that the Contractor shall not be allowed to proceed with the work until said certificates are submitted and approved.

Failure to obtain insurance in accordance with the Section, on the part of the Contractor, shall be considered a major breach of the contract; and should the State be forced to expend funds which would have been covered under the insurance, the Contractor agrees to assume the liability for such funds and to indemnify and hold the State harmless.

SECTION 8 - PROSECUTION AND PROGRESS

8.1 NOTICE TO PROCEED - A "Notice to Proceed" letter will be written to the Contractor by the Director. Such letter will indicate the date the Contractor is to begin work and from which date the contract time will commence to run.

The Contractor shall diligently perform the required duties during the term of the contract, or if the work is to be completed within a specified time limit, the Contractor shall diligently prosecute the work to completion within the specified time limit.

8.2 SUBCONTRACTING - The Contractor shall give its personal attention to the fulfillment of the contract and shall keep the work under its control.

Subject to Section 103D-302, H.R.S., the Contractor may subcontract a portion of the work pursuant to the provisions of this section, but the Contractor shall be primarily responsible for the work so subcontracted. The Contractor shall not subcontract any work to any subcontractor who has been suspended by the State.

Before any work is started under a subcontract, the Contractor shall have the written approval of the Director on a written statement on forms furnished by the Department, indicating the work to be subcontracted, the names of the subcontractors and the description of each portion of the work to be so subcontracted and showing that the subcontractors are particularly experienced and equipped to do the work subcontracted. The Contractor shall give assurance that the minimum wage rate schedule as stated in the contract shall apply to labor performed on the work so subcontracted. Consent of the Director to the subcontracting of work shall not be construed to relieve the Contractor of any responsibility for the fulfillment of the contract.

When any portion of the work which has been subcontracted by the Contractor is not prosecuted in a manner satisfactory to the Director, the Contractor, upon receipt of a notice thereof in writing from the Director, shall remove the subcontractor immediately from the project and the subcontractor shall not again be employed on the work.

8.3 ASSIGNMENT OF CONTRACT - The performance of the contract may be assigned only with the prior written consent of the Director and when applicable, the Contractor's surety. Consent to any assignment shall not relieve the Contractor or the Contractor's surety of any obligations of the contract.

8.4 INSUBORDINATION - If any subcontractor or person employed by the Contractor shall fail or refuse to carry out the directions of the Director or shall appear to the Director to be incompetent or to act in a disorderly or improper manner, the subcontractor or person shall be removed immediately upon request by the Director and shall not again be employed on the work, nor shall it be employed upon any other Department project currently under contract to the same Contractor or subcontractor.

8.5 TEMPORARY SUSPENSION OF WORK

A. Order to stop work. The Director, may, by written order to the contractor, at any time, and without notice to any surety, require the contractor to stop all or any part of the work called for by this contract. This order shall be for a specified period not exceeding sixty (60) days after the order is delivered to the contractor, unless the parties agree to any further period. Any such order shall be identified specifically as a stop work order issued pursuant to this section. Upon receipt of such an order, the contractor shall forthwith comply with its terms and take all reasonable steps to minimize the occurrence of costs allocable to the work covered by the order during the period of work stoppage. Before the stop work order expires, or within any further period to which the parties shall have agreed, the Director shall either:

1. Cancel the stop work order; or
2. Terminate the work covered by such order as provided in the "termination for default clause" or the "termination for convenience clause" of this contract.

B. Cancellation or expiration of the order. If a stop work order issued under this section is canceled or if the period of the order or any extension thereof expires, the contractor shall have the right to resume work. An appropriate adjustment shall be made in the delivery schedule or contract price, or both, and the contract shall be modified in writing accordingly; if:

1. The stop work order results in an increase in the time required for, or in the contractor's cost properly allocable to, the performance of any part of this contract; and
2. The contractor asserts a claim for such an adjustment within thirty (30) days after the end of the period of work stoppage; provided that, if the Director decides that the facts justify such

action, any such claim asserted may be received and acted upon at any time prior to final payment under this contract.

C. Termination of stopped work. If a stop work order is not canceled and the work covered by such order is terminated for default or convenience, the reasonable costs resulting from the stop work order shall be allowable by adjustment or otherwise.

D. Adjustment of price. Any adjustment in contract price made pursuant to this clause shall be determined in accordance with the price adjustment clause of this contract.

8.6 LIQUIDATED DAMAGES - It is mutually understood and agreed by and between the parties to the contract that the performance by the Contractor of its duties every calendar/working day is an essential part of the contract and in case of failure on the part of the Contractor to perform its duties for the time specified in the contract, the State will be damaged thereby and the amounts of said damages being difficult, if not impossible of definite ascertainment and proof, shall be estimated, agreed upon and fixed at the sum shown in the proposal for each and every calendar/working day that the Contractor fails to perform its duties during the period the contract is in effect; and the Contractor shall pay the liquidated damages as provided for in the proposal and, in case the same are not paid, the Department may deduct the amount thereof from any monies due or that may become due the Contractor under the contract.

8.7 DEFAULT AND TERMINATION OF CONTRACT

A. Termination by Default. If the contractor refuses or fails to perform any of the provisions of this contract with such diligence as will ensure its completion within the time specified in this contract, or any extension thereof, otherwise fails to timely satisfy the contract provisions, or commits any other substantial breach of this contract, the Director may notify the contractor in writing of the delay or non-performance and if not cured in ten (10) days or any longer time specified in writing by the Director, such officer may terminate the contractor's right to proceed with the contract or such part of the contract as to which there has been delay or a failure to properly perform. In the event of termination in whole or in part the Director may procure similar goods or services in the manner and upon terms deemed appropriate by the Director. The contractor shall continue performance of the contract to the extent it is not terminated and shall be liable for excess costs incurred in procuring

similar goods or services.

1. Contractor's duties. Notwithstanding termination of the contract and subject to any directions from the Director, the contractor shall take timely, reasonable, and necessary action to protect and preserve property in the possession of the contractor in which the State or county has an interest.

2. Compensation. Payment for completed goods delivered and accepted by the State shall be at the contract price. Payment for the protection and preservation of property shall be in an amount agreed upon by the contractor and Director; if the parties fail to agree, the Director shall set an amount subject to the contractor's rights under chapter 3-126, HAR. The State may withhold from amounts due the contractor such sums as the Director deems to be necessary to protect the State against loss because of outstanding liens or claims of former lien holders and to reimburse the State for the excess costs incurred in procuring similar goods and services.

3. Excuse for nonperformance or delayed performance. Except with respect to defaults of subcontractors, the contractor shall not be in default by reason of any failure in performance of this contract in accordance with its terms, including any failure by the contractor to make progress in the prosecution of the work hereunder which endangers such performance, if the contractor has notified the Director within fifteen (15) days after the cause of the delay and the failure arises out of causes such as: acts of God; acts of the public enemy; acts of the State and any other governmental body in its sovereign or contractual capacity; fires; floods; epidemics; quarantine restrictions; strikes or other labor disputes; freight embargoes; or unusually severe weather. If the failure to perform is caused by the failure of a subcontractor to perform or to make progress, and if such failure arises out of causes similar to those set forth above, the contractor shall not be deemed to be in default, unless the goods or services to be furnished by the subcontractor were unreasonably obtained from other sources in sufficient time to permit the contractor to meet the contract requirements. Upon request of the contractor, the Director shall ascertain the facts and extent of such failure, and if such officer determines that any failure to perform was

occasioned by any one or more of the excusable causes, and that, but for the excusable cause, the contractor's progress and performance would have met the terms of the contract, the delivery schedule shall be revised accordingly, subject to the rights of the State under the clause entitled "Termination for Convenience". As used in this paragraph of this clause, the term "subcontractor" means subcontractor at any tier.

4. Erroneous termination for default. If, after notice of termination of the contractor's right to proceed under the provisions of this clause, it is determined for any reason that the contractor was not in default under the provisions of the clause, or that the delay was excusable under the provisions of paragraph 3 above, Excuse for nonperformance or delayed performance of this clause, the rights and obligations of the parties shall, if the contract contains a clause providing for termination for convenience of the State, be the same as if the notice of termination had been issued pursuant to such clause.

5. Additional rights and remedies. The rights and remedies provided in this clause are in addition to any other rights and remedies provided by law or under this contract.

B. Termination for convenience. The Director may, when the interests of the State so require, terminate this contract in whole or in part, for the convenience of the State. The Director shall give written notice of the termination to the contractor specifying the part of the contract terminated and when termination becomes effective.

1. Contractor's obligation. The contractor shall incur no further obligations in connection with the terminated work and on the dates set in the notice of termination the contractor will stop work to the extent specified. The contractor shall also terminate outstanding orders and subcontracts as they relate to the terminated work. The contractor shall settle the liabilities and claims arising out of the termination of subcontracts and orders connected with the terminated work. The Director may direct the contractor to assign the contractor's right, title, and interest under terminated orders or subcontracts to the State. The contractor must still complete the work not terminated by the notice of termination and may incur obligations as are necessary to do so.

2. Right to goods. The Director may require the contractor to transfer title and deliver to the State in the manner and to the extent directed by the Director:

- a. Any completed goods; and
- b. The partially completed goods and materials, parts, tools, dies, jigs, fixtures, plans, drawings, information, and contract rights hereinafter called "manufacturing material," as the contractor has specifically produced or specially acquired for the performance of the terminated part of this contract.

The Contractor shall, upon direction of the Director, protect and preserve property in the possession of the contractor in which the State has an interest. If the Director does not exercise this right, the contractor shall use the Contractor's best efforts to sell such goods and manufacturing materials. Use of this section in no way implies that the State has breached the contract by exercise of the termination for convenience clause.

3. Compensation:

- a. The Contractor shall submit a termination claim specifying the amounts due because of the termination for convenience together with cost or pricing data to the extent required by subchapter 15, chapter 3-122, HAR, bearing on such claim. If the Contractor fails to file a termination claim within one (1) year from the effective date of termination, the Director may pay the Contractor, if at all, an amount set in accordance with subparagraph c. below.
- b. The Director and the Contractor may agree to settlement provided the Contractor has filed a termination claim supported by cost or pricing data to the extent required by subchapter 15, chapter 3-122, HAR, and that the settlement does not exceed the total contract price plus settlement costs reduced by payments previously made by the State, the proceeds of any sales of goods and manufacturing materials under paragraph (2) of this clause, and the contract price of the work not terminated.

c. Absent complete agreement under subparagraph b above, the Director shall pay the Contractor the following amounts, provided payments agreed to under subparagraph b shall not duplicate payments under this subparagraph for the following:

(i) Contract prices for goods or services accepted under the contract;

(ii) Costs incurred in preparing to perform and performing the terminated portion of the work plus a fair and reasonable profit on such portion of the work, such profit shall not include anticipatory profit or consequential damages, less amounts paid or to be paid for accepted goods or services; provided that if it appears that the Contractor would have sustained a loss if the entire contract would have been completed, no profit shall be allowed or included and the amount of compensation shall be reduced to reflect the anticipated rate of loss;

(iii) Costs of settling and paying claims arising out of the termination of subcontracts or orders pursuant to paragraph 1 of this clause. These costs must not include costs paid in accordance with subparagraph (ii) above.

(iv) The reasonable settlement costs of the Contractor including accounting, legal, clerical, and other expenses reasonably necessary for the preparation of settlement claims and supporting data with respect to the terminated portion of the contract and for the termination of subcontracts thereunder, together with reasonable storage, transportation, and other costs incurred in connection with the protection or disposition of property allocable to the terminated portion of this contract. The total sum to be paid the Contractor under this subparagraph shall not exceed the total contract price plus the reasonable settlement cost of the Contractor reduced by the amount of payments otherwise made, the proceeds of any sales of supplies and manufacturing materials under subparagraph b of this paragraph, and the contract price of work not terminated.

d. Cost claimed, agreed to, or established under subparagraphs b and c shall be in accordance with chapter 3-123, HAR. bearing on such claim.

8.8 FINAL INSPECTION - Upon notice from the Contractor of the completion of the work or contract, the Director shall make an inspection. If the contract is found completed to the Director's satisfaction, such inspection shall constitute the final inspection and acceptance of the work.

If the work is unsatisfactory in whole or in part, the Director shall notify the Contractor of the work necessary for final completion and acceptance and the Contractor shall forthwith perform the work required by the Director. Upon performance of such required work by the Contractor, another inspection shall be made which shall constitute the final inspection if the work is completed satisfactorily.

Within ten (10) days after final inspection and acceptance of the work, or as soon thereafter as is practicable, the Contractor shall be notified by the Director in writing of such acceptance.

8.9 TERMINATION OF CONTRACTOR'S RESPONSIBILITY - The contract will be considered complete when all work has been completed, the final inspection made, the work accepted by the Director, and the final estimate paid. The Contractor will then be released from further obligation except as set forth in the contract and bond, when applicable.

SECTION 9 - PAYMENT

9.1 SCOPE OF PAYMENT - The Contractor's bid price shall be inclusive of all costs, direct or indirect, including all taxes, required for the fulfillment of the contract.

Contract payments to the Contractor by the State shall be full payment for the furnishing of all labor, tools, equipment, and other incidentals, including all taxes, necessary for performing all work and services contemplated and embraced under the contract.

9.2 RETAINAGE/DEDUCTION FROM PAYMENT - The Director may at any time retain or deduct out of any sums due the Contractor to cover claims of the State against the Contractor, or such sums sufficient to cover any unpaid claims of others supported by sworn statements filed in the office of the Director, without any liability for damages, interest or otherwise to the Contractor for such retention or deduction.

Provided the work of the Contractor is progressing satisfactorily in the judgment of the Director and in accordance with the provisions of this contract, monthly payments, less five percent (5%), will be made to the Contractor. The amount of such monthly payments shall be determined by the Director based on the Director's estimate of the items of work performed and materials incorporated in the work and the value therefor at the unit prices or lump sum prices set forth in the contract. All monthly payments are shall be subject to correction at any time prior to or in the final payment.

At any time after fifty per cent (50%) of the work has been completed, if the State determines that the work contracted to be performed is progressing satisfactorily, the State may make any of the remaining monthly payments in full.

If the Director finds that unsatisfactory progress is being made, the State may, from the beginning of such unsatisfactory progress, withhold any amount up to five per cent (5%) of any subsequent monthly payment.

9.3 ASSIGNMENT OF PAYMENTS - All monies payable under the contract, or any part thereof, shall be paid to the Contractor in accordance with the provisions of this Section and no assignment or order executed by the Contractor directing payment of any portion or all of such funds to any other person or persons shall be recognized by the State unless such assignment or order specifies the amounts to be so paid and the purposes for which the assignment or order is given. Such assignment or order shall have attached thereto, by endorsement or otherwise, the consent of the surety, when

applicable. No such assignment or order shall be binding on the State.

Any assignment of money shall, however, be subject to all proper set-offs in favor of the State, to all deductions provided for in the contract and to all liens and rights conferred by law on the State. All money withheld, whether assigned or not, shall be subject to being used by the State for the completion of the work in the event of the Contractor's default.

9.4 PROGRESS PAYMENTS - Payments under this contract shall be made only upon submission by the Contractor of an original invoice and 2 copies. The invoice shall specify the amount due less retainage and shall also certify that services requested under the contract have been performed by the Contractor according to the contract.

9.5 FINAL PAYMENT - Final payment will only be made after the Contractor receives final acceptance by the Director as provided in Section 8.8, and until the Contractor has filed with the Department the following:

A. Consent of the surety, when applicable, to payment of the final estimate;

B. Satisfactory evidence by affidavit that all debts resulting from the contract have been fully paid or satisfactorily secured;

C. A current "Certificate of Vendor Compliance" issued by the Hawaii Compliance Express (HCE). The Certificate of Vendor Compliance is used to certify the Contractor's compliance with (a) Section 103D-328, HRS (for all contracts \$25,000 or more) which requires a current tax clearance certificate issued by the Hawaii State Department of Taxation and the Internal Revenue Service; (b) Chapters 383, 386, 392, and 393, HRS; and (c) Subsection 103D-310(c), HRS. The State reserves the right to verify that compliance is current prior to the issuance of final payment. Contractors are advised that non-compliance status will result in final payment being withheld until compliance is attained.

The filing of willfully false affidavits will disqualify the Contractor from bidding on future work of the Department.

SECTION 10 - GENERAL REQUIREMENTS

10.1 GENERAL

All work is subject to the requirements of Sections 1 to 9 inclusive, and this Section 10. By submitting a proposal of the work included in this contract, the Contractor shall be deemed to have made such examination; and is therefore familiar with the required work scope of the Hazardous Material Abatement Services. See Section 11 for specific scope of work details.

10.2 CONTRACTOR QUALIFICATIONS

- A. Contractor Qualifications - At the time of bid opening, the Contractor shall have:
1. A valid State of Hawaii "C-19 Asbestos Contractor License";
 2. State of Hawaii Department of Health asbestos entity registration and activities certification;
 3. State of Hawaii Department of Health lead-based paint activities license;
 4. A valid State of Hawaii used oil transporter permit;
 5. Proper State of Hawaii Hazardous Materials endorsements for the transportation of hazardous materials and hazardous waste and appropriate Environmental Protection Agency (EPA) ID Number; and
 6. A minimum of five (5) years of successful experience performing hazardous material and hazardous waste release response, abatement, cleanup, repair, and disposal services.
 7. Contractor shall have a written Hazard Communication (HAZCOM) Program.
 8. Contractor shall have a written Medical Surveillance Program.
 9. Contractor shall have a written Respiratory Protection Program.
- B. Personnel Qualifications - Personnel shall have the following certifications in accordance with all applicable federal and state requirements:
1. Asbestos - Personnel shall have the appropriate State of Hawaii

Asbestos Activity Certifications (e.g., inspector, management planner, project designer, project monitor).

2. Mold - Personnel employed in the mold aspect of this job shall have appropriate mold abatement training.
 3. Lead - Personnel shall have the appropriate State of Hawaii Lead-Based Paint Activity Certifications and OSHA Lead Awareness Training (e.g., inspector, supervisor, risk assessor, project designer, abatement worker).
 4. Hazardous Waste - Personnel shall have appropriate Occupational Safety and Health initial and refresher Hazardous Waste Operations and Emergency Response training.
 5. Personnel that wear respirators must be medically fit to wear a respirator.
- C. Within three (3) working days after bid due date, all prospective bidders are to E-mail State Project Manager their licenses, certifications, and documented experience. Falsification of personnel qualifications will constitute a major breach of this contract.

10.3 COORDINATION OF WORK

- A. All work under this contract shall be coordinated with the State's Airport Engineer, or their duly authorized representative.
- B. The services by a foreperson of any other Contractor's personnel to the mechanics in performing their work shall be considered as incidental costs to the Contractor and included in the Contractor's hourly bid rate for regular working hours trouble calls. No separate payment shall be made.
- C. Upon award of the contract, the Contractor shall submit to the Airports Manager and Engineer, for their approval a readily accessible telephone number, for a single point of contact (answering service, etc.) through which the Contractor can be notified of any situation requiring his attention, any day of the year, 24 hours a day.

10.4 HOURS OF SERVICE

- A. Normal working days, shall be between 7:00 a.m. and 4:30 p.m., Monday through Friday, State holidays excepted, and shall be coordinated with the Engineer resulting in the least disruption of

airport operations.

- B. The actual scope of work for each Job shall be determined by the Engineer. The Contractor shall be available to discuss Jobs and associated scope of work with the Engineer within forty-eight (48) hours after being notified by the Engineer that the Contractor's services are required. Each Job requested by the Engineer shall be for a minimum of 4-man hours.

10.5 CONTRACTOR QUALITY CONTROL PROGRAM

- A. The Contractor shall establish, provide, and maintain an effective Quality Control Program that details the methods and procedures that will be taken to assure that all services required by this contract conform to these specifications and other requirements, whether performed by the Contractor, or procured from subcontractors or vendors. The Contractor shall assume full responsibility for accomplishing the stated purpose.
- B. The Contractor's Quality Control Program shall be implemented by the establishment of a separate quality control organization that is not a part of the production organization. An organizational chart shall be developed to show all quality control personnel and how these personnel integrate with other management/production and construction functions and personnel. The organizational chart shall identify all quality control staff by name and function and shall indicate the total staff required to implement all elements of the Quality Control Program, including inspection and testing for each item of work. At the top of the chart, an overall Contractor Quality Control System Manager (CQCSM), shall be named and his/her subordinates shall follow thereafter. Engineer shall be for a minimum of 4-man hours.

The CQCSM shall demonstrate experience/education with the hazardous materials/waste, and environmental regulations. The regulations shall include but not limited to:

- Clean Water Act (CWA)
- Emergency Planning and Community Right-To-Know Act (EPCRA)
- Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)

- Federal Department of Transportation (FDOT)
- OSHA
- Resource Conservation and Recovery Act (RCRA)
- Toxic Substances Control Act (TSCA)

10.6 INSPECTION AND CORRECTION OF DEFECTS

- A. All services performed and materials furnished by the Contractor under this contract shall be subject to inspection and test by the Engineer to the extent practicable at all times (including the period of performance) and places, and in any event prior to the acceptance. All inspections and tests required by the Engineer shall be performed in such a manner that will not unduly delay or interrupt the Contractor's work.
- B. At any time during performance of this contract, but not later than six (6) months after acceptance of the services or materials incorporated in accordance with the requirements of this contract, the Engineer may require the Contractor to remedy by correction or replacement, any services or materials which have failed to comply with the requirements of this contract.

10.7 ADVISORY SERVICES AND SUBCONTRACTORS

All advisory services by a foreperson of any other Contractor's personnel to the mechanics in performing their work shall be considered as incidental costs to the Contractor and included in the Contractor's hourly bid rate for regular working hours trouble calls. No separate payment shall be made.

All specifications and hourly bid rates for repair work under this contract shall be applicable to electrical, sheet metal, machinist, controls, chemical, insulation, and other subcontractor(s) should their services be required.

10.8 REPORTS

- A. Two (2) copies of typewritten final reports for each Job shall be submitted to the Engineer within twenty (20) days of completion of the Job. At a minimum, the reports shall include the following:
 - 1. The location and scope of work for the Job;
 - 2. A description of work procedures performed;

3. A description of material removed and estimated quantity;
4. All sampling and testing results;
5. Waste handling procedures;
6. Copies of all required notifications; and
7. Waste disposal manifest and receipts.

10.9 BASIS OF MEASUREMENT AND PAYMENT

- A. All work will be made through purchase orders placed with the Contractor during the contract period for which payment will be based on the unit bid prices in the proposal schedule and as described herein.
- B. The Engineer will request an itemized proposal from the Contractor to perform the work in writing. The State will pay the contractor based on the unit prices set forth in the Proposal Schedule according to the State's determination of the actual quantities of work performed and materials furnished.
- C. The amount paid will be according to the proposal and shall be full compensation for all materials, tools, equipment, and all other incidentals necessary to complete the desired work.
- D. Labor will be measured by the contractor by maintaining a log of hours on site which will be verified by the State. The number of hours shall be taken to the nearest full half hour on site and any fraction of one-half of an hour shall be considered a full one-half hour. The amount paid will be according to the Proposal Schedule and shall be full compensation for the work including all incidentals to complete the work.
- E. Additional charges by the Contractor for overhead, coordination, profit, insurances and other incidental expenses shall not be allowed. These shall be included in the Contractor's unit bid price.
- F. The Contractor shall be paid for materials and other reimbursable costs not covered under any specific provisions of this contract, as determined by the Engineer, for the cost of the materials excluding taxes, plus 25% for overhead, profit, taxes and other incidental expenses. Contractor shall substantiate these charges by submitting original invoices paid.
- G. Reimbursable costs shall be pre-approved in writing by the State prior to start of work. Expenses incurred by the Contractor, including but not limited to the following items and travel expenses, shall be paid for on a force account basis.

- H. All reimbursable costs shall be pre-approved in writing by the State and shall be actual costs incurred by the Contractor and supported by appropriate receipts, expenses accounts, and other invoices and by a brief statement as to the purpose sought and/or accomplished by such expenses. The Contractor shall be paid for expenses incurred at actual cost, excluding taxes, plus 25% for overhead, profit, taxes and other incidental expenses. Any reimbursable expenses not supported by the appropriate receipts and/or invoices will not be considered for reimbursement.
- I. Travel expenses (airfare, lodging, car rental, and per diem), if necessary, shall be limited to travel costs directly related to the work under this Agreement and shall be subject to prior written approval by the State. Per diem shall not exceed the State per diem rate. Included in the per diem rate is an allowance for commercial lodging. Whenever the commercial lodging costs exceed the lodging allowance, the Contractor may be entitled to an additional amount added to the per diem.
- J. The State shall withhold payment on any invoice missing any reports, certifications, checklists and/or proper documentation. All documentation shall be in the proper format in order for processing to proceed.
- K. The State also reserves the right to withhold payment on any invoice if it has been determined that the performance is not in compliance with these specifications, up to standard, and/or if work has not been completed to the satisfaction of the State.

10.10 TERM OF CONTRACT

The term of this contract shall be for a twelve (12) month period commencing upon the date stated in Notice to Proceed from the State, unless renewed as provided below.

Subject to the satisfactory performance of the Contractor and the availability of State appropriations, this contract may be extended for TWO (2) ADDITIONAL twelve (12) month periods, at the option of the State provided:

- A. The option to extend is exercised by the State, prior to the expiration of the term of the existing contract.
- B. The contract may be extended for TWO (2) additional twelve (12) month periods without the necessity for rebidding, upon mutual agreement in writing to extend by the State and Contractor.
- C. The total term of the contract, including any and all extensions, shall not exceed THIRTY-SIX (36) MONTHS.
- D. Compensation to the Contractor for each renewal period shall be based on

the unit prices as bid in the Proposal Schedule of the original contract with no adjustments.

The Contractor may submit a bid in response to such solicitation of bids upon compliance with the applicable requirements.

**SECTION 11 - HAZARDOUS MATERIAL AND HAZARDOUS WASTE RELEASE RESPONSE,
ABATEMENT, REPAIR, CLEANUP, AND DISPOSAL**

11.1 GENERAL

The Contractor shall provide supervision, labor, equipment, materials, tools, and incidentals necessary to provide hazardous material and hazardous waste release response, abatement, repair, cleanup, and disposal services in accordance with these specifications. Emphasis will be placed on asbestos and mold; however, hazardous materials and hazardous waste may also include but not be limited to lead; routine and emergent POL, paints, mercury, PCBs, infectious waste, water/wastewater, used oil, pesticides, herbicides and insecticides response actions. Repair shall include restoring to "like conditions pre-abatement efforts." By submitting a proposal for the work included in this contract, the Contractor shall be deemed to have made such examination; and is therefore familiar with the required work scope, and shall provide documentation validating this capability as part of the response to the solicitation.

11.2 ACRONYMS

ACM	Asbestos-Containing Material
AMP	Asbestos Management Program
ANSI	American National Standards Institute
ASTM	American Society for Testing and Materials
CFR	Code of Federal Regulation
CWA	Clean Water Act
EMS	Environmental Management System
EPA	Environmental Protection Agency
EPCRA	Emergency Planning And Community Right-To-Know Act
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
FDOT	Federal Department of Transportation
FMCSA	Federal Motor Carrier Safety Administration
HAR	Hawaii Administrative Rule
HAZCOM	Hazard Communication
HAZWOPER	Hazardous Waste Operation and Emergency Response
HEER	Hazard Evaluation and Emergency Response Office
HDOH	State of Hawaii Department of Health
HDOT	State of Hawaii Department of Transportation

HDOT-AIR	State of Hawaii Department of Transportation Airports Division
HEPA	High-Efficiency Particulate Air
HIOSH	State of Hawaii Occupational Safety and Health
NIOSH	National Institute for Occupational Safety and Health
O&M	Operations and Maintenance
OSHA	Occupational Safety and Health Administration
PCBs	Polychlorinated Biphenyls
PEL	Permissible Exposure Limit
POL	Petroleum, Oil, Lubricants
PVC	Polyvinyl Chloride
RCRA	Resource Conservation and Recovery Act
TGM	Technical Guidance Manual
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average

11.3 SPECIAL PERSONNEL SKILLS AND QUALIFICATIONS

A. Documentation – Prospective bidders must be able to produce documented experience records, certifications, licenses, programs, and training to substantiate their claims per subsections 10.5.A and 10.5.B, herein above when requested by the State. Falsification and/or failure to meet all requirements above shall constitute a breach of this contract resulting in immediate termination of the contract or will be grounds to reject a bid offer.

11.4 STANDARDS, GUIDELINES, AND REFERENCES

A. All work shall be conducted in accordance with applicable federal, state, and local regulations, standards, codes, and guidelines including but not limited to the following:

- EPA
- OSHA
- NIOSH
- FMCSA
- HIOSH
- HDOH

- HDOT
- HDOH HEER TGM
- HDOT-AIR EMS
- HDOT AMP
- HDOT Asbestos O&M Plans
- HAR 11-501, Asbestos Requirements
- HAR 11-503, Fees for Asbestos Removal and Certification
- HAR 11-504, Asbestos Abatement Certification Program
- HAR 12-8-2, General Industry Standards
- AR 12-8-3, Construction Standards
- HAR 12-8-8, Health Standards
- HAR 12-145.1, Asbestos Construction Standards
- HAR 12-206, Asbestos Health Standards
- HAR 11-451, Hawaii State Contingency Plan
- 29 CFR 1910.134, Respiratory Protection
- 29 CFR 1910.1001, Asbestos
- 29 CFR 1910.1020, Access to Employee Exposure and Medical Records
- 29 CFR 1910.1200, Hazard Communication
- 29 CFR 1910.20, Hazardous Waste Operations and Emergency Response
- 29 CFR 1926.59, Hazard Communication
- 29 CFR 1926.62, Lead
- 29 CFR 1926.65, Hazardous Waste Operations and Emergency Response
- 29 CFR 1926.103, Respirator Protection
- 29 CFR 1926 Subpart G, Signs, Signals, and Barricades
- 29 CFR 1926 Subpart L, Scaffolds

- 29 CFR 1926 Subpart M, Fall Protection
 - 29 CFR 1926 Subpart T, Demolition
 - 29 CFR 1926 Subpart X, Stairways and Ladders
 - 29 CFR 1926.1101, Asbestos
 - 40 CFR 61 Subpart A and M, National Emissions Standards for Asbestos
 - 40 CFR Subchapter R, Toxic Substance Control Act
 - 40 CFR 112 Oil Pollution Prevention
 - 40 CFR 122 National Pollutant Discharge Elimination System
 - 40 CFR 403 General Pretreatment Regulations
 - 40 CFR Subchapter E Pesticide Programs
 - 40 CFR Subchapter I Solid Waste
 - 40 CFR Subchapter R Toxic Substances Control Act
 - 40 CFR 763 Asbestos
 - 49 CFR 172 Hazardous Materials Table, Special Provisions, Hazardous Materials Communications, Emergency Response Information, Training Requirements, and Security Plans
 - ANSI Z88, Practice for Respiratory Protection
- B. Where conflict or any inconsistency among requirements with this specification exists, the more stringent requirements shall apply. Ignorance of the above requirements or of any applicable federal, state, or local regulations, standards, codes, or guidance resulting in additional cost to the Contractor shall not be paid by the State.

11.5 SCOPE OF WORK

The scope of work includes providing hazardous material and hazardous waste release response, abatement, cleanup, and disposal services for HDOT-AIR at the following 4 Districts in Hawaii:

1. Oahu District
 - a. Daniel K. Inouye International Airport (HNL);
 - b. Kawaihapai Airfield (HDH);

- c. Kalaeloa Airport (JRF)
- 2. Maui District
 - a. Kahului Airport (OGG);
 - b. Kapalua Airport (JHM);
 - c. Lanai Airport (LNY);
 - d. Molokai Airport (MKK);
 - e. Hana Airport (HNM)
- 3. Kauai District
 - a. Lihue Airport (LIH)
- 4. Hawaii District
 - a. Hilo International Airport (ITO);
 - b. Ellison Onizuka Kona International Airport (KOA);
 - c. Waimea-Kohala Airport (MUE)

A. Asbestos - HDOT-AIR manages asbestos under a Division-Wide AMP. Per the AMP, each HDOT-AIR facility with ACM operates under a Site-Specific Asbestos O&M Plan. As part of general repair and maintenance work at the airports, disturbance or removal of ACM is required (e.g., repairing plumbing above ceiling or in walls). HDOT-AIR personnel are not authorized or trained to perform asbestos disturbance work. Per this Contract, the Contractor will be required, on an as-needed basis, to perform asbestos disturbance work including asbestos abatement, cleanup, and disposal. Upon Notice to Proceed, the Contractor shall become familiar with the HDOT-AIR AMP and Site-Specific O&M Plans.

- 1. General Requirements:
 - a. Protection of all on-site personnel and visitors from work being performed.
 - b. Set-up and erection of barriers, posting of signs, securing work areas and occupied areas.
 - c. Erection of decontamination units.
 - d. Establishment of "Regulated Areas." Isolation of the work area from the rest of the building.
 - e. Proper packaging, onsite storage and removal of ACM and waste.
 - f. Air monitoring.
 - g. Disposal of ACM at an approved disposal site.
 - h. Clean-up of asbestos work areas.

- i. The Contractor shall obtain the services of an independent air monitoring firm and shall pay for all sampling and analysis services called for in this Section.
2. Pre-Work Submittals:
 - a. As needed, submit "Notification of Demolition and Renovation" form to all applicable federal and state regulatory agencies (e.g., HDOH, Indoor and Radiological Branch, Asbestos Section). Copies of the submittal shall be submitted to the HDOT-AIR Construction Engineer and Division Asbestos Program Manager.
 - b. Work Plan: As needed, submit a Work Plan describing work procedures and illustrating locations for equipment to the HDOT-AIR Construction Engineer, Division Asbestos Program Manager, and the required federal and state regulatory agencies no fewer than 10 working days before commencement of asbestos work. The plan must be written and signed by a HDOH-Certified Asbestos Project Designer.
 - c. Respiratory Protection Program and Equipment: As needed, submit a written program meeting the requirements of 29 CFR 1926.103 to the required federal and state regulatory agencies no fewer than 10 working days before commencement of asbestos work.
 3. Post-Work Submittals:
 - a. Entry Log: Maintain a log of all personnel other than the Contractor's employees and agents who enter the work area while asbestos work is in progress until after final clearance is received. At a minimum, the log shall contain the following information. Copies shall be submitted to the HDOT-AIR Construction Engineer and Division Asbestos Program Manager within 10 days following completion of the work.
 - o Date of visit
 - o Visitor's name, employer, business address, and telephone number
 - o Time of entry and exit from workarea
 - o Purpose of visit
 - o Type of protective clothing and respirator worn
 - o Certificate of release signed and filed with the contractor
 - b. Daily Field Logs: Submit daily field logs within 10 days following completion of the work to the HDOT-AIR Construction Engineer and Division Asbestos Program Manager.

- c. **Waste Disposal: Waste Shipment Records:** Submit copies of asbestos waste shipment records, trip tickets, and disposal receipts for all asbestos-containing waste materials removed from the work area 10 days following completion of the work to the HDOT Construction Engineer and Division Asbestos Program Manager.
 - d. **Final Clearance Report:** Submit final clearance report within 10 working days of receipt of air clearance testing results to the HDOT Construction Engineer and Division Asbestos Program Manager. Final clearance report shall include air clearance sample results, laboratory report, visual inspection documentation, and certification by a HDOH certified Project Monitor.
4. **Materials:**
- a. The Contractor shall ensure that all materials and equipment used for this project are asbestos-free.
 - b. **Plastic Sheeting:** Minimum thickness is 6-mil polyethylene film.
 - c. **Plastic Bags:** Minimum thickness is 6-mil polyethylene.
 - d. **Tapes:** Tapes shall be capable of sealing joints of adjacent sheets of polyethylene and for attaching polyethylene sheets to finished or unfinished surfaces of dissimilar materials and capable of adhering under both dry and wet conditions, including the use of amended water.
 - e. **Adhesives:** Adhesives shall be capable of sealing lapped sheets of polyethylene together or to finished or unfinished surfaces of dissimilar materials. Adhesives shall adhere under both dry and wet conditions.
 - f. **Surfactant: (Wetting Agent):** 50 percent polyoxyethylene ester and 50 percent polyoxyethylene ether, or equivalent, and shall be mixed with water to provide a concentration of one ounce, or more as needed, of surfactant to 5 gallons of water. An equivalent surfactant shall be understood to mean material with a surface tension of 29 dynes/cm as tested in its properly mixed concentration, using ASTM Method D 1331-56 (R 1980), "Surface and Interfacial Tension of Solutions of Surface-Active Agents."
 - g. **Warning Labels and Signs:** As required by HDOH, EPA, HIOSH, and OSHA regulations. The generator's name and address must be attached to bagged or wrapped asbestos-containing waste debris.

- h. **Other Materials:** Provide all other materials, such as, but not limited to lumber, plywood, nails, fasteners, metal studs, hardware, sealants, and caulking which may be required to properly prepare and complete this project.
- i. **Tools and Equipment:** HEPA vacuum and air purifying unit. Use of suitable tools for the proposed asbestos work procedures.
- j. **Water Sprayer:** Airless or a pressure sprayer for amended water application, as applicable.

5. Personal Protective Equipment:

- a. The Contractor acknowledges that it is their responsibility for implementing personal protection requirements and that these specifications provide only a minimum acceptable standard.
- b. Provide workers with personally-issued and marked respiratory equipment approved by NIOSH and accepted by OSHA and HIOSH. All work related to the removal, wrapping, bagging, and cleaning of ACM shall be performed in NIOSH-approved half-face respirators equipped with HEPA cartridges (as a minimum).
- c. Workers loading and unloading asbestos debris at the project site and disposal site shall wear NIOSH-approved respirators equipped with HEPA cartridges.
- d. No bearded or unshaven person(s) shall be allowed on site to perform asbestos work.
- e. Provide workers with sufficient sets of disposable protective full body clothing consisting of material impenetrable by asbestos fibers and of the proper size for each individual to accommodate movement without tearing. Such clothing shall consist of full body coveralls, footwear, gloves and headgear. Provide hard hats, eye protection, and hearing protection as required by applicable safety regulations. Disposable clothing shall not be allowed to accumulate and shall be disposed of daily as asbestos-contaminated waste. Protective clothing shall be worn by all personnel within the work area from the start of the removal work until the work area has received its final clearance.
- f. No visitors shall be allowed in work areas, except as authorized by the HDOT-AIR Construction Engineer and Division Asbestos Manager. Provide authorized visitors with suitable disposable protective full body clothing consisting of

asbestos-impenetrable material of the proper size to accommodate movement without tearing. Such clothing shall consist of full body coveralls, shoes with shoe covers, gloves, and headgear, including hard hats, eye protection, hearing protection. The Contractor shall include in their bid the expense of a total of 2 changes of clothing per day for each day of asbestos work for visitor's use. The quantity shall accumulate and may be used at any time during asbestos work at the discretion of the Construction Engineer.

- g. Additional safety equipment (e.g., hardhats meeting the requirements of ANSI Z89.1, eye protection meeting the requirements of ANSI Z87.1, safety shoe covering meeting the requirements of ANSI Z41.1, appropriate gloves), shall be provided to all workers and authorized visitors as needed.

6. Execution:

a. Work Area Preparation

- o Step 1: Post signs in and around the work area to comply with federal and state requirements. Signs shall be posted at a distance sufficiently far from the work area to permit the reader to take the necessary protective measures to avoid exposure. As needed, seal all windows, doors, and openings to the regulated work area with plastic sheeting. The plastic sheeting shall remain in place for the duration of the asbestos abatement work.
- o Step 2: Existing domestic water service to the work area may be used during work.
- o Step 3: Ensure that:
 - Pre-construction submissions, notifications, postings, and permits have been provided and are satisfactory to the HDOT-AIR Construction Engineer and Division Asbestos Program Manager.
 - All equipment for asbestos work, clean-up, and disposal are on hand.
 - All worker training and certification is completed, the competent person for the asbestos removal is designated, and certifications for worker training are provided to the HDOT-AIR Construction Engineer and Division Asbestos Program Manager. No work shall be performed unless the designated competent person is onsite.
 - Work shall not start until the Contractor receives written permission from

- the HDOT-AIR Construction Engineer to commence asbestos work.
- b. Asbestos Fiber Concentrations in the Work Area: The TWA maximum permissible exposure to airborne concentrations of asbestos fibers within the controlled work area when under respiratory protection shall be 0.1 fibers per cubic centimeter in accordance with HIOSH 12-145.1. The work shall stop whenever these limits are exceeded and the Contractor shall remedy the condition prior to commencing the work. The expense resulting from the delays shall be the Contractor's responsibility and shall not be paid by the HDOT.
 - c. Removal and Repair of Asbestos-Containing Materials:
 - o Workers performing removal and repair work shall wear appropriate personal protection in accordance with federal and state requirements.
 - o Clean and adequately wet ACM in place with amended water.
 - o The Contractor at all times shall utilize "wet methods" when removing, bagging, and disposing of asbestos materials to maintain a wet condition and to minimize asbestos fibers and dispersion.
 - o Dispose of the removed ACM and workers' protective clothing as asbestos-contaminated waste in accordance with applicable federal and state requirements.
 - d. Disposal of ACM and Asbestos-Contaminated Waste (Solid and/or Liquid):
 - o All disposal-related documentation should be provided to the HDOT-Air Construction Engineering and Division Asbestos Program Manager for review and comment before any regulated waste materials leave the project site.
 - o As the work progresses and waste is generated, the Contractor shall transport to the authorized disposal site all waste generated each day, unless specifically approved by the Construction Engineer to delay a disposal operation for one day. The Contractor shall transport all waste to the pre-designated disposal site in accordance with EPA regulations.
 - o ACM and contaminated material shall be adequately wetted and double wrapped in 6-mil thick polyethylene or double-bagged (6-mil thick plastic bag) with OSHA label prescribed in accordance with 29 CFR 1910.1001(j)(5). The outside of all containers shall be clean before leaving the work area. A label

with the name of the waste generator and location from which the waste was generated shall be clearly indicated on the outside of the wrap or bag.

- Vehicles used for transporting waste to the disposal site shall bear warning signs and markings in accordance with federal and state requirements. At the conclusion of the asbestos work vehicle compartments shall be wet-cleaned and HEPA-vacuumed in order to eliminate all debris.
 - Workers unloading bags at the disposal sites shall be dressed in full body protective clothing and dual cartridge respirators with HEPA filters.
 - Waste disposal shipment records shall be properly completed to assure custody and disposal of all ACM and asbestos-contaminated waste at an approved disposal site. Asbestos waste disposal forms shall be kept on file as directed by the HDOT-AIR Construction Engineer with copies submitted to the HDOT-AIR Construction Engineer and Division Asbestos Program Manager the next working day after each trip.
 - Bagged and/or wrapped waste must be placed, not dropped, at the site of burial. Dumping of bags from the containers or truck will not be allowed.
 - All expenses for waste disposal shall be the complete responsibility of the Contractor. The Contractor shall schedule waste disposal with the waste disposal facility at least 24 hours prior to waste disposal delivery.
- e. Cleaning of the Work Area:
- Remove asbestos work signage.
 - Completely remove all protective covering used to protect the work area.
 - All contaminated equipment and tools used for removal and repair work shall be wrapped in two layers of 6-mil polyethylene sheets prior to removal from the work area. No washing of contaminated equipment and tools will be allowed at the project site.
 - Restore existing facilities to their original condition as approved by the Construction Engineer.

f. Protection:

- Entry into the regulated area during disturbance of ACM is restricted to authorized, trained, certified, and protected personnel. These may include the Contractor's employees, employees of subcontractors, the HDOT-AIR Construction Engineer and his representatives, State and local inspectors, and any other designated individuals. A list of authorized personnel shall be established prior to job start.
- No unauthorized individual shall be allowed to enter a regulated area.
- A Entry Log shall be maintained.
- The Contractor shall be solely responsible for security of the work area and in proximity of Contractor's equipment and materials.

7. Testing and Monitoring

- a. The Contractor shall obtain the services of an independent HDOH certified Project Monitor and shall pay for all sampling and analytical services called for in this section.
- b. Air Testing: Shall be performed by an independent air monitoring and testing firm retained by the Contractor. Payment to the testing laboratory shall be by the Contractor. Any air monitoring and testing required of or initiated by the Contractor, shall be paid for by the Contractor and shall be included in the contract amount. Final clearance of the work area shall be performed by visual inspection and sampling.
- c. All work performed by said air monitoring and testing firm shall be under the supervision of a HDOH certified Project Monitor.
- d. Throughout the entire removal and cleaning operations, air monitoring shall be conducted to ensure that the Contractor is complying with this specification, EPA and OSHA regulations, and any applicable federal and state regulations. The purpose of the independent air monitoring firm's work will be to clear the work place after final cleaning of the work area, and to detect faults in the work area such as:
 - Contamination outside the work area with airborne asbestos fibers.
 - Excessive concentration for airborne asbestos fibers. The Contractor shall ensure that no one is exposed to an airborne concentration of asbestos in

excess of 1.0 fiber per cubic centimeter of air as averaged over a sampling period of 30 minutes.

- e. Air monitoring shall be conducted according to the method prescribed by 29 CFR 1926.1101 Appendix A of the OSHA regulations and the most current NIOSH 7400 Method, in addition to the following requirements:
 - o **Monitoring Prior to Actual Removal:** The Contractor will provide area monitoring and establish the background fiber level one day prior to the disturbance of ACM. A minimum of three samples will be taken.
 - o **Monitoring During Asbestos Removal:** The Contractor will provide personal and area monitoring to establish the TWA during disturbance of asbestos. If monitoring inside or outside of the asbestos work area shows that airborne asbestos fiber concentrations exceed background fiber levels, stop all work, notify the HDOT-AIR Construction Engineer immediately, correct the condition(s) causing the increase, and get the HDOT-AIR Construction Engineer's approval prior to restarting the work.
 - o **Fibers Counted:** Airborne fibers referred to herein include all fibers regardless of composition as counted in the NIOSH 7400 Method.
 - o **Personal Monitoring:** The Contractor shall perform air monitoring as required to meet OSHA and HIOSH requirements.
 - o **Monitoring Results:** Air sample analyses shall be completed and results reviewed within a maximum of 16 hours after sample acquisition. The HDOT-AIR Construction Engineer or Division Asbestos Program Manager shall, however, have the right to request monitoring results within any reasonable time period. The Contractor shall notify the HDOT-AIR Construction Engineer immediately of any exposures to asbestos fibers in excess of the PEL. The testing laboratory shall submit all certified monitoring results to the HDOT-AIR Construction Engineer within one work day.
 - o **The HDOH certified Project Monitor** will insure that the applicable specifications are being followed using the methods and requirements of the applicable scope of work and work plan, and shall have the authority to exercise engineering control during the project.

- As a minimum, follow the requirements of EPA, HDOH, HIOSH, OSHA, and NIOSH. Take all cautions necessary to ensure there is no asbestos contamination of areas not included in the work area.
- The Contractor shall provide and install protective covering on an "as required" or "upon request by the HDOT-AIR Construction Engineer or Division Asbestos Program Manager" basis. Protective covering shall be clean plastic sheeting.
- The Contractor shall take whatever steps may be necessary to safeguard his work and also the property of the Department of Transportation and other individuals in the vicinity of his work area during the execution of this Contract. He shall be responsible for and make good on any and all damages caused by his or his employees' negligence. No structure will be loaded such that the weight of the load will endanger the structure.

B. Mold - The Contractor will be required, on an as-needed basis, to perform mold abatement, cleanup, repair and disposal. Upon Notice to Proceed, the Contractor shall become familiar with the HDOT-AIR EMS.

1. General Requirements:

- a. Protection of all on-site personnel and visitors from work being performed.
- b. Set-up and erection of barriers, posting of signs, securing work areas and occupied areas.
- c. Erection of decontamination units.
- d. Isolation of the work area from the rest of the building.
- e. Removal of mold and mold-contaminated materials.
- f. Air monitoring (as needed).
- g. Disposal of mold and mold-contaminated materials at an approved disposal site.
- h. Clean-up of work areas.
- i. The Contractor shall obtain the services of an independent air monitoring firm and shall pay for all sampling and analysis services called for in this Section.

2. Post-Work Submittals:

- a. Entry Log: Maintain a log of all personnel other than the Contractor's employees and agents who enter the work area while mold abatement, cleanup, and repair work is in progress until after final clearance is received. At a minimum, the log shall contain

the following information. Copies shall be submitted to the HDOT-AIR Construction Engineer within 10 days following completion of the work.

- o Date of visit
 - o Visitor's name, employer, business address, and telephone number
 - o Time of entry and exit from work area
 - o Purpose of visit
 - o Type of protective clothing and respirator worn
 - o Certificate of release signed and filed with the contractor
- b. Daily Field Logs: Submit daily field logs within 10 days following completion of the work to the HDOT-AIR Construction Engineer and Division Asbestos Program Manager.
- c. Final Clearance Report: Submit final clearance report within 10 working days of receipt of clearance testing results to the HDOT Construction Engineer. Final clearance report shall include air clearance sample results, laboratory report, visual inspection documentation, and certification by a mold assessor.

3. Materials:

- a. Plastic Sheeting: Minimum thickness is 6-mil polyethylene film.
- b. Plastic Bags: Minimum thickness is 6-mil polyethylene.
- c. Tapes: Tapes shall be capable of sealing joints of adjacent sheets of polyethylene and for attaching polyethylene sheets to finished or unfinished surfaces of dissimilar materials and capable of adhering under both dry and wet conditions, including the use of amended water.
- d. Adhesives: Adhesives shall be capable of sealing lapped sheets of polyethylene together or to finished or unfinished surfaces of dissimilar materials. Adhesives shall adhere under both dry and wet conditions.
- e. Warning Labels and Signs: As required by HDOH, EPA, HIOSH, and OSHA regulations.
- f. Other Materials: Provide all other materials, such as, but not limited to lumber, plywood, nails, fasteners, metal studs, hardware, sealants, and caulking which may be required to properly prepare and complete this project.

- g. Tools and Equipment: HEPA vacuum and air purifying unit. Use suitable tools for the proposed mold work procedures.
- h. Water Sprayer: Airless or a pressure sprayer for amended water application, as applicable.

4. Personal Protective Equipment:

- a. The Contractor acknowledges that it is their responsibility for implementing personal protection requirements and that these specifications provide only a minimum acceptable standard.
- b. Provide workers with personally-issued and marked respiratory equipment approved by NIOSH and accepted by OSHA and HIOSH. Respirator use for work related to mold abatement, cleanup, repair, and disposal shall follow OSHA regulations and mold remediation guidelines.
- c. Provide workers with sufficient sets of disposable protective full body clothing. Such clothing shall consist of full body coveralls, footwear, gloves and headgear in accordance with OSHA Mold Remediation Guidelines. Provide hard hats, eye protection, and hearing protection as required by applicable safety regulations. Disposable clothing shall not be allowed to accumulate and shall be disposed of daily. Protective clothing shall be worn by all personnel within the work area from the start of the removal work until the work area has received its final clearance.
- d. No visitors shall be allowed in work areas, except as authorized by the HDOT-AIR Construction Engineer. Provide authorized visitors with suitable disposable protective full body clothing as needed. Such clothing shall consist of full body coveralls, shoes with shoe covers, gloves, and headgear, including hard hats, eye protection, and hearing protection. The Contractor shall include in their bid the expense of a total of 2 changes of clothing per day for each day of mold abatement, cleanup, repair, and disposal work for visitor's use. The quantity shall accumulate and may be used at any time during mold work at the discretion of the HDOT-AIR Construction Engineer.
- e. Additional safety equipment (e.g., hardhats meeting the requirements of ANSI Z89.1, eye protection meeting the requirements of ANSI Z87.1, safety shoe covering meeting the requirements of ANSI Z41.1, disposable PVC gloves), shall be provided to all workers and authorized visitors as needed.

5. Execution:

a. Work Area Preparation

- Step 1: Post signs in and around the work area to comply with federal and state requirements. Signs shall be posted at a distance sufficiently far enough away from the work area to permit the reader to take the necessary protective measures to avoid exposure. As needed, seal all windows, doors, and openings to the regulated work area with plastic sheeting. The plastic sheeting shall remain in place for the duration of the mold abatement work.
- Step 2: Existing domestic water service to the work area may be used during work.
- Step 3: Ensure that:
 - Pre-construction submissions, notifications, postings, and permits have been provided and are satisfactory to the HDOT-AIR Construction Engineer.
 - All equipment to perform the work is on hand.
 - All worker training and certification is completed.
 - Work shall not start until the Contractor receives written permission from the HDOT-AIR Construction Engineer to commence work.

b. Abatement, Cleaning, and Repair of Mold Contaminated Materials:

- Work shall be categorized in accordance with OSHA Mold Remediation guidelines:
 - Small Isolated Areas (10 square feet or less of isolated visible mold).
 - Mid-Size Isolated Areas (10 to 30 contiguous square feet).
 - Large Isolated Areas (30 to 100 contiguous square feet).
 - Extensive Contamination (greater than 100 contiguous square feet).
- Workers performing abatement, cleaning, and disposal work shall wear appropriate personal protection in accordance with federal and state requirements and guidelines.

- The Contractor at all times shall utilize “misting methods” when removing, bagging, and disposing of mold-contaminated material to control the release of dust and mold spores.
 - Dispose of the removed mold-contaminated materials and workers' protective clothing in accordance with applicable federal and state requirements.
- c. Disposal of Mold Contaminated Materials (Solid and/or Liquid):
- All disposal-related documentation should be provided to the HDOT-Air Construction Engineering for review and comment before any regulated waste materials leave the project site.
 - As the work progresses and waste is generated, the Contractor shall transport to the authorized disposal site all waste generated each day, unless specifically approved by the HDOT-AIR Construction Engineer to delay disposal operations. The Contractor shall transport all waste to the pre-designated disposal site in accordance with applicable federal and state regulations.
 - Mold-contaminated materials shall be adequately misted with water and double wrapped in 6-mil thick polyethylene or double-bagged (6-mil thick plastic bag) and appropriately labelled. The outside of all containers shall be clean before leaving the work area. A label with the name of the waste generator and location from which the waste was generated shall be clearly indicated on the outside of the wrap or bag.
 - Vehicles used for transporting waste to the disposal site shall bear warning signs and markings in accordance with federal and state requirements.
 - Workers unloading bags at the disposal sites shall wear appropriate personal protective equipment.
 - Waste disposal shipment records shall be properly completed to assure custody and disposal of all mold-contaminated waste at an approved disposal site. Waste disposal shipment records shall be submitted to the HDOT-AIR Construction Engineer the next working day after each trip.
 - Bagged and/or wrapped waste must be placed, not dropped, at the site of burial. Dumping of bags from the containers or truck will not be allowed.

- All expenses for waste disposal shall be the complete responsibility of the Contractor. The Contractor shall schedule waste disposal with the waste disposal facility at least 24 hours prior to waste disposal delivery.
- d. Cleaning of the Work Area:
- Remove mold work signage.
 - Completely remove all protective covering used to protect the work area.
 - All contaminated equipment and tools used shall be wrapped in two layers of 6-mil polyethylene sheets prior to removal from the work area. No washing of contaminated equipment and tools will be allowed at the project site.
 - Restore existing facilities to their original condition as approved by the HDOT-AIR Construction Engineer.
- e. Protection:
- Entry into the regulated area during disturbance of mold abatement, cleaning, and repair is restricted to authorized, trained, certified, and protected personnel. These may include the Contractor's employees, employees of subcontractors, the HDOT-AIR Construction Engineer and HDOT-AIR Construction Engineer's representatives, State and local inspectors, and any other designated individuals. A list of authorized personnel shall be established prior to job start.
 - No unauthorized individual shall be allowed to enter the regulated area.
 - A Visitor's Log shall be maintained.
 - The Contractor shall be solely responsible for security of the work area and in proximity of Contractor's equipment and materials.

6. Testing and Monitoring

- a. The Contractor shall obtain the services of an independent mold assessor and shall pay for all sampling and analytical services called for in this section.
- b. Air Testing: Shall be performed by an independent air monitoring and testing firm retained by the Contractor. Payment to the testing laboratory shall be by the Contractor. Any air monitoring and testing required of or initiated by the Contractor, shall be paid for by the Contractor and shall be included in the contract amount.

Final clearance of the work area shall be performed by visual inspection and sampling.

- c. All work performed by said air monitoring and testing firm shall be under the supervision of a certified mold assessor.
- d. The purpose of the independent air monitoring firm's work will be to clear the work place after final cleaning of the work area.
- f. Air monitoring shall be conducted in accordance with OSHA standards and guidelines.
- g. The Contractor shall provide and install protective covering on an "as required" or "upon request by the HDOT-AIR Construction Engineer" basis. Protective covering shall be clean plastic sheeting.
- h. The Contractor shall take whatever steps may be necessary to safeguard their work and also the property of the HDOT-AIR and other individuals in the vicinity of his work area during the execution of this Contract. The Contractor shall be responsible for and make good on any and all damages caused by the Contractor's negligence. No structure will be loaded such that the weight of the load will endanger the structure.

C. Other Hazardous Materials and Hazardous Waste - Per this Contract, the Contractor shall provide release response, abatement, cleanup, repair, and disposal services for other hazardous materials and hazardous waste. Other hazardous materials and hazardous waste include but are not limited to lead, POL, paints, mercury, PCBs, used oil, pesticides, herbicides, and insecticides. Upon Notice to Proceed, the Contractor shall become familiar with the HDOT-AIR EMS..

1. General Requirements:

- a. Protection of all on-site personnel and visitors from work being performed.
- b. Set-up and erection of barriers, posting of signs, securing work areas and occupied areas.
- c. Erection of decontamination units.
- d. Isolation of the work area from the rest of the building.
- e. Removal of hazardous materials and hazardous waste.
- f. Air monitoring (as needed).
- g. Sampling (as needed).

- h. Disposal of hazardous materials and hazardous waste at an approved disposal site.
 - i. Clean-up of work areas.
 - j. The Contractor shall obtain the services and pay for all sampling and analysis services called for in this Section.
2. Post-Work Submittals:
- a. Entry Log: Maintain a log of all personnel other than the Contractor's employees and agents who enter the work area while release response, abatement, cleanup, and repair work is in progress until after final clearance is received and approved by the HDOT-AIR Construction Engineer. At a minimum, the log shall contain the following information. Copies shall be submitted to the HDOT-AIR Construction Engineer within 10 days following completion of the work.
 - o Date of visit
 - o Visitor's name, employer, business address, and telephone number
 - o Time of entry and exit from work area
 - o Purpose of visit
 - o Type of protective clothing and respirator worn
 - o Certificate of release signed and filed with the contractor
 - b. Daily Field Logs: Submit daily field logs within 10 days following completion of the work to the HDOT-AIR Construction Engineer.
 - c. Final Assessment and Final Clearance and Report: Submit assessment and final clearance report within 10 working days of receipt of testing results to the HDOT Construction Engineer. Assessment and final clearance reports shall include sample results, laboratory report, visual inspection documentation, and certification by a qualified environmental consultant.
3. Materials:
- a. Plastic Sheeting: Minimum thickness is 6-mil polyethylene film.
 - b. Plastic Bags: Minimum thickness is 6-mil polyethylene.
 - c. Tapes: Tapes shall be capable of sealing joints of adjacent sheets of polyethylene and for attaching polyethylene sheets to finished or unfinished surfaces of dissimilar materials and capable of adhering under both dry and wet conditions, including the use of amended water.

- d. **Adhesives:** Adhesives shall be capable of sealing lapped sheets of polyethylene together or to finished or unfinished surfaces of dissimilar materials. Adhesives shall adhere under both dry and wet conditions.
 - e. **Warning Labels and Signs:** As required by HDOH, EPA, HIOSH, and OSHA regulations.
 - f. **Other Materials:** Provide all other materials, such as, but not limited to oil absorbents, lumber, plywood, nails, fasteners, metal studs, hardware, sealants, and caulking which may be required to properly prepare and complete this project.
 - g. **Tools and Equipment:** Use of suitable tools for the proposed work procedures.
 - h. **Water Sprayer:** Airless or a pressure sprayer for amended water application, as applicable.
4. **Personal Protective Equipment:**
- a. The Contractor acknowledges that it is their responsibility for implementing personnel protection requirements and that these specifications provide only a minimum acceptable standard.
 - b. Where required, provide workers with personally-issued and marked respiratory equipment approved by NIOSH and accepted by OSHA and HIOSH. Respirator use shall follow OSHA regulations.
 - c. Where required, provide workers with sufficient sets of disposable protective full body clothing. Such clothing shall consist of full body coveralls, footwear, gloves and headgear in accordance with OSHA regulations. Provide hard hats, eye protection, and hearing protection as required by applicable safety regulations. Disposable clothing shall not be allowed to accumulate and shall be disposed of daily. Protective clothing shall be worn by all personnel within the work area from the start of the removal work until the work area has received its final clearance.
 - d. No visitors shall be allowed in work areas, except as authorized by the HDOT-AIR Construction Engineer. Provide authorized visitors with suitable disposable protective full body clothing as needed. Such clothing shall consist of full body coveralls, shoes with shoe covers, gloves, and headgear, including hard hats, eye protection, hearing protection. The Contractor shall include in their bid the expense of a total of 2 changes of clothing per day for each day of mold abatement, cleanup,

repair, and disposal work for visitor's use. The quantity shall accumulate and may be used at any time during hazardous material or hazardous waste work at the discretion of the HDOT-AIR Construction Engineer.

- e. Additional safety equipment (e.g., hardhats meeting the requirements of ANSI Z89.1, eye protection meeting the requirements of ANSI Z87.1, safety shoe covering meeting the requirements of ANSI Z41.1, disposable PVC gloves), shall be provided to all workers and authorized visitors as needed.

5. Execution:

a. Work Area Preparation

- o Step 1: Post signs in and around the work area to comply with federal and state requirements. Signs shall be posted at a distance sufficiently far enough away from the work area to permit the reader to take the necessary protective measures to avoid exposure. As needed, seal all windows, doors, and openings to the regulated work area with plastic sheeting. The plastic sheeting shall remain in place for the duration of the hazardous material and hazardous waste work.
- o Step 2: Existing domestic water service to the work area may be used during work.
- o Step 3: Ensure that:
 - Pre-construction submissions, notifications, postings, and permits have been provided and are satisfactory to the HDOT-AIR Construction Engineer.
 - All equipment to perform the work is on hand.
 - All worker training and certification is completed.
 - Work shall not start until the Contractor receives written permission from the HDOT-AIR Construction Engineer to commence work.

b. Release Response, Abatement, Cleanup, Repair, and Disposal Services:

- o Determine the regulated materials or substances that require abatement, cleanup, repair, and disposal.
- o Sampling and analysis shall be performed as necessary to determine the material or substance that requires abatement, cleanup, repair, and disposal.

- Perform release response, abatement, cleanup, repair, and disposal in accordance with applicable federal, state, and local regulations, standards, codes, and guidelines.
 - Workers performing release response, abatement, cleaning, repair, and disposal work shall wear appropriate personal protection in accordance with applicable federal, state, and local regulations, standards, codes, and guidelines.
 - Notify the waste disposal facility 24 hours prior to waste disposal delivery.
- c. Cleaning of the Work Area:
- Remove signage.
 - Completely remove all protective covering used to protect the work area.
 - All contaminated equipment and tools used shall be wrapped in two layers of 6-mil polyethylene sheets prior to removal from the work area. No washing of contaminated equipment and tools will be allowed at the project site.
 - Restore existing facilities to their original condition as approved by the HDOT-AIR Construction Engineer.
- d. Protection:
- Entry into the regulated area during release response, abatement, cleanup, and repair work is restricted to authorized, trained, certified, and protected personnel. These may include the Contractor's employees, employees of subcontractors, the HDOT-AIR Construction Engineer and HDOT-AIR Construction Engineer's representatives, State and local inspectors, and any other designated individuals. A list of authorized personnel shall be established prior to job start.
 - No unauthorized individual shall be allowed to enter the regulated area.
 - A Visitor's Log shall be maintained.
 - The Contractor shall be solely responsible for security of the work area and in proximity of Contractor's equipment and materials.

6. Testing and Monitoring

- a. The Contractor is responsible for sampling and analytical services called for in this section.
- b. Sampling and analysis shall be performed as necessary to determine the regulated materials or substances that require abatement, cleanup, repair, and disposal.
- c. Sampling and analysis shall be performed to characterize waste for disposal and to determine appropriate disposal methods and requirements.
- d. Sampling and analysis shall be performed to evaluate and confirm that abatement, cleanup, and repairs are complete.
- i. The Contractor shall provide and install protective covering on an "as required" or "upon request by the HDOT-AIR Construction Engineer basis. Protective covering shall be clean plastic sheeting.
- j. The Contractor shall take whatever steps may be necessary to safeguard their work and also the property of the HDOT-AIR and other individuals in the vicinity of his work area during the execution of this Contract. The Contractor shall be responsible for and make good on any and all damages caused by the Contractor negligence. No structure will be loaded such that the weight of the load will endanger the structure.

11. 6 SERVICES PROVIDED BY CONTRACTOR

The services to be provided by the Contractor shall be done on an "as-required" basis and shall be determined by the Engineer. The Engineer shall issue out individual work assignments or Jobs, (herein after referred to as the "Job") for each desired task.

The actual scope of work for each Job shall be determined by the Engineer (State Project Manager). The Contractor shall be available to discuss routine and planned the Job(s) and the associated scope within forty-eight (48) hours after being notified by the Engineer that the Contractor's services are required.

As required to maintain the full mission capability of the State of Hawaii, Department of Transportation Airports, the Engineer or an authorized DOT representative may require to have the contractor respond to jobs within two (2) hours.

Each Job requested by the Engineer shall be for a minimum of 4 man hours.

END OF SECTION

11-26

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
AIRPORTS

P R O P O S A L

PROPOSAL TO THE STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
AIRPORTS DIVISION

PROJECT: Hazardous Material Abatement Services
Statewide Airports

PROJECT NUMBER: BS1630-23

TERM OF CONTRACT: Contract is for a term of twelve (12) month
period commencing from the date indicated
in the Notice to Proceed from the State.

OPTION TO EXTEND: This contract may be extended for two
additional twelve (12) month periods
subject to the terms outlined in Section
10.11 "TERM OF CONTRACT".

LIQUIDATED DAMAGES: One hundred dollars (\$100.00) per three
hour increment, or fraction thereof, will
be deducted from the State's payment to the
Contractor for failure to respond to
trouble call requests as specified in
Section 10.4.

PROJECT MANAGER: Name: Paul M. Nakasone
Address: 400 Rodgers Blvd, Suite 700
Honolulu, Hawaii 96819
Phone No: (808) 838-8807
Fax No: (808) 838-8017

ELECTRONIC SUBMITTAL: Bidders shall submit and upload the
complete proposal to HiePRO prior to the
bid opening date and time. Any additional
support documents explicitly designated as
confidential and/or proprietary shall be
uploaded as a separate file to HiePRO. See
SPECIAL PROVISIONS 2.4 DELIVERY OF
PROPOSALS TO HiePRO for complete details.
FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO
HiePRO SHALL BE GROUNDS FOR REJECTION OF
THE BID.

NOTE: BID, PERFORMANCE AND PAYMENT BONDS ARE NOT
REQUIRED FOR THIS PROJECT.

Director of Transportation
Aliiaimoku Hale
869 Punchbowl Street
Honolulu, Hawaii 96813

Dear Sir:

The undersigned bidder declares the following:

1. It has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal.
2. It has not been assisted or represented on this matter by any individual who has, in a State capacity, been involved in the subject matter of this contract within the past two years.
3. It has not and will not, either directly or indirectly offered or given a gratuity (i.e. an entertainment or gift) to any State or County employee to obtain a contract or favorable treatment under a contract.

The undersigned bidder further agrees to the following:

1. If this proposal is accepted, it shall execute a contract with the Department to provide all necessary labor, machinery, tools, equipment, apparatus and any other means of construction, to do all the work and to furnish all the materials specified in the contract in the manner and within the time therein prescribed in the contract, and that it shall accept in full payment therefore the sum of the unit and/or lump sum prices as set forth in the attached proposal schedule for the actual quantities of work performed and materials furnished and furnish satisfactory security in accordance with Section 103D-324, Hawaii Revised Statutes, within 10 days after the award of the contract or within such time as the Director of Transportation may allow after the undersigned has received the contract documents for execution, and is fully aware that non-compliance with the aforementioned terms will result in the forfeiture of the full amount of the bid guarantee required under Section 103D-323, Hawaii Revised Statutes.

2. That the quantities given in the attached proposal schedule are approximate only and are intended principally to serve as a guide in determining and comparing the bids.
3. That the Department does not either expressly or by implication, agree that the actual amount of work will correspond therewith, but reserves the right to increase or decrease the amount of any class or portion of the work, or to omit portions of the work, as may be deemed necessary or advisable by the Director of Transportation, and that all increased or decreased quantities of work shall be performed at the unit prices set forth in the attached proposal schedule except as provided for in the specifications.
4. In case of a discrepancy between unit prices and the totals in said Proposal Schedule, the unit prices shall prevail.
5. Agrees to begin work within 10 working days after the date of notification to commence with the work, which date is in the notice to proceed, and shall finish the entire project within the time prescribed.
6. The Director of Transportation reserves the right to reject any or all bids and to waive any defects when in the Director's opinion such rejections or waiver will be for the best interest of the public.

Receipt is hereby acknowledged and complete examination is hereby expressly guaranteed of the following listed items: the specifications, the notice to bidders, the special provisions, if any, the proposal, the plans, if any, and the contract form.

The undersigned acknowledges receipt of any addendum, issued by recording in the space below the date of receipt.

Addendum No. 1 _____ Addendum No. 3 _____

Addendum No. 2 _____ Addendum No. 4 _____

The undersigned hereby certifies that the bid prices contained in the attached proposal schedule have been carefully checked and are submitted as correct, final and are net prices.

Bidder (Company Name)

By _____
Authorized Signature

Print Name and Title

Business Address

Business Telephone Email

Date

Contact Person (If different from above)

Phone: _____ Email: _____

NOTE:

If bidder is a CORPORATION, the legal name of the corporation shall be set forth above, the corporate seal affixed, together with the signature(s) of the officer(s) authorized to sign contracts on behalf of the corporation. Please attach to this page current (not more than six months old) evidence of the authority of the officer(s) to sign on behalf of the corporation.

If bidder is a PARTNERSHIP, the true name of the partnership shall be set forth above with the signature(s) of the general partner(s) authorized to sign contracts on behalf of the partnership. Please attach to this page current (not more than six months old) evidence of the authority of the partner(s) to sign on behalf of the partnership.

If bidder is an INDIVIDUAL, the bidder's signature shall be placed in the space provided therefore on page PF-4.

If signature is by an agent, other than an officer of a corporation or a partner of a partnership, a POWER OF ATTORNEY must be on file with the Department prior to the opening of bids or submitted with the bid; otherwise, the bid may be rejected as irregular and unauthorized.

HAZARDOUS MATERIAL ABATEMENT SERVICES
STATEWIDE AIRPORTS
STATE PROJECT NO. BS1630-23

PROPOSAL SCHEDULE

Item No.	Description	Approx. Quantity (a)	Unit Price (b)	Total (a x b)
1.	Hazardous Material Removal Worker	4000 hours	\$/hr.	\$
2.	Hazardous Material Removal Worker Supervisor	2000 hours	\$/hr.	\$
TOTAL AMOUNT FOR COMPARISON OF BIDS (For comparison of bids, sum of items 1 and 2)				\$

- Note 1: Bids shall include all Federal, State, County, and other applicable taxes and fees
- Note 2: The TOTAL AMOUNT FOR COMPARISON OF BIDS shall be used to determine the lowest responsible bidder.
- Note 3: Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.
- Note 4: If a discrepancy occurs between unit bid price and the total bid price, the unit price shall govern.
- Note 5: The equipment listed in these specifications shall not be construed as being complete and accurate.
- Note 6: The quantities on the proposal schedule are for bidding purposes only. Payment(s) to the Contractor shall be made on the basis of actual number of service(s) performed or material supplied and the unit price.
- Note 7: Bidders shall submit and upload the complete proposal to HIePRO prior to the bid opening date and time. Proposals received after said due date and time shall not be considered. Any additional support documents explicitly designated as confidential and/or proprietary shall be uploaded as a separate file to HIePRO. Bidders shall not include confidential and/or proprietary documents with the proposal. The record of each bidder and respective bid shall be open to public inspection. Original (wet ink, hard copy) proposal documents are not required to be submitted. Contract award shall be based on evaluation of proposals submitted and uploaded to HIePRO.

FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HIePRO SHALL BE GROUNDS FOR REJECTION OF THE BID.

If there is a conflict between the specification document and the HIePRO solicitation, the specifications shall govern and control, unless otherwise specified.

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
AIRPORTS

F O R M S

Contents:

Contract
Certificate for Performance of Services

CONTRACT

THIS AGREEMENT, made this day _____, by and between the STATE OF HAWAII, by its Director of Transportation, hereinafter referred to as "STATE", and «CONTRACTOR», «STATE_OF_INCORPORATON» whose business/post office address is «ADDRESS», hereinafter referred to as "CONTRACTOR";

WITNESSETH: That for and in consideration of the payments hereinafter mentioned, the CONTRACTOR hereby covenants and agrees with the STATE to furnish, perform and/or deliver and pay for all labor, supplies, materials, equipment and services called for in «PROJECT_NAME_AND_NO», or such a part thereof as shall be required by the STATE, the total amount of which labor, supplies, materials, equipment and services shall be computed at the unit and/or lump sum prices set forth in the attached proposal schedule and shall be the sum of «BASIC»-----DOLLARS (\$«BASIC_NUMERIC») as follows:

Total Amount for Comparison of Bids.....\$«BASIC_NUMERIC»

which sum shall be provided from State funds, all in accordance with the specifications, the special provisions, if any, the notice to bidders, the instructions to bidders, the proposal and plans, if any, for «PROJECT_NO_ONLY», on file in the office of the Director of Transportation. These documents, together with all alterations, amendments, and additions thereto and deductions therefrom, are attached hereto or incorporated herein by reference and made a part of this contract.

The CONTRACTOR hereby covenants and agrees to furnish, perform and/or deliver all labor, supplies, materials, equipment and services as provided herein «WORKING_DAYS» from the date indicated in the Notice to Proceed from the State, with an option to extend for TWO (2) additional TWELVE (12) MONTH periods subject to the terms specified in Section «SECTION_REFERENCING_OPTION_YEAR» of the Specifications. The total term of this contract shall not exceed THIRTY SIX (36) MONTHS.

For and in consideration of the covenants, undertakings and agreements of the CONTRACTOR herein set forth and upon the full and faithful performance thereof by the CONTRACTOR, the STATE hereby agrees to pay the CONTRACTOR the sum of «BASIC»-----DOLLARS (\$«BASIC_NUMERIC») in lawful money, such payment to be made, subject to such additions hereto or deductions therefrom heretofore or hereafter made, in the manner and at the time prescribed in the specifications and this contract.

An additional sum of «EXTRAS»-----DOLLARS (\$«EXTRA_NUMERIC») is hereby provided for extra work and shall be provided from State funds.

All words used herein in the singular shall extend to and include the plural. All words used in the plural shall extend to and include the singular. The use of any gender shall extend to and include all genders.

IN WITNESS WHEREOF, the parties hereto have caused this instrument to be duly executed the day and year first above written.

STATE OF HAWAII

Director of Transportation

«CONTRACTOR»

Signature

Print name

Print Title

Date

SAMPLE

CERTIFICATE FOR PERFORMANCE OF SERVICES

The undersigned bidder does hereby certify that in performing the services required for _____, it will fulfill the following conditions:

1. All applicable laws of the Federal and State governments relating to workers' compensation, unemployment compensation, payment of wages, and safety will be fully complied with; and
2. The services to be rendered shall be performed by employees paid at wages or salaries not less than the wages paid to public officers and employees for similar work, with the exception of professional, managerial, supervisory, and clerical personnel who are not covered by Section 103-55, HRS.

I understand that failure to comply with the above conditions during the period of the contract shall result in cancellation of the contract, unless such noncompliance is corrected within a reasonable period as determined by the Director of Transportation. Payment in the final settlement of the contract or the release of bonds, if applicable, or both shall not be made unless the Director of Transportation has determined that the noncompliance has been corrected; and

I further understand that all payments required by Federal and State laws to be made by employers for the benefit of their employees are to be paid in addition to the base wage required by Section 103-55, HRS.

DATED at _____, this ____ day of _____, 20__.
(City, State)

Name of Corporation, Partnership, or Individual

Signature and Title of Signer

Notary Seal
NOTARY ACKNOWLEDGEMENT

Subscribed and sworn before me this _____ day of _____
Notary signature _____
Notary public, State of _____
My Commission Expires: _____

Notary Seal
NOTARY CERTIFICATION

Doc. Date: _____ #Pages: _____
Notary Name: _____ Circuit _____
Doc. Description: _____

Notary signature _____
Date _____