

## **Attachment A**

### **Specifications Contacts:**

Nick Agorastos  
nicholas.r.agorastos@hawaii.gov

Ronald Miyashiro  
ronald.t.miyashiro@hawaii.gov

**ITEM NO. 1**

Two (2) New 2025 or Latest Production Model, **Super cab Flatbed** truck, Turbo Charged, Diesel Powered, 4x4 Wheel Drive delivered FOB State of Hawaii, DLNR, Division of Forestry & Wildlife, 19 East Kawili Street, Hilo, Hawaii 96720, as specified.

<b><u>Category</u></b>	<b><u>Specifications</u></b>
1. Year of Manufacture:	2025 or newer
2. Model:	Ford F-350 Super Duty, Ram 3500 HO, Chevy 3500HD or Equal
3. Type:	4WD w/Manual High/Low Shifter, Single Rear Wheel
4. GVW Rating:	10,000 lbs. minimum
5. Wheelbase:	158 inch minimum
6. Engine:	6.7L minimum, I-6 V-8, Turbo-Charged Diesel 440 H.P. @2800 RPM 1000 lbs. Torque @ 1600 RPM Integrated Exhaust Brake Hill Descent Control Remote Engine Start Heavy Duty Cooling System
7. Transmission:	Heavy Duty 10 Speed Auto W/Overdrive
8. Transfer Case and Hubs:	Automatic 2 Speed (High/Low) Part-time 4WD
9. Cab:	2- full doors and 2 half door to access half cab Front 40/20/40 Split Bench, Rear split Bench Rear Passenger leg room 42.1" minimum Upholstery of Leather or Vinyl (no cloth) Full Length Rubber Flooring (no carpet) Factory Installed Air Conditioning (CFC free) Factory Installed AM/FM Radio, 4 Speaker W/Clock

And Bluetooth for hands free phone use  
Full Instrument (Gauge Type), Overhead Map Lamp

10. Body:

8-foot Knapheide or Equal  
12 Gauge Wrap-around Flooring w bumper rails  
Headboard LED running, reverse, turning and brake lights  
Bulkhead Made of 1.5x3.0" Rectangular Tubing  
Reinforced Stake Pockets inside flooring  
Gooseneck platform/ w Access door- "5<sup>th</sup> Wheel"  
Prefer recessed hitch, ball with door access hatch  
Gooseneck 5th wheel hitch must mount to frame  
Complete After Factory Rust Proofing  
Factory Dual Trailer Tow "Swing-Away Type" Exterior Mirrors  
Full cab length Running boards

11. Bumpers:

Heavy Duty Front and Rear bumper  
W/Two Tow Hooks

12. Electrical System:

Heavy Duty 12 Volt System  
200 Amp Alternator Minimum  
Factory Installed Trailer Brake Control  
Courtesy Lamp Package W/Map Lamp  
120-volt electrical plug-in rear bed

13. Steering: Power Assist Steering  
Heavy-Duty Handling Package or Equal  
Front Steering Damper
14. Brakes: Power Assist  
4 Wheel Anti-Lock Brakes, Front & Rear Disc
15. Tires/Wheels Stock 18' steel wheel or Equal (5 each)  
All-terrain Tire minimum load rating 3500 lbs.- Load  
E rated or better 275-70-R18- 10 ply  
Full Size Spare Tire Mounted Under Truck Bed
16. Axles Front Axle Shall Include  
Automatic Locking Hubs (Only)  
Electronic rear locker  
Minimum 3.55 Gear Ratio
17. Suspension: Heavy Service Suspension Package  
Rear Overload Springs  
Off Road Type Gas Charged Shocks  
Heavy Duty Front & Rear Stabilizer Bars
18. Color: Exterior: White High Gloss Urethane W/Clear coat  
Interior: Tan or Light Gray
19. Miscellaneous: 2 ½ lbs. ABC Fire Extinguisher  
3-Ton Jack and  
Wheel Wrench to fit aftermarket rims  
Single Fuel Tank, Largest Available W/Locking Cap  
7 Pin Trailer Electrical Plug  
Class V Pintle/2-3" Ball Combination Receiver  
Cruise Control System  
Extra Bright LED Headlamp Package  
Power Locks & Window Controls  
Under Hood Compartment Lamp  
4 FOB programmed key sets  
OE Upfitter Switches  
OE Darkest Tint Available  
Manufacturer's Premium 7YR/125,000 Mile  
Extended Warranty Package W/\$0 Deductible  
Manufacturer's Repair Manual & Electrical

Schematic (Electronic or Hard Copy)

Vehicle shall be fully operational and fully fueled upon delivery.

Training for operation and safety shall be provided at request of the receiving agency.