

**STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS**

**ADDENDUM NO. 1
FOR
SIGN REPLACEMENT AT VARIOUS LOCATIONS
ISLAND OF OAHU
PROJECT NO. HWY-OM-2027-47**

August 7, 2026

This Addendum shall make the following amendment(s) to the Solicitation:

A. SPECIAL PROVISIONS

1. Delete **SECTION 110 – SIGN REPLACEMENT AT VARIOUS LOCATIONS**, dated 6/1/26, in its entirety and replace it with attached **SECTION 110 – SIGN REPLACEMENT AT VARIOUS LOCATIONS**, dated r8/7/26.
2. Delete **SECTION 645 – WORK ZONE TRAFFIC CONTROL**, dated 7/8/26, in its entirety and replace it with attached **SECTION 645 – WORK ZONE TRAFFIC CONTROL**, dated r8/7/26.

B. PROPOSAL

1. Delete **PROPOSAL** HlePRO release dated July 24, 2026, in its entirety, and replace it with attached **PROPOSAL** dated r8/7/26.

The following is provided for information.

C. PRE-BID MEETING MINUTES

1. The attached **PRE-BID MEETING MINUTES** are provided for information.

D. RESPONSES TO REQUESTS FOR INFORMATION (RFI'S/QUESTIONS)

1. The attached **RESPONSES TO REQUESTS FOR INFORMATION** are provided for information.

Please acknowledge receipt of this **ADDENDUM NO. 1** by recording the date of its receipt in the space provided on **PAGE P-4** of the Proposal.

Henry Kennedy

HENRY KENNEDY
Engineering Program Manager

1 110Make this section part of the Standard Specifications:

2
3 **“SECTION 110 – SIGN REPLACEMENT AT VARIOUS LOCATIONS**

4
5 **110.01 Scope of Work.** The work shall consist of furnishing all labor, necessary
6 equipment, materials and traffic control, to replace signs on the Island of Oahu on
7 an as needed basis. Sign replacement for roadside signs, excluding destination
8 signs, involves replacing sign, replacing pole, replacing sign and pole, straightening
9 sign, and cleaning off graffiti. Sign replacement for roadside and overhead
10 destination signs involves replacing sign panel only, replacing sign and frame
11 complete, repairing light frame structure, repairing support frame structure, and
12 cleaning off graffiti. All work shall be performed in a professional manner in
13 accordance with current practices and this document. All sign parts and debris shall
14 be removed daily at all locations. See Section 110.03 – Area of Coverage. All signs
15 older than 10-years old shall be replaced where necessary or as directed by the
16 Engineer.

17
18 The Contractor shall work as directed by the Highways Oahu District
19 Maintenance Engineer (Engineer). The Contractor, as per Section 110.4 Safety and
20 Convenience, shall provide traffic control and its cost shall be inclusive of sign
21 replacement work cost.

22
23 The Contractor shall salvage all removed signs and deliver them to the
24 Highways Oahu District Maintenance Engineer, Sign Crew, and its cost shall be
25 inclusive of sign replacement work cost.

26
27 The Contractor shall possess a “C-14” Sign Contractor’s license for the full
28 term of the contract, and shall have possessed the licensed and have performed
29 similar work for at least two years prior to the bid date. Failure to meet this
30 requirement shall be cause for disqualification.

31
32 **110.02 Contract Period and Option to Extend.** The period of the contract
33 shall be for 24 months commencing from the date indicated in the “Notice to
34 Proceed” from the Department. There is an option to extend for three additional
35 12 month periods, without re-bidding, upon mutual agreement in writing prior to
36 the contract expiration date. The maximum contract period is 60 months.

37
38 Failure by the Contractor to execute the amendment to extend the contract within
39 the number of days specified under Section 103.07 - Failure to Execute Contract
40 may be cause for cancellation of the written agreement to extend the contract and
41 may be subject to disqualification from bidding future projects for a two-year period
42 in accordance with Section 102.12 - Disqualification of Bidders.

43
44 To compensate for escalation during the maximum contract period the
45 Department will adjust the Unit Prices of all items on the Proposal Schedule by 2%
46 on the start date of an extension period. The price adjustment shall not be applied

to contract change orders issued within the current contract year or work orders that have already been issued to the contractor.

110.03 Area of Coverage. The project requires the Contractor to replace signs at various locations on the Island of Oahu. Work shall be grouped into four areas along with the corresponding routes as shown on the attached map of the Island of Oahu (Figure 1). Note: There are numerous side streets with or without route numbers along State highways where State Jurisdiction extends various distances into side streets. The four areas are:

(A) Area 1:

Route 64, Sand Island Access Road and Sand Island Parkway
Nimitz Highway (92) to Sand Island Park Entrance
Route 78, Moanalua Freeway
Kamehameha Highway (99) On-Ramp to Moanalua Freeway to
Moanalua Freeway Overpass (Structure over H-1)
Route 92, Kam-Nimitz Highway
Main Gates at Pearl Harbor and Hickam AFB to Kalihi Stream Bridge
Route 92, Nimitz Highway
Kalihi Stream Bridge to Richards Street
Route 92, Ala Moana Boulevard
Richards Street to 135 feet South of Kalakaua Avenue
Route 99, Kamehameha Highway
Waiawa Interchange to Pearl Harbor Interchange
Route 99, Farrington Highway
Waiawa Interchange
Route 7239, Ulune Street and Halawa Valley Road
North East of Kahuapaani Street to Iwaiwa Street
Route 7241, Kahuapaani Street
Salt Lake Boulevard to Halawa Heights Road
Route 7241, Halawa Heights Road
Kikania Street to Fernridge Place
Route 7310, Puuloa Road
Kam-Nimitz Highway (92) to Mahiole Street
Route 7345, Jarrette White Road
Mahiole Street to Tripler Hospital Gate
Route 7350, Bougainville Drive
Radford Drive (7351) to Salt Lake Boulevard
Route 7351, Radford Drive
Kamehameha Highway (99) to Bougainville Drive (7350)
Route 7401, Kamehameha Highway
Middle Street to Kalihi Stream Bridge
Route 7413, Liliha Street
North King Street to School Street
Route 7415, Middle Street
Kamehameha Highway (99) to Mauka of H-1 Freeway
*Route H-1, Waiawa Interchange to Kahauiki Interchange
Pearl City/ Waipahu to Middle Street
Route H-3, Halawa Interchange to Halawa Portal of Harano
Tunnel

97 Route H201, Moanalua Freeway
 98 Moanalua Freeway Overpass (Structure over H-1) to Kahauiki Interchange
 99 Ala Ike Street (Leeward Community College)
 100 Kaua Street
 101 Middle Street (7415) to Pineapple Place
 102 Lagoon Drive
 103 Nimitz Highway (92) to Koapaka Street
 104 Moanalua Road (Waiau Interchange)
 105 Ewa of Kaulike Drive to Kokohead of Hoomalu Street
 106 North King Street
 107 Middle Street (7415) to Ola Lane Overpass
 108 Pacific Street
 109 425 feet West of Nimitz Highway Outbound Centerline and Inbound lanes in
 110 Iwilei
 111 Salt Lake Boulevard
 112 Kahuapaani Street (7241) to Luapele Drive
 113 Sumner Street
 114 Between Nimitz Highway (92) Outbound and Inbound lanes in Iwilei
 115 Waiawa Road (Near Leeward Community College)
 116 Farrington Highway (99) to Ala Ike Street
 117

(B) Area 2:

119 Route 76, Fort Weaver Road
 120 Navy Reservation Gate to Interstate Route H-1
 121 Route 93, Farrington Highway
 122 Palailai Interchange to Kaena Point State Park
 123 Route 93, Farrington Highway (Makakilo Interchange)
 124 Intersection of Fort Barrette Road (901) and Makakilo Drive, 500 feet on both
 125 sides of Intersection
 126 Route 95, Kalaeloa Boulevard and Malakole Street
 127 Palailai Interchange to Vicinity of Kaiholo Street
 128 Route 750, Kunia Road
 129 Interstate Route H-1 to Wilikina Drive (99)
 130 Route 901, Fort Barrette Road
 131 Barbers Point Naval Reservation to Makakilo Drive Overpass
 132 Route 7101, Farrington Highway
 133 Fort Weaver Road (76) to Waiawa Interchange
 134 Route 7110, Farrington Highway
 135 Fort Weaver Road (76) to Old Fort Weaver Road
 136 Route 7141, Iroquois Road
 137 Fort Weaver Road (76) to West Loch Ammunition Depot
 138 Route 7142, Waipahu Street
 139 Kamehameha Highway (99) to Makai End of H-1 Overpass
 140 Route H-1, Kalaeloa Boulevard to Waiawa Interchange
 141

(C) Area 3:

143 Route 80, Kamehameha Highway
 144 Wilikina Drive (99) to Kamananui Road (99)
 145 Route 83, Joseph P. Leong Highway
 146 Kamehameha Highway (99) to Kamehameha Highway (83)

147 Route 83, Kamehameha Highway
 148 Kahalewai Place to Kahaluu Bridge
 149 Route 83, Kahekili Highway
 150 Kahaluu Bridge to Intersection of Kahekili Highway (83) and Likelike Highway
 151 (63)
 152 Route 83, Likelike Highway
 153 Intersection of Likelike Hwy (63) and Kamehameha Hwy (83) to Kaneohe Bay
 154 Drive (65)
 155 Route 83, Kamehameha Highway
 156 Intersection of Likelike Hwy (63) & Kaneohe Bay Drive (65) to Pali Hwy (61)
 157 Route 99, Kamehameha Highway
 158 Weed Junction (Haleiwa) to Kamananui Road (99)
 159 Route 99, Kamananui Road
 160 Kamehameha Highway (99) to Wilikina Drive (99)
 161 Route 99, Wilikina Drive
 162 Kamananui Road (99) to Kamehameha Hwy (99) at Wahiawa Interchange
 163 Route 99, Kamehameha Highway
 164 Wahiawa Interchange to Waiawa Interchange
 165 Route 930, Farrington Highway
 166 Dillingham Airfield to Kaukonahua Road at Thompson Corner
 167 Route 930, Kaukonahua Road
 168 Kaukonahua Road at Thompson Corner to South of Paukauila Stream
 169 Route 7012, Whitmore Avenue
 170 Kamehameha Highway (80) to Helemano Naval Reservation
 171 Route 7013, Meheula Parkway (Mililani Interchange)
 172 Beginning of Northbound On-Ramp to End of Southbound Off-Ramp
 173 Route 7160, Ka Uka Boulevard (Waipio Interchange)
 174 Moaniani Street to the beginning of Mililani Memorial Park Road
 175 Route H-2, Wahiawa Interchange to Waiawa Interchange
 176 Leilehua Golf Course Road (Leilehua Interchange)
 177 Kamehameha Highway (99) to Northbound Off-Ramp (H-2)
 178
 179

(D) Area 4:

180 Route 61, Pali Highway
 181 Vineyard Boulevard (98) to Castle Junction
 182 Route 61, Kalanianaʻole Highway
 183 Castle Junction to Waimanalo Junction
 184 Route 61, Kailua Road
 185 Waimanalo Junction to Kawainui Bridge
 186 Route 63, Kalihi Street
 187 Nimitz Highway (92) to School Street
 188 Route 63, Likelike Highway
 189 School Street to Intersection of Kahekili Hwy (83) & Likelike Hwy (83)
 190 Route 65, Kaneohe Bay Drive
 191 Kamehameha Highway (83) to Vicinity of Kaimalu Place
 192 Route 65, Kaneohe Bay Drive
 193 Malae Place to Kailua Interchange (H-3)
 194 Route 65, Mokapu Saddle Road
 195 Kaneohe Bay Drive (65) to Ilipilo Street
 196 Route 65, Mokapu Boulevard
 197 Ilipilo Street to North Kalaheo Avenue

198 Route 72, Kalanianaʻole Highway
 199 Waimanalo Junction to Ainakoa Avenue
 200 Route 98, Vineyard Boulevard
 201 H-1 Off-Ramp & Olomea Street to H-1 On-Ramp (Pedestrian Overpass)
 202 Route 98, Halona Street
 203 Houghtailing Street to Palama Street
 204 Route 98, Olomea Street
 205 Houghtailing Street to Palama Street
 206 Route 7601, Old Waiālae Road (Kapiolani Interchange)
 207 Kapiolani Boulevard to North King Street
 208 Route 7801, Waiālae Avenue
 209 17th Avenue to Kilauea Avenue
 210 *Route H-1, Middle Street (7415) to Ainakoa Avenue
 211 Route H-3, Haiku Portal of Harano Tunnel to Kaneohe Marine
 212 Corp Base
 213 Bingham Street
 214 Punahou Street to Vicinity of Isenberg Street
 215 Funchal Street
 216 Pauoa Road to Pali Highway (61)
 217 Kapahulu Avenue
 218 Harding Avenue to Kapiolani Boulevard
 219 Keeaumoku Street
 220 Kinau Street to Kaihee Street
 221 Kokohead Avenue
 222 Harding Avenue to Pahoa Avenue
 223 Lunalilo Street
 224 Ernest Street to Keeaumoku Street
 225 McCully Street
 226 Beretania Street to Dole Street
 227 Metcalf Street
 228 Dole Street to Alexander Street
 229 Papaku Place
 230 Near Piikoi/H-1 On-Ramp (East)
 231 South King/ Harding Avenue
 232 Waiālae Avenue (near Humane Society) to Second Avenue
 233 Waiaka Road
 234 Waiaka Place to Kapiolani Boulevard
 235 Waokanaka Street
 236

237 *Note: Night work is required. Refer to Section 110.04 – Safety and
 238 Convenience
 239

240 **110.04 Safety and Convenience.** The Contractor shall at all times conduct his
 241 work to assure the least possible obstruction to public traffic. The safety and
 242 convenience of the general public and the protection of persons and property is of
 243 utmost importance, and the Contractor shall provide appropriate traffic control and
 244 safety measures. The Contractor and his employees shall treat members of the
 245 public in a fair and polite manner. Workers shall present a professional
 246 appearance and conduct themselves in a professional manner at all times.

All Traffic Control and safety measures shall be done in Conformance with the “Administrative Rules of Hawaii Governing the Use of Traffic Control Devices at Work Sites on or Adjacent to Public Streets and Highways” adopted by the Director of Transportation, and the current U.S. Federal Highway Administration “Manual on Uniform Traffic Control Devices (MUTCD), 2023 Edition. Costs for traffic control shall include set-up and removal of all signs, cones, delineators, barricades, flag persons, police officers, arrow boards, etc., and shall be included in the proposal price of the various traffic control items. See Section 645 – Work Zone Traffic Control.

Do not close traffic lanes or slow down traffic during the following peak hours:

Morning Peak Hours	6:00 A.M. to 8:30 A.M.
Afternoon Peak Hours	3:00 P.M. to 6:00 P.M.

Morning Peak Hours from 6:00 A.M. to 9:00 A.M. shall be observed for Interstate Routes H-2 and H-3, Likelike and Pali Highways, Nimitz Highway/ Ala Moana Boulevard, and Fort Weaver Road.

Above peak hours are daily except Saturdays, Sundays, and holidays.

Night work is required for Interstate Route H-1 (from Palailai Interchange to Ainakoa Avenue). The night work hours are from 10:00 P.M. to 4:30 A.M. Areas 1 and 4 are affected.

The Contractor must notify all private property owners in the vicinity where pavement repairs are performed in the event that the work may hinder access to their property. The Contractor must also secure permission prior to entering private property to do sign replacement work, if any.

The Contractor must submit a “Permit to Perform Work Upon State Highways” application. Work upon State Highways shall not be performed until the application is approved by the District Office.

The Contractor shall remove debris daily and shall leave the work site in a condition equal to or cleaner than prior to commencing work. The Contractor shall be responsible for all hauling and lawful disposal of debris. Any unauthorized or illegal disposal is grounds for termination of the contract.

110.05 Hours of Operation. The Contractor shall be available to provide the specified services during normal working hours and complete the services within the period specified in the work order. Normal working days and hours for the project are defined as Monday through Friday, 8:30 A.M. to 3:00 P.M., except for State holidays. Refer to Section 645 – Work Zone Traffic Control. Authorized

Highways personnel will contact the Contractor to schedule work, as needed. All services requested after normal work hours may be charged in accordance with Subsection 107.04 – Overtime and Night Work.

110.06 Disposal of Debris. The Contractor shall be responsible for all hauling and dump fees and shall include the cost of these items in his bid. Any unauthorized or illegal disposal is grounds for termination of the contract.

110.07 Work Orders. Prepare a work order (Figure 2) for each sign replacement or group of sign replacements in the same location. The work order shall also include the construction schedule, supervisory staff, equipment list, and material to be used. At certain work sites, erosion control plans or BMP plans will be requested by the Engineer. Submit the work order for approval to the Highways Oahu District Maintenance Superintendent at the Oahu District Office, 727 Kakoi Street, Honolulu, Hawaii 96819. Work shall not be performed unless the Contractor receives an approved work order. The Engineer or his representative shall authorize any increases in total price.

110.08 Basis of Payment. Payment shall be made by purchase order. The Contractor shall submit monthly invoices to the Oahu District Office, 727 Kakoi Street, Honolulu, Hawaii 96819, if services are rendered. See Subsection 109.08 - Progress Payments.”

END OF SECTION 110

Amend **Section 645 – WORK ZONE TRAFFIC CONTROL** to read as follows:

“SECTION 645 - WORK ZONE TRAFFIC CONTROL

645.01 Description. This section describes the following:

(A) Furnishing, installing, maintaining, and subsequently removing work zone traffic control devices, and personnel. Work zone traffic control shall include providing flaggers and police officers.

(B) Keeping roads for public traffic open and in passable condition; providing and maintaining temporary access crossings for trails, businesses, parking lots, garages, residences, farms, parks, and other driveways; taking necessary work precautions for the protection, safety, and convenience of the public; should pedestrian facilities exist, taking necessary measures for safe and accessible passage, with route information and ADAAG compliance, for pedestrians traveling through or near work zone; taking necessary precautions to protect work zone workers from situations that place workers at increased risk from motorized traffic.

(C) Taking safety and precautionary measures, such as illuminating roadway obstructions during hours of darkness, in accordance with Chapter 286, HRS; Title 19, Subtitle 5, Chapters 127, 128, and 129, HAR; and *MUTCD*.

645.02 Materials.

Signs	750.01
Sign Posts	750.02
Fasteners for Signs and Route Markers	750.03
Reflector Marker	750.07
Flexible Delineator Posts and Reflectors	750.08
Traffic Delineators	750.09
Preformed Pavement Marking Tape	755.04

Submit electronic crashworthy documentation, including but not limited to, drawings in pdf and CADD, crash test reports, and FHWA eligibility letters certifying compliance with MASH 2016, for signs, sign supports, barricades, tubular markers, cones, vertical panels, and other traffic control devices. Only

47 devices that are deemed crashworthy will be allowed.

48
49 Upon request of the Engineer, furnish self-certified MASH 2016 compliant
50 letter from vendor(s) for each type of Category 1 traffic control device, as defined
51 by FHWA and/or AASHTO, including single-piece traffic cone, single-piece drum,
52 and tubular marker.

53
54 Traffic control devices, including signs, barricades, warning lights, arrow
55 boards, portable changeable message signs, cones, tubular markers, and
56 temporary concrete barriers shall conform to the American Traffic Safety Services
57 Association (ATSSA), *Quality Guidelines for Temporary Traffic Control Devices*
58 *and Features* and the *MUTCD*.

59
60 Protective devices including barricades, warning signs, lights, and
61 temporary signals shall conform to Title 19, Subtitle 5, Chapters 127, 128, and 129,
62 HAR. Retroreflectorization for protective devices such as barricades, tubular
63 markers, and warning signs shall conform to Subsection 750.01 – Signs.

64
65 **645.03 Construction.** Furnish, install, and maintain barricades, signs, cones,
66 tubular markers, lights, flashing signals, and other traffic control devices.

67
68 Furnish two police officers for each location that requires work zone traffic
69 control. If the Traffic Control Plan (TCP) is included in the contract documents,
70 furnish number of police officers indicated in the TCP, whichever is greater.

71
72 Furnish two Electronic Message Boards or the amount requested by the
73 Engineer for each work site that requires work zone traffic control on a daily basis.

74
75 When directing traffic, flaggers, or police officers, or both shall be in direct
76 communication with each other.

77
78 TCP for lane closure on two-lane road will consider intersections and
79 driveway access. Maximum length of a lane closure on a two-lane road is 1,000
80 feet.

81
82 Submit TCP and schedule at least 15 working days before work starts.
83 Submit modifications and deviations from accepted TCP and schedule at least 15
84 working days before start of work requiring modification or deviation. Illegible TCP
85 will not be accepted.

86
87 Include the following in TCP and schedule:

- 88
89 (1) Signs (type, size, designation, and placement).
90
91 (2) Traffic movements shown by arrows.
92

(3) Positions of flaggers and police officers.

(4) Barricades, cones, tubular markers, and additional traffic control devices and measures necessary for protection of work and public safety; and placement, spacing, distances, and reference points for traffic control devices.

(5) Layout, drawn to scale, of traffic control devices, including information needed to layout TCP.

(6) Brief description of work.

(7) Dates of work.

(8) Times of day affected.

(9) Proposed public information sign.

(10) Proposed news release.

Place sign or device situated farthest upstream from work zone first. Then place others progressively downstream toward work zone.

Extend cones or tubular markers to point where cones or tubular markers are visible to approaching traffic.

For signs with messages on both faces, cover inapplicable message before placement.

Keep barricades, construction and warning signs, and other traffic control devices in good condition. Repair, clean, or replace barricades, signs, or other devices as required to maintain effectiveness and appearance. The Engineer alone will decide suitable condition of each barricade, sign, or other traffic control device.

Remove or cover regulatory and warning signs that conflict with TCP. Restore signs upon completion of work or as ordered by the Engineer. Affix object markers to post(s) of covered sign.

Promptly remove or cover construction and warning signs that are not applicable or not in use.

For sign covers, fully covers signs as indicated in the Acceptable category of the ATSSA Quality Guidelines for Temporary Traffic Control Devices and Features. Covers that are deemed to be in the Marginal or Unacceptable categories will not be accepted. Covers that are fabricated from rigid materials will

also not be accepted unless it is certified to be MASH 2016 compliant.

Promptly remove traffic control devices that are no longer needed.
Remove traffic control devices in reverse order of installation, starting closest to work zone and continuing away from work zone.

Maintain abutting owners' existing access until replacement access is usable. Obtain permission from abutting owners, including conditions for closing existing access. Submit copy of agreement with abutting owners before beginning work in the affected area.

When working on existing facility that will be kept open to traffic, provide smooth and even surface for public traffic use. Only work on a portion of roadway at one time, and stage construction from one side to other while routing traffic over opposite side.

During subgrade and paving operations, paved shoulders may be used for public traffic.

Do not store material or equipment where it will interfere with public traffic. Remove equipment and other obstructions out of right-of-way or clear zone to permit free and safe passage of public traffic during non-working hours or suspension of work. For storage of materials and equipment, see Subsection 105.14 – Storage and Handling of Materials and Equipment.

Notify Fire Department, in writing, at least 24 hours before blocking or closing road access. Keep fire hydrants accessible to Fire Department by not placing material or other obstructions within five feet of fire hydrant or closer than permitted by applicable ordinances, rules, and regulations.

Notify the Engineer and County, including Bus Systems Division, Police Department, Fire Department, Emergency Medical Services, and Department of Health in writing at least five days before start of construction.

(A) Signs. Install signs sufficiently ahead of location where operations may interfere with use of road by traffic and at intermediate points where new work crosses or coincides with existing road.

Place signs in accordance with TCP as accepted by the Engineer.

(B) Work Zone Signs. Erect work zone signs at the beginning of project and at the end of project at the location indicated by the Engineer. These signs shall remain for the duration of the highway project. Maintain these signs. Place these signs besides the required traffic control signs called for herein.

The work zone signs shall be new and become the property of the Contractor.

(C) Barricades.

(1) General. Provide, erect, and maintain necessary barricades suitable for protection of work and safety of the public.

Barricades shall be in good condition. Barricade application and installation shall be in accordance with accepted TCP.

Provide sand bags if required or ordered by the Engineer. Sand bags and installation method shall comply with *MUTCD* and be accepted by the Engineer prior to use. Do not place sand bags on striped barricade rail.

During hours of darkness, install steady burn or flashing lamps on barricades selected by the Engineer. Attach lamps on barricade ends closest to traveled way and visible to oncoming traffic.

Do not install signs on barricades unless signs and barricades have been crash tested as a unit and accepted under NCHRP Report 350.

(2) Retroreflectorization. Retroreflectorize barricade rails and attachment with retroreflective sheeting in accordance with Subsection 750.01(C)(4) - Type III or IV Retroreflective Sheeting (High Intensity) or Subsection 750.01(C)(5) - Hardened Aluminum-Backed Retroreflective Sheeting.

Retroreflectorize both vertical faces of each barricade rail.

(3) Color. Provide white colored rails, frames, and braces with front and back rail faces having 6-inch-wide alternating orange or red and white stripes sloping downward toward traveled way at angle of 45 degrees from vertical. Use stripe colors in accordance with the following:

(a) Use orange and white stripes for the following conditions:

1. Construction work.
2. Detours.
3. Maintenance work.

(b) Use red and white stripes for the following conditions:

1. On roadways with no outlet, such as dead-ends and cul-de-sacs.
2. Ramps or lanes closed for operational purposes.
3. Permanent or semi-permanent closure or termination of roadway.

(4) **Maintenance.** Keep barricades in good condition. Repair, repaint, clean, or replace barricades to maintain effectiveness and appearance. Immediately replace missing or damaged barricades, lamps, sandbags, and other accepted weights.

Clean and repair barricades before relocating to other locations.

(D) **Traffic Delineators.** Install traffic delineators in accordance with accepted TCP.

Maintain traffic delineators in good condition. Immediately replace missing or damaged tubular markers.

Clean delineators prior to relocating to new location.

(E) **Cones.** Install traffic cones in accordance with accepted TCP.

Maintain traffic cones. Keep traffic cones clean and in good repair. Immediately replace lost, stolen, or damaged traffic cones.

Clean cones prior to relocating to new location.

(F) **Lane Closures.** Lane closures will be allowed only from 8:30 a.m. to 3:00 p.m., Monday through Friday. Exceptions to lane closure hours specified require written acceptance by the Engineer. Placement and removal of all work zone devices within the travel lanes, such as arrow boards, cones, etc., are restricted to allowable closure times. No increase in contract price or contract time will be given for lane closure restrictions specified.

For island of Oahu, no lane closures will be allowed during 24-hour periods as follows:

- 277 (1) Holidays (Midnight to Midnight).
278
279 (2) Day before and day after Thanksgiving Day (Midnight to
280 Midnight).
281
282 (3) Holiday period for Christmas and New Years (Two Weeks
283 prior to Christmas and the week between Christmas and New
284 Years).
285
286 (4) Other dates of events indicated in the contract documents.”
287

288 No time extension will be given for the above restrictions. The
289 contract time for the project has accounted for any loss of time due to the
290 above restrictions.
291

292 Closure of only one lane of traffic will be allowed during lane-closure
293 hours. Keep lanes open to traffic and allow flow at posted speed limit during
294 non-lane closure hours.
295

296 If applicable, coordinate lane closures with adjacent project(s) at no
297 increase in contract price or contract time.
298

299 Rental fees will be assessed in accordance with Subsection 108.10
300 – Rental Fees for Unauthorized Lane Closure or Occupancy, for failure to
301 open lanes to traffic during peak hours. Morning and afternoon peak hours
302 shall be from 5:30 a.m. to 8:30 a.m. and 3:00 p.m. to 6:00 p.m., respectively,
303 Monday through Friday.
304

305 Before scheduling work, submit requests for detours and lane
306 closures as follows:
307

- 308 (1) Detours - 8 weeks before implementing detours.
309
310 (2) Lane closures - 6 weeks before implementing lane closures.
311

312 Include the following with detour and lane closure requests:
313

- 314 (1) Explanation of proposed changes to existing traffic pattern.
315
316 (2) Installation schedule for informational and traffic control signs.
317
318 (3) Publication schedule for legal notices.
319
320 (4) Plan showing proposed informational signs.
321

(5) Plan showing lane changes or detours in accordance with accepted TCP, including details at beginning of multi-lane highway lane changes and detours.

Detours or lane closures will not be allowed before the Engineer accepts detour or lane closure request.

TABLE 645-I - FOR TRAFFIC CONTROL PLAN							
POSTED SPEED LIMIT (M.P.H.)	SIGN SPACING (D) (FEET)	TAPER LENGTH (T) (FEET)		LONGI- TUDINAL BUFFER SPACE (B) (FEET)	SPACING OF CONES OR TUBULAR MARKERS (FEET)		
		W = 12' OR LESS	W = GREATER THAN 12' *		TAPER	TANGENT	WORK AREA
20	250	200	W x 17	35	20	20	10
25	250	200	W x 17	55	25	25	10
30	250	250	W x 20	85	30	30	10
35	250	250	W x 20	120	35	35	10
40	500	350	W x 30	170	40	40	10
45	500	550	W x 45	220	45	45	10
50	1000	600	W x 50	280	50	50	10
55	1000	700	W x 55	335	55	55	10
* W = width of lane or shoulder							

(G) Advisory Signs. Submit advisory sign shop drawings. Construct, install, maintain, and remove two advisory signs as ordered by the Engineer. Place signs at locations designated by the Engineer. Provide signs, minimum 8 feet wide by 4 feet high, with black letters on orange background, and with three 4.00 pounds/foot flanged channel posts for each sign.

Include starting date and hours of construction in sign message. Use letter heights of 8 inches, Series D. The Engineer will review and accept advisory signs' wording before fabrication. Install advisory signs two weeks before start of construction. Remove advisory signs immediately after construction has been completed or as ordered by the Engineer.

(H) Advertisement. Place advertisement in newspaper, as ordered by the Engineer, for the following traffic pattern changes or night work:

(1) Detours.

- (2) Lane closure.
- (3) Permanent road closure.
- (4) Permanent new route that changes previous route.

Include the following information:

- (1) Map of traffic pattern change limits.
- (2) Map showing lane(s) closure and detour pattern.
- (3) Notice of starting and ending dates and duration.
- (4) Explanation of lane(s) closure or detours in "Notice To Motorist".

Quality of map shall conform to the following requirements:

- (1) No freehand printing or penciling.
- (2) Highlight important features by darkening, cross-hatching, crossing-out, or coloring important words, as necessary.
- (3) Provide maps with minimum size of five columns wide and four columns deep. Lesser width columns may be considered to balance against size of drawing.
- (4) Text specifications.
- (a) Work being featured - 3/16-inch text.
 - (b) Major roads and features - 1/8-inch text.
 - (c) Other roads and features- first letter of sentence upper case.
 - (d) "NOTICE TO MOTORIST" in upper case.
 - (e) Message - first letter of sentence upper case.
- (5) Line Thickness.
- (a) Important feature being advertised - line thicker than rest of map.

(b) Directional arrow - bolder than rest of lines shown on map, when important, to show route traffic should use.

(6) Show reference direction such as "TO HONOLULU" with arrow Submit the following:

(a) "Notice to Motorists" before placement in newspaper, six weeks before start of work.

(b) Actual size of notice to be published in newspaper. The Engineer will not allow size reduction of notices once accepted. Submit final, camera-ready "Notice to Motorists" advertisement.

Place advertisement for three consecutive days and within one week before traffic pattern changes, in publication as ordered by the Engineer.

645.04 Measurement. Traffic Control as specified in Subsection 645.03 – Construction will be measured per lane mile in accordance with the contract documents.

The Engineer will measure Electronic Message Boards per each on a daily basis in accordance with the contract documents.

645.05 Payment. The Engineer will pay for the accepted traffic control, additional police officers, additional traffic control devices, and advertisement at the contract price per pay unit, as shown in the proposal schedule. Payment will be full compensation for the work prescribed in this section and the contract documents.


The Engineer will pay for the accepted Electronic Message Boards at the contract price per each on a daily basis. The price includes full compensation for renting/furnishing, installing, setting up, maintaining and removing one electronic message board for a 24-hour period and furnishing labor, materials tools, equipment, and incidentals necessary to operate the Electronic Message Boards.

The Engineer will pay for the following pay item when included in the proposal schedule:

Pay Item	Pay Unit
Traffic Control (Interstate Freeway)	Lane Mile
Traffic Control (State Highway)	Lane Mile
Electronic Message Board (per day)	Each

441 The Engineer will not pay for request submittals. The Engineer will not
442 consider claims for additional compensation of late submittals or requests by
443 Contractor.
444


445
446



TWO-LANE HIGHWAY - ONE LANE CLOSED
FIGURE 1 - TRAFFIC CONTROL PLAN

R11/97


447
448
449



MULTILANE UNDIVIDED HIGHWAY - RIGHT LANE CLOSED

FIGURE 2 - TRAFFIC CONTROL PLAN


R2/97



MULTILANE UNDIVIDED HIGHWAY - LEFT LANE CLOSED

FIGURE 3 - TRAFFIC CONTROL PLAN


452
453
454




MULTILANE DIVIDED HIGHWAY - ONE LANE CLOSED

FIGURE 4 - TRAFFIC CONTROL PLAN

R10/96



458
459
460



MULTILANE HIGHWAY - MULTIPLE LANE CLOSED

FIGURE 6 - TRAFFIC CONTROL PLAN

R10/96


461
462
463
464
465

”

END OF SECTION 645

HWY-OM-2027-47
645-18a

Addendum No. 1
r8/7/26



WORKING ON SHOULDER OR ROADSIDE
FIGURE 7 - TRAFFIC CONTROL PLAN

R10/96

**PROPOSAL TO THE
STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION**

**PROJECT: SIGN REPLACEMENT AT VARIOUS LOCATIONS
ISLAND OF OAHU**

PROJECT NO.: HWY-OM-2027-47

CONTRACT PERIOD: TWENTY-FOUR (24) MONTHS from the date indicated in the Notice to Proceed from the Department with an option to extend for three (3) additional twelve (12) month periods upon mutual agreement.

DESIGN PROJECT MANAGER:

**NAME: Jennifer Russell
ADDRESS: 601 Kamokila Boulevard, Room 609
Kapolei, Hawaii 96707
PHONE NO.: (808) 692-7572
EMAIL: jennifer.t.russell@hawaii.gov**

ELECTRONIC SUBMITTAL:

Bidders shall submit and upload the complete proposal to HlePRO prior to the bid opening date and time. Any additional support documents explicitly designated as confidential and/or proprietary shall be uploaded as a separate file to HlePRO. See SPECIAL PROVISIONS 102.09 DELIVERY OF PROPOSALS for complete details. FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HlePRO SHALL BE GROUNDS FOR REJECTION OF THE BID.

Director of Transportation
869 Punchbowl Street
Honolulu, Hawaii 96813

Dear Sir:

The undersigned bidder declares the following:

1. It has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal.
2. It has not been assisted or represented on this matter by any individual who has, in a State capacity, been involved in the subject matter of this contract within the past two years.
3. It has not and will not, either directly or indirectly offered or given a gratuity (i.e. an entertainment or gift) to any State or County employee to obtain a contract or favorable treatment under a contract.

The undersigned bidder further agrees to the following:

1. If this proposal is accepted, it shall execute a contract with the Department to provide all necessary labor, machinery, tools, equipment, apparatus and any other means of construction, to do all the work and to furnish all the materials specified in the contract in the manner and within the time therein prescribed in the contract, and that it shall accept in full payment therefore the sum of the unit and/or lump sum prices as set forth in the attached proposal schedule for the actual quantities of work performed and materials furnished and furnish satisfactory security in accordance with Section 103D-324, Hawaii Revised Statutes, within 10 days after the award of the contract or within such time as the Director of Transportation may allow after the undersigned has received the contract documents for execution, and is fully aware that non-compliance with the aforementioned terms will result in the forfeiture of the full amount of the bid guarantee required under Section 103D-323, Hawaii Revised Statutes.
2. That the quantities given in the attached proposal schedule are approximate only and are intended principally to serve as a guide in determining and comparing the bids.
3. That the Department does not either expressly or by implication, agree that the actual amount of work will correspond therewith, but reserves the right to increase or decrease the amount of any class or portion of the work, or to omit portions of the work, as may be deemed necessary or advisable by the Director of Transportation, and that all increased or decreased quantities of work shall be performed at the unit prices set forth in the attached proposal schedule except as provided for in the specifications.

4. In case of a discrepancy between unit prices and the totals in said Proposal Schedule, the unit prices shall prevail.
5. Agrees to begin work within 10 working days after the date of notification to commence with the work, which date is in the notice to proceed, and shall finish the entire project within the time prescribed.
6. The Director of Transportation reserves the right to reject any or all bids and to waive any defects when in the Director's opinion such rejections or waiver will be for the best interest of the public.
7. The undersigned Bidder further agrees to the following: Pursuant to HRS §103D-405(d), any contractor (including consultants) paid for services to develop or prepare specifications or work statements shall be precluded from submitting an offer or receiving a contract for that particular solicitation. This includes the preparation of reports relied upon by HDOT in the development of the project scope.

The bidder acknowledges receipt of and certifies that it has completely examined the following listed items: the Hawaii Standard Specifications for Road and Bridge Construction dated 2005, the Notice to Bidders, the Special Provisions, if any, the Technical Provisions, the Proposal, the Contract and Bond Forms, and the Project Plans.

In accordance with Section 103D-323, Hawaii Revised Statutes, this proposal is accompanied with a bid security in the amount of 5% of the total amount bid per area, in the form checked below. (Check applicable bid security submitted with bid.)

_____ Surety Bid Bond (Use standard form),

_____ Cash,

_____ Cashier's Check,

_____ Certified Check, or

_____ (Fill in other acceptable security.)

The undersigned bidder acknowledges receipt of any addendum issued by the Department by recording in the space below the date of receipt.

Addendum No. 1 _____

Addendum No. 3 _____

Addendum No. 2 _____

Addendum No. 4 _____

In accordance with Section 103D-302, Hawaii Revised Statutes, the undersigned as bidder has listed the name of each person or firm, who will be engaged by the bidder on the project as Joint Contractor or Subcontractor and the nature of work to be done by each. **The Bidder must adequately and unambiguously disclose the unique nature and scope of the work to be performed by each Subcontractor or Joint Contractor.** For each listed firm, the Bidder declares the respective firm is a Sub- or Joint Contractor and subject to evaluation as a Sub- or Joint Contractor. It is understood that failure to comply with the aforementioned requirements may be cause for rejection of the bid submitted.

<u>Name of Subcontractor</u>	<u>Nature and Scope of Work</u>
1. _____	_____
2. _____	_____
3. _____	_____
4. _____	_____
5. _____	_____
6. _____	_____
7. _____	_____
8. _____	_____

<u>Name of Joint Contractor</u>	<u>Nature and Scope of Work</u>
1. _____	_____
2. _____	_____
3. _____	_____

NOTES:

"None" or if left blank indicates no Subcontractor or Joint Contractor.

If more space is needed, attach additional sheets.

The undersigned hereby certifies that the bid prices contained in the attached proposal schedule have been carefully checked and are submitted as correct and final.

This declaration is made with the understanding that the undersigned is subject to the penalty of perjury under the laws of the United States and is in violation of the Hawaii Penal Code, Section 710-1063, unsworn falsification to authorities, of the Hawaii Revised Statutes, for knowingly rendering a false declaration.

Bidder (Company Name)

By _____
Authorized Signature

Print Name and Title

Business Address

Business Telephone Email

Date

Contact Person (If different from above)

Phone: _____ Email: _____

NOTE:

If bidder is a CORPORATION, the legal name of the corporation shall be set forth above, the corporate seal affixed, together with the signature(s) of the officer(s) authorized to sign contracts for the corporation. Please attach to this page current (not more than six months old) evidence of the authority of the officer(s) to sign for the corporation.

If bidder is a PARTNERSHIP, the true name of the partnership shall be set forth above, with the signature(s) of the general partner(s). Please attach to this page current (not more than six months old) evidence of the authority of the partner authorized to sign for the partnership.

If bidder is an INDIVIDUAL, the bidder's signature shall be placed above.

If signature is by an agent, other than an officer of a corporation or a partner of a partnership, a POWER OF ATTORNEY must be on file with the Department before opening bids or submitted with the bid. Otherwise, the Department may reject the bid as irregular and unauthorized.

PREFERENCES FOR AREA 1

Bidders acknowledge that while preferences are considered in the evaluation of bids, the award of the contract will be in the amount of the bid offered exclusive of any preferences.

A. HAWAII BIDDER PREFERENCE

In accordance with HRS §103D-302, the Hawaii bidder preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a completed *Hawaii Bidder/Offeror Preference Certification Form* (Form SPO-081) at or before the time set for receipt of bids. Certifications submitted for previous or other solicitations will not be accepted.

☐ **Yes, the Bidder elects to receive the Hawaii Bidder Preference and has included the Form SPO-081 with the bid.**

B. APPRENTICESHIP AGREEMENT PREFERENCE

In accordance with HRS §103-55.6, the estimated value of this public works contract is \$250,000 or more and the apprenticeship agreement preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a complete, valid CERTIFICATION OF BIDDER'S PARTICIPATION IN APPROVED APPRENTICESHIP PROGRAM UNDER ACT 17 (Certification Form 1) *for each apprenticeable trade* the Bidder will employ on the project.

☐ **Yes, the Bidder elects to receive the Apprenticeship Agreement Preference and has attached Certification Form(s) 1 for each apprenticeable trade the Bidder will employ for this project (excluding subcontractors).**

By submission of this offer, the Bidder certifies that it has indicated **all apprenticeable trades that Bidder will employ** for this project (excluding subcontractors) by listing the applicable trades below:

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

(Attach additional sheet if necessary.)

Form 1 Required. Failure to submit a valid Form 1 with the bid for every apprenticeable trade that Bidder will employ on the project will result in the preference being denied, regardless of whether the trade is listed above. If a Form 1 is submitted for a trade that is not listed above, the Form 1 will take

precedence over the listing and may be used to qualify Bidder for the preference.

Form 2 Required. If awarded the contract with the Apprenticeship Agreement Preference applied, then for the duration of the contract, the Bidder **shall** certify each month that work is being conducted on the project that the Contractor continues to be a participant in the relevant apprenticeship program for each trade it employs. Monthly certification shall be made on the Certification Form 2 and submitted to the HDOT.

Failure to comply with the requirements of the Apprenticeship Agreement Preference program will subject the Contractor to sanctions pursuant to HRS §103-55.6.

C. HAWAII PRODUCTS PREFERENCE

Hawaii Products Preference shall not apply to this solicitation.

D. RECYCLED PRODUCT PREFERENCE

Recycled Product Preference shall not apply to this solicitation.



STATE OF HAWAII
Hawaii Bidder/Offeror
Preference Certification Form
(As Defined in HRS103D-1001)
AREA 1

I, _____ of
(Authorized Officer's Name) (Office or Position Held)

_____, certify the following:
(Name of Bidder/Offeror)

- (1) That the Bidder/Offeror holds a valid commercial place of business located in the State of Hawaii at the following address:

and that the above-named office was opened on the following date: _____,

and has been staffed by the Bidder/Offeror or an employee of the Bidder/Offeror for not less than two (2) consecutive years immediately preceding the time and date set for the opening of bids or receipt of proposals;

- (2) That the bid or proposal in response to IFB/RFP No. _____, is submitted under the name under which the Bidder/Offeror is authorized to do business in the State;
- (3) That not less than fifty-one percent (51%) of the total direct labor hours required for performance of the contract will be performed within the State; and
- (4) If the Bidder/Offeror is a joint venture, the Bidder/Offeror is composed entirely of parties meeting the requirements of paragraphs (1), (2), and (3).

I certify under penalty of perjury that the above statements are true. I agree to maintain the above qualifications throughout contract performance; any changes in eligibility shall be reported to the Contract Administrator or purchasing agency's contact person identified in the RFP/IFB. I acknowledge that failure to maintain the above qualifications triggers a price adjustment equal to the value of the preference applied and may constitute cause for debarment under HRS §103D-702.

Signature of Authorized Officer

Print Name and Title

Date

PROPOSAL SCHEDULE - AREA 1					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
621.1000	Invasive Species Management	F.A.	F.A.	F.A.	\$ 50,000.00
630.1010	Panel for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.1011	Panel for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.1012	Panel for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.1020	Panel for Ground Mounted Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.1021	Panel for Ground Mounted Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.1022	Panel for Ground Mounted Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.1030	Overlay Panel for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.1031	Overlay Panel for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.1032	Overlay Panel for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.1040	Overlay Panel for Ground Mounted Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 1

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.1041	Overlay Panel for Ground Mounted Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.1042	Overlay Panel for Ground Mounted Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.1210	Destination Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.1211	Destination Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.1212	Destination Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.1220	Slip Base Post for Destination Sign - 10 LF or Less	1	EA	\$ _____	\$ _____
630.1221	Slip Base Post for Destination Sign - Greater than 10 LF to 15 LF	1	EA	\$ _____	\$ _____
630.1222	Slip Base Post for Destination Sign - Greater than 15 SF	1	EA	\$ _____	\$ _____
630.1230	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - 10 LF or Less	1	EA	\$ _____	\$ _____
630.1231	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - Greater than 10 LF to 15 LF	1	EA	\$ _____	\$ _____
630.1232	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - Greater than 15 LF	1	EA	\$ _____	\$ _____
630.1310	Street Name Sign - 2 SF or Less	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 1

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.1311	Street Name Sign - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.1312	Street Name Sign - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.1320	Street Name Sign on Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.1321	Street Name Sign on Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.1322	Street Name Sign on Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.1330	Street Name Sign on Overhead Mast Arm - 2 SF or Less	1	EA	\$ _____	\$ _____
630.1331	Street Name Sign on Overhead Mast Arm - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.1332	Street Name Sign on Overhead Mast Arm - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.1410	Type "A" Route Marker Assembly - 2 SF or Less	1	EA	\$ _____	\$ _____
630.1411	Type "A" Route Marker Assembly - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.1412	Type "A" Route Marker Assembly - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.1420	Type "B" Route Marker Assembly - 2 SF or Less	1	EA	\$ _____	\$ _____
630.1421	Type "B" Route Marker Assembly - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.1422	Type "B" Route Marker Assembly - Greater than 6 SF	1	EA	\$ _____	\$ _____

Addendum No. 1

HWY-OM-2027-47

r8/7/26

P-11

PROPOSAL SCHEDULE - AREA 1

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.1430	Type "A" Route Marker Assembly with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.1431	Type "A" Route Marker Assembly with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.1432	Type "A" Route Marker Assembly with Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.1440	Type "B" Route Marker Assembly with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.1441	Type "B" Route Marker Assembly with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.1442	Type "B" Route Marker Assembly with Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.1910	Graffiti Removal for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.1911	Graffiti Removal for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.1912	Graffiti Removal for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.1920	Graffiti Removal for Ground Mounted Expressway and Destination Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.1921	Graffiti Removal for Ground Mounted Expressway and Destination Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____

Addendum No. 1

HWY-OM-2027-47

r8/7/26

P-12

PROPOSAL SCHEDULE - AREA 1					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.1922	Graffiti Removal for Ground Mounted Expressway and Destination Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.1930	Graffiti Removal for Street Name Sign and Route Marker Assembly - 50 SF or Less	1	SF	\$ _____	\$ _____
630.1931	Graffiti Removal for Street Name Sign and Route Marker Assembly - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.1932	Graffiti Removal for Street Name Sign and Route Marker Assembly - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.1940	Graffiti Removal for Street Name Sign on Overhead Mast Arm - 50 SF or Less	1	SF	\$ _____	\$ _____
630.1941	Graffiti Removal for Street Name Sign on Overhead Mast Arm - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.1942	Graffiti Removal for Street Name Sign on Overhead Mast Arm - Greater than 125 SF	1	SF	\$ _____	\$ _____
631.1500	Regulatory Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.1501	Regulatory Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.1502	Regulatory Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.1503	Regulatory Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 1					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.1504	Regulatory Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.1505	Regulatory Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.1510	Warning Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.1511	Warning Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.1512	Warning Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.1513	Warning Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.1514	Warning Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.1515	Warning Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.1530	Information Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.1531	Information Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.1532	Information Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.1533	Information Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.1534	Information Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.1535	Information Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 1					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.1540	Miscellaneous Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.1541	Miscellaneous Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.1542	Miscellaneous Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.1810	Flanged Channel Post and Foundation (2.50 lbs/ft.) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.1811	Flanged Channel Post and Foundation (2.50 lbs/ft.) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.1812	Flanged Channel Post and Foundation (2.50 lbs/ft.) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.1813	Flanged Channel Post and Foundation (4.00 lbs/ft.) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.1814	Flanged Channel Post and Foundation (4.00 lbs/ft.) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.1815	Flanged Channel Post and Foundation (4.00 lbs/ft.) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.1820	Square Tube Post and Foundation (2 Inch) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.1821	Square Tube Post and Foundation (2 Inch) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 1					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.1822	Square Tube Post and Foundation (2 Inch) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.1823	Square Tube Post and Foundation (2-1/2 Inch) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.1824	Square Tube Post and Foundation (2-1/2 Inch) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.1825	Square Tube Post and Foundation (2-1/2 Inch) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.1910	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
631.1911	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
631.1912	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
631.1950	Straightening of Sign - Sign with One (1) Post	1	EA	\$ _____	\$ _____
631.1951	Straightening of Sign - Sign with Two (2) Posts	1	EA	\$ _____	\$ _____
631.1952	Straightening of Sign - Sign with Three (3) Posts	1	EA	\$ _____	\$ _____
632.1750	Mile Post Marker - 2 SF or Less	1	EA	\$ _____	\$ _____
632.1751	Mile Post Marker - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 1

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
632.1752	Mile Post Marker with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
632.1753	Mile Post Marker with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
632.1754	Mile Post Marker with Post(s) (Bi-Directional) - 2 SF or Less	1	EA	\$ _____	\$ _____
632.1755	Mile Post Marker with Post(s) (Bi-Directional) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
632.1760	Type II Object Marker - 25 EA or Less	1	EA	\$ _____	\$ _____
632.1761	Type II Object Marker - 26 EA to 100 EA	1	EA	\$ _____	\$ _____
632.1762	Type III Object Marker - 5 EA or Less	1	EA	\$ _____	\$ _____
632.1763	Type III Object Marker - 6 EA to 15 EA	1	EA	\$ _____	\$ _____
632.1770	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-1	1	EA	\$ _____	\$ _____
632.1771	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-2	1	EA	\$ _____	\$ _____
632.1772	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-3	1	EA	\$ _____	\$ _____
632.1773	Reflector Marker with Type A Delineator - RM-1	1	EA	\$ _____	\$ _____
632.1774	Reflector Marker with Type A Delineator - RM-2	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 1

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
632.1775	Reflector Marker with Type A Delineator - RM-3	1	EA	\$ _____	\$ _____
632.1776	Reflector Marker with Type B Delineator - RM-1	1	EA	\$ _____	\$ _____
632.1777	Reflector Marker with Type B Delineator - RM-2	1	EA	\$ _____	\$ _____
632.1778	Reflector Marker with Type B Delineator - RM-3	1	EA	\$ _____	\$ _____
632.1779	Reflector Marker on W-beam Guardrail - RM-5	1	EA	\$ _____	\$ _____
632.1910	Graffiti Removal for Mile Post and Type III Object Marker - 2 SF or Less	1	SF	\$ _____	\$ _____
632.1911	Graffiti Removal for Mile Post and Type III Object Marker - Greater than 2 SF to 6 SF	1	SF	\$ _____	\$ _____
645.1000	Traffic Control (Interstate Freeway)	1	Lane Mile	\$ _____	\$ _____
645.1001	Traffic Control (State Highway)	1	Lane Mile	\$ _____	\$ _____
645.1002	Electronic Message Board (Per Day)	1	EA	\$ _____	\$ _____
671.1000	Protection of Endangered Species	F.A.	F.A.	F.A.	\$ 50,000.00

Total Amount for Comparison of Bids - AREA 1. \$ _____

NOTE: Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.

PREFERENCES FOR AREA 2

Bidders acknowledge that while preferences are considered in the evaluation of bids, the award of the contract will be in the amount of the bid offered exclusive of any preferences.

A. HAWAII BIDDER PREFERENCE

In accordance with HRS §103D-302, the Hawaii bidder preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a completed *Hawaii Bidder/Offeror Preference Certification Form* (Form SPO-081) at or before the time set for receipt of bids. Certifications submitted for previous or other solicitations will not be accepted.

☐ **Yes, the Bidder elects to receive the Hawaii Bidder Preference and has included the Form SPO-081 with the bid.**

B. APPRENTICESHIP AGREEMENT PREFERENCE

In accordance with HRS §103-55.6, the estimated value of this public works contract is \$250,000 or more and the apprenticeship agreement preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a complete, valid CERTIFICATION OF BIDDER'S PARTICIPATION IN APPROVED APPRENTICESHIP PROGRAM UNDER ACT 17 (Certification Form 1) *for each apprenticeable trade* the Bidder will employ on the project.

☐ **Yes, the Bidder elects to receive the Apprenticeship Agreement Preference and has attached Certification Form(s) 1 for each apprenticeable trade the Bidder will employ for this project (excluding subcontractors).**

By submission of this offer, the Bidder certifies that it has indicated **all apprenticeable trades that Bidder will employ** for this project (excluding subcontractors) by listing the applicable trades below:

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

(Attach additional sheet if necessary.)

Form 1 Required. Failure to submit a valid Form 1 with the bid for every apprenticeable trade that Bidder will employ on the project will result in the preference being denied, regardless of whether the trade is listed above. If a Form 1 is submitted for a trade that is not listed above, the Form 1 will take

precedence over the listing and may be used to qualify Bidder for the preference.

Form 2 Required. If awarded the contract with the Apprenticeship Agreement Preference applied, then for the duration of the contract, the Bidder **shall** certify each month that work is being conducted on the project that the Contractor continues to be a participant in the relevant apprenticeship program for each trade it employs. Monthly certification shall be made on the Certification Form 2 and submitted to the HDOT.

Failure to comply with the requirements of the Apprenticeship Agreement Preference program will subject the Contractor to sanctions pursuant to HRS §103-55.6.

C. HAWAII PRODUCTS PREFERENCE

Hawaii Products Preference shall not apply to this solicitation.

D. RECYCLED PRODUCT PREFERENCE

Recycled Product Preference shall not apply to this solicitation.



STATE OF HAWAII
Hawaii Bidder/Offeror
Preference Certification Form
(As Defined in HRS103D-1001)
AREA 2

I, _____ of
(Authorized Officer's Name) (Office or Position Held)

_____, certify the following:
(Name of Bidder/Offeror)

- (1) That the Bidder/Offeror holds a valid commercial place of business located in the State of Hawaii at the following address:

and that the above-named office was opened on the following date: _____,

and has been staffed by the Bidder/Offeror or an employee of the Bidder/Offeror for not less than two (2) consecutive years immediately preceding the time and date set for the opening of bids or receipt of proposals;

- (2) That the bid or proposal in response to IFB/RFP No. _____, is submitted under the name under which the Bidder/Offeror is authorized to do business in the State;
- (3) That not less than fifty-one percent (51%) of the total direct labor hours required for performance of the contract will be performed within the State; and
- (4) If the Bidder/Offeror is a joint venture, the Bidder/Offeror is composed entirely of parties meeting the requirements of paragraphs (1), (2), and (3).

I certify under penalty of perjury that the above statements are true. I agree to maintain the above qualifications throughout contract performance; any changes in eligibility shall be reported to the Contract Administrator or purchasing agency's contact person identified in the RFP/IFB. I acknowledge that failure to maintain the above qualifications triggers a price adjustment equal to the value of the preference applied and may constitute cause for debarment under HRS §103D-702.

Signature of Authorized Officer

Print Name and Title

Date

PROPOSAL SCHEDULE - AREA 2					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
621.2000	Invasive Species Management	F.A.	F.A.	F.A.	\$ 50,000.00
630.2010	Panel for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.2011	Panel for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.2012	Panel for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.2020	Panel for Ground Mounted Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.2021	Panel for Ground Mounted Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.2022	Panel for Ground Mounted Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.2030	Overlay Panel for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.2031	Overlay Panel for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.2032	Overlay Panel for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.2040	Overlay Panel for Ground Mounted Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 2

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.2041	Overlay Panel for Ground Mounted Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.2042	Overlay Panel for Ground Mounted Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.2210	Destination Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.2211	Destination Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.2212	Destination Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.2220	Slip Base Post for Destination Sign - 10 LF or Less	1	EA	\$ _____	\$ _____
630.2221	Slip Base Post for Destination Sign - Greater than 10 LF to 15 LF	1	EA	\$ _____	\$ _____
630.2222	Slip Base Post for Destination Sign - Greater than 15 SF	1	EA	\$ _____	\$ _____
630.2230	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - 10 LF or Less	1	EA	\$ _____	\$ _____
630.2231	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - Greater than 10 LF to 15 LF	1	EA	\$ _____	\$ _____
630.2232	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - Greater than 15 LF	1	EA	\$ _____	\$ _____
630.2310	Street Name Sign - 2 SF or Less	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 2					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.2311	Street Name Sign - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.2312	Street Name Sign - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.2320	Street Name Sign on Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.2321	Street Name Sign on Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.2322	Street Name Sign on Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.2330	Street Name Sign on Overhead Mast Arm - 2 SF or Less	1	EA	\$ _____	\$ _____
630.2331	Street Name Sign on Overhead Mast Arm - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.2332	Street Name Sign on Overhead Mast Arm - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.2410.	Type "A" Route Marker Assembly - 2 SF or Less	1	EA	\$ _____	\$ _____
630.2411	Type "A" Route Marker Assembly - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.2412	Type "A" Route Marker Assembly - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.2420	Type "B" Route Marker Assembly - 2 SF or Less	1	EA	\$ _____	\$ _____
630.2421	Type "B" Route Marker Assembly - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.2422	Type "B" Route Marker Assembly - Greater than 6 SF	1	EA	\$ _____	\$ _____

Addendum No. 1
HWY-OM-2027-47
r8/7/26
P-24

PROPOSAL SCHEDULE - AREA 2					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.2430	Type "A" Route Marker Assembly with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.2431	Type "A" Route Marker Assembly with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.2432	Type "A" Route Marker Assembly with Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.2440	Type "B" Route Marker Assembly with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.2441	Type "B" Route Marker Assembly with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.2442	Type "B" Route Marker Assembly with Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.2910	Graffiti Removal for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.2911	Graffiti Removal for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.2912	Graffiti Removal for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.2920	Graffiti Removal for Ground Mounted Expressway and Destination Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.2921	Graffiti Removal for Ground Mounted Expressway and Destination Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____

Addendum No. 1
HWY-OM-2027-47
r8/7/26
P-25

PROPOSAL SCHEDULE - AREA 2					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.2922	Graffiti Removal for Ground Mounted Expressway and Destination Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.2930	Graffiti Removal for Street Name Sign and Route Marker Assembly - 50 SF or Less	1	SF	\$ _____	\$ _____
630.2931	Graffiti Removal for Street Name Sign and Route Marker Assembly - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.2932	Graffiti Removal for Street Name Sign and Route Marker Assembly - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.2940	Graffiti Removal for Street Name Sign on Overhead Mast Arm - 50 SF or Less	1	SF	\$ _____	\$ _____
630.2941	Graffiti Removal for Street Name Sign on Overhead Mast Arm - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.2942	Graffiti Removal for Street Name Sign on Overhead Mast Arm - Greater than 125 SF	1	SF	\$ _____	\$ _____
631.2500	Regulatory Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.2501	Regulatory Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.2502	Regulatory Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.2503	Regulatory Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 2					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.2504	Regulatory Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.2505	Regulatory Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.2510	Warning Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.2511	Warning Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.2512	Warning Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.2513	Warning Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.2514	Warning Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.2515	Warning Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.2530	Information Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.2531	Information Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.2532	Information Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.2533	Information Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.2534	Information Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.2535	Information Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 2					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.2540	Miscellaneous Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.2541	Miscellaneous Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.2542	Miscellaneous Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.2810	Flanged Channel Post and Foundation (2.50 lbs/ft.) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.2811	Flanged Channel Post and Foundation (2.50 lbs/ft.) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.2812	Flanged Channel Post and Foundation (2.50 lbs/ft.) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.2813	Flanged Channel Post and Foundation (4.00 lbs/ft.) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.2814	Flanged Channel Post and Foundation (4.00 lbs/ft.) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.2815	Flanged Channel Post and Foundation (4.00 lbs/ft.) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.2820	Square Tube Post and Foundation (2 Inch) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.2821	Square Tube Post and Foundation (2 Inch) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 2					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.2822	Square Tube Post and Foundation (2 Inch) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.2823	Square Tube Post and Foundation (2-1/2 Inch) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.2824	Square Tube Post and Foundation (2-1/2 Inch) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.2825	Square Tube Post and Foundation (2-1/2 Inch) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.2910	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
631.2911	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
631.2912	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
631.2950	Straightening of Sign - Sign with One (1) Post	1	EA	\$ _____	\$ _____
631.2951	Straightening of Sign - Sign with Two (2) Posts	1	EA	\$ _____	\$ _____
631.2952	Straightening of Sign - Sign with Three (3) Posts	1	EA	\$ _____	\$ _____
632.2750	Mile Post Marker - 2 SF or Less	1	EA	\$ _____	\$ _____
632.2751	Mile Post Marker - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 2

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
632.2752	Mile Post Marker with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
632.2753	Mile Post Marker with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
632.2754	Mile Post Marker with Post(s) (Bi-Directional) - 2 SF or Less	1	EA	\$ _____	\$ _____
632.2755	Mile Post Marker with Post(s) (Bi-Directional) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
632.2760	Type II Object Marker - 25 EA or Less	1	EA	\$ _____	\$ _____
632.2761	Type II Object Marker - 26 EA to 100 EA	1	EA	\$ _____	\$ _____
632.2762	Type III Object Marker - 5 EA or Less	1	EA	\$ _____	\$ _____
632.2763	Type III Object Marker - 6 EA to 15 EA	1	EA	\$ _____	\$ _____
632.2770	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-1	1	EA	\$ _____	\$ _____
632.2771	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-2	1	EA	\$ _____	\$ _____
632.2772	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-3	1	EA	\$ _____	\$ _____
632.2773	Reflector Marker with Type A Delineator - RM-1	1	EA	\$ _____	\$ _____
632.2774	Reflector Marker with Type A Delineator - RM-2	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 2					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
632.2775	Reflector Marker with Type A Delineator - RM-3	1	EA	\$ _____	\$ _____
632.2776	Reflector Marker with Type B Delineator - RM-1	1	EA	\$ _____	\$ _____
632.2777	Reflector Marker with Type B Delineator - RM-2	1	EA	\$ _____	\$ _____
632.2778	Reflector Marker with Type B Delineator - RM-3	1	EA	\$ _____	\$ _____
632.2779	Reflector Marker on W-beam Guardrail - RM-5	1	EA	\$ _____	\$ _____
632.2910	Graffiti Removal for Mile Post and Type III Object Marker - 2 SF or Less	1	SF	\$ _____	\$ _____
632.2911	Graffiti Removal for Mile Post and Type III Object Marker - Greater than 2 SF to 6 SF	1	SF	\$ _____	\$ _____
645.2000	Traffic Control (Interstate Freeway)	1	Lane Mile	\$ _____	\$ _____
645.2001	Traffic Control (State Highway)	1	Lane Mile	\$ _____	\$ _____
645.2002	Electronic Message Board (Per Day)	1	EA	\$ _____	\$ _____
671.2000	Protection of Endangered Species	F.A.	F.A.	F.A.	\$ 50,000.00
Total Amount for Comparison of Bids - AREA 2.					\$ _____
NOTE: Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.					

PREFERENCES FOR AREA 3

Bidders acknowledge that while preferences are considered in the evaluation of bids, the award of the contract will be in the amount of the bid offered exclusive of any preferences.

A. HAWAII BIDDER PREFERENCE

In accordance with HRS §103D-302, the Hawaii bidder preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a completed *Hawaii Bidder/Offeror Preference Certification Form* (Form SPO-081) at or before the time set for receipt of bids. Certifications submitted for previous or other solicitations will not be accepted.

☐ **Yes, the Bidder elects to receive the Hawaii Bidder Preference and has included the Form SPO-081 with the bid.**

B. APPRENTICESHIP AGREEMENT PREFERENCE

In accordance with HRS §103-55.6, the estimated value of this public works contract is \$250,000 or more and the apprenticeship agreement preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a complete, valid CERTIFICATION OF BIDDER'S PARTICIPATION IN APPROVED APPRENTICESHIP PROGRAM UNDER ACT 17 (Certification Form 1) *for each apprenticeable trade* the Bidder will employ on the project.

☐ **Yes, the Bidder elects to receive the Apprenticeship Agreement Preference and has attached Certification Form(s) 1 for each apprenticeable trade the Bidder will employ for this project (excluding subcontractors).**

By submission of this offer, the Bidder certifies that it has indicated **all apprenticeable trades that Bidder will employ** for this project (excluding subcontractors) by listing the applicable trades below:

(Attach additional sheet if necessary.)

Form 1 Required. Failure to submit a valid Form 1 with the bid for every apprenticeable trade that Bidder will employ on the project will result in the preference being denied, regardless of whether the trade is listed above. If a Form 1 is submitted for a trade that is not listed above, the Form 1 will take

precedence over the listing and may be used to qualify Bidder for the preference.

Form 2 Required. If awarded the contract with the Apprenticeship Agreement Preference applied, then for the duration of the contract, the Bidder **shall** certify each month that work is being conducted on the project that the Contractor continues to be a participant in the relevant apprenticeship program for each trade it employs. Monthly certification shall be made on the Certification Form 2 and submitted to the HDOT.

Failure to comply with the requirements of the Apprenticeship Agreement Preference program will subject the Contractor to sanctions pursuant to HRS §103-55.6.

C. HAWAII PRODUCTS PREFERENCE

Hawaii Products Preference shall not apply to this solicitation.

D. RECYCLED PRODUCT PREFERENCE

Recycled Product Preference shall not apply to this solicitation.



STATE OF HAWAII
Hawaii Bidder/Offeror
Preference Certification Form
(As Defined in HRS103D-1001)
AREA 3

I, _____ of
(Authorized Officer's Name) (Office or Position Held)

_____, certify the following:
(Name of Bidder/Offeror)

- (1) That the Bidder/Offeror holds a valid commercial place of business located in the State of Hawaii at the following address:

and that the above-named office was opened on the following date: _____,

and has been staffed by the Bidder/Offeror or an employee of the Bidder/Offeror for not less than two (2) consecutive years immediately preceding the time and date set for the opening of bids or receipt of proposals;

- (2) That the bid or proposal in response to IFB/RFP No. _____, is submitted under the name under which the Bidder/Offeror is authorized to do business in the State;
- (3) That not less than fifty-one percent (51%) of the total direct labor hours required for performance of the contract will be performed within the State; and
- (4) If the Bidder/Offeror is a joint venture, the Bidder/Offeror is composed entirely of parties meeting the requirements of paragraphs (1), (2), and (3).

I certify under penalty of perjury that the above statements are true. I agree to maintain the above qualifications throughout contract performance; any changes in eligibility shall be reported to the Contract Administrator or purchasing agency's contact person identified in the RFP/IFB. I acknowledge that failure to maintain the above qualifications triggers a price adjustment equal to the value of the preference applied and may constitute cause for debarment under HRS §103D-702.

Signature of Authorized Officer

Print Name and Title

Date

PROPOSAL SCHEDULE - AREA 3					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
621.3000	Invasive Species Management	F.A.	F.A.	F.A.	\$ 50,000.00
630.3010	Panel for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.3011	Panel for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.3012	Panel for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.3020	Panel for Ground Mounted Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.3021	Panel for Ground Mounted Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.3022	Panel for Ground Mounted Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.3030	Overlay Panel for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.3031	Overlay Panel for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.3032	Overlay Panel for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.3040	Overlay Panel for Ground Mounted Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 3

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.3041	Overlay Panel for Ground Mounted Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.3042	Overlay Panel for Ground Mounted Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.3210	Destination Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.3211	Destination Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.3212	Destination Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.3220	Slip Base Post for Destination Sign - 10 LF or Less	1	EA	\$ _____	\$ _____
630.3221	Slip Base Post for Destination Sign - Greater than 10 LF to 15 LF	1	EA	\$ _____	\$ _____
630.3222	Slip Base Post for Destination Sign - Greater than 15 SF	1	EA	\$ _____	\$ _____
630.3230	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - 10 LF or Less	1	EA	\$ _____	\$ _____
630.3231	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - Greater than 10 LF to 15 LF	1	EA	\$ _____	\$ _____
630.3232	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - Greater than 15 LF	1	EA	\$ _____	\$ _____
630.3310	Street Name Sign - 2 SF or Less	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 3

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.3311	Street Name Sign - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.3312	Street Name Sign - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.3320	Street Name Sign on Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.3321	Street Name Sign on Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.3322	Street Name Sign on Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.3330	Street Name Sign on Overhead Mast Arm - 2 SF or Less	1	EA	\$ _____	\$ _____
630.3331	Street Name Sign on Overhead Mast Arm - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.3332	Street Name Sign on Overhead Mast Arm - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.3410	Type "A" Route Marker Assembly - 2 SF or Less	1	EA	\$ _____	\$ _____
630.3411	Type "A" Route Marker Assembly - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.3412	Type "A" Route Marker Assembly - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.3420	Type "B" Route Marker Assembly - 2 SF or Less	1	EA	\$ _____	\$ _____
630.3421	Type "B" Route Marker Assembly - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.3422	Type "B" Route Marker Assembly - Greater than 6 SF	1	EA	\$ _____	\$ _____

Addendum No. 1

HWY-OM-2027-47

r8/7/26

P-37

PROPOSAL SCHEDULE - AREA 3

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.3430	Type "A" Route Marker Assembly with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.3431	Type "A" Route Marker Assembly with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.3432	Type "A" Route Marker Assembly with Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.3440	Type "B" Route Marker Assembly with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.3441	Type "B" Route Marker Assembly with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.3442	Type "B" Route Marker Assembly with Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.3910	Graffiti Removal for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.3911	Graffiti Removal for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.3912	Graffiti Removal for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.3920	Graffiti Removal for Ground Mounted Expressway and Destination Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.3921	Graffiti Removal for Ground Mounted Expressway and Destination Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____

Addendum No. 1

HWY-OM-2027-47

r8/7/26

P-38

PROPOSAL SCHEDULE - AREA 3					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.3922	Graffiti Removal for Ground Mounted Expressway and Destination Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.3930	Graffiti Removal for Street Name Sign and Route Marker Assembly - 50 SF or Less	1	SF	\$ _____	\$ _____
630.3931	Graffiti Removal for Street Name Sign and Route Marker Assembly - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.3932	Graffiti Removal for Street Name Sign and Route Marker Assembly - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.3940	Graffiti Removal for Street Name Sign on Overhead Mast Arm - 50 SF or Less	1	SF	\$ _____	\$ _____
630.3941	Graffiti Removal for Street Name Sign on Overhead Mast Arm - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.3942	Graffiti Removal for Street Name Sign on Overhead Mast Arm - Greater than 125 SF	1	SF	\$ _____	\$ _____
631.3500	Regulatory Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.3501	Regulatory Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.3502	Regulatory Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.3503	Regulatory Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 3					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.3504	Regulatory Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.3505	Regulatory Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.3510	Warning Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.3511	Warning Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.3512	Warning Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.3513	Warning Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.3514	Warning Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.3515	Warning Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.3530	Information Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.3531	Information Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.3532	Information Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.3533	Information Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.3534	Information Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.3535	Information Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 3					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.3540	Miscellaneous Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.3541	Miscellaneous Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.3542	Miscellaneous Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.3810	Flanged Channel Post and Foundation (2.50 lbs/ft.) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.3811	Flanged Channel Post and Foundation (2.50 lbs/ft.) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.3812	Flanged Channel Post and Foundation (2.50 lbs/ft.) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.3813	Flanged Channel Post and Foundation (4.00 lbs/ft.) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.3814	Flanged Channel Post and Foundation (4.00 lbs/ft.) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.3815	Flanged Channel Post and Foundation (4.00 lbs/ft.) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.3820	Square Tube Post and Foundation (2 Inch) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.3821	Square Tube Post and Foundation (2 Inch) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 3					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.3822	Square Tube Post and Foundation (2 Inch) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.3823	Square Tube Post and Foundation (2-1/2 Inch) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.3824	Square Tube Post and Foundation (2-1/2 Inch) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.3825	Square Tube Post and Foundation (2-1/2 Inch) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.3910	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
631.3911	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
631.3912	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
631.3950	Straightening of Sign - Sign with One (1) Post	1	EA	\$ _____	\$ _____
631.3951	Straightening of Sign - Sign with Two (2) Posts	1	EA	\$ _____	\$ _____
631.3952	Straightening of Sign - Sign with Three (3) Posts	1	EA	\$ _____	\$ _____
632.3750	Mile Post Marker - 2 SF or Less	1	EA	\$ _____	\$ _____
632.3751	Mile Post Marker - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____

Addendum No. 1
HWY-OM-2027-47
r8/7/26
P-42

PROPOSAL SCHEDULE - AREA 3					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
632.3752	Mile Post Marker with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
632.3753	Mile Post Marker with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
632.3754	Mile Post Marker with Post(s) (Bi-Directional) - 2 SF or Less	1	EA	\$ _____	\$ _____
632.3755	Mile Post Marker with Post(s) (Bi-Directional) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
632.3760	Type II Object Marker - 25 EA or Less	1	EA	\$ _____	\$ _____
632.3761	Type II Object Marker - 26 EA to 100 EA	1	EA	\$ _____	\$ _____
632.3762	Type III Object Marker - 5 EA or Less	1	EA	\$ _____	\$ _____
632.3763	Type III Object Marker - 6 EA to 15 EA	1	EA	\$ _____	\$ _____
632.3770	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-1	1	EA	\$ _____	\$ _____
632.3771	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-2	1	EA	\$ _____	\$ _____
632.3772	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-3	1	EA	\$ _____	\$ _____
632.3773	Reflector Marker with Type A Delineator - RM-1	1	EA	\$ _____	\$ _____
632.3774	Reflector Marker with Type A Delineator - RM-2	1	EA	\$ _____	\$ _____

Addendum No. 1
HWY-OM-2027-47
r8/7/26
P-43

PROPOSAL SCHEDULE - AREA 3

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
632.3775	Reflector Marker with Type A Delineator - RM-3	1	EA	\$ _____	\$ _____
632.3776	Reflector Marker with Type B Delineator - RM-1	1	EA	\$ _____	\$ _____
632.3777	Reflector Marker with Type B Delineator - RM-2	1	EA	\$ _____	\$ _____
632.3778	Reflector Marker with Type B Delineator - RM-3	1	EA	\$ _____	\$ _____
632.3779	Reflector Marker on W-beam Guardrail - RM-5	1	EA	\$ _____	\$ _____
632.3910	Graffiti Removal for Mile Post and Type III Object Marker - 2 SF or Less	1	SF	\$ _____	\$ _____
632.3911	Graffiti Removal for Mile Post and Type III Object Marker - Greater than 2 SF to 6 SF	1	SF	\$ _____	\$ _____
645.3000	Traffic Control (Interstate Freeway)	1	Lane Mile	\$ _____	\$ _____
645.3001	Traffic Control (State Highway)	1	Lane Mile	\$ _____	\$ _____
645.3002	Electronic Message Board (Per Day)	1	EA	\$ _____	\$ _____
671.3000	Protection of Endangered Species	F.A.	F.A.	F.A.	\$ 50,000.00

Total Amount for Comparison of Bids - AREA 3. \$ _____

NOTE: Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.

PREFERENCES FOR AREA 4

Bidders acknowledge that while preferences are considered in the evaluation of bids, the award of the contract will be in the amount of the bid offered exclusive of any preferences.

A. HAWAII BIDDER PREFERENCE

In accordance with HRS §103D-302, the Hawaii bidder preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a completed *Hawaii Bidder/Offeror Preference Certification Form* (Form SPO-081) at or before the time set for receipt of bids. Certifications submitted for previous or other solicitations will not be accepted.

☐ **Yes, the Bidder elects to receive the Hawaii Bidder Preference and has included the Form SPO-081 with the bid.**

B. APPRENTICESHIP AGREEMENT PREFERENCE

In accordance with HRS §103-55.6, the estimated value of this public works contract is \$250,000 or more and the apprenticeship agreement preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a complete, valid CERTIFICATION OF BIDDER'S PARTICIPATION IN APPROVED APPRENTICESHIP PROGRAM UNDER ACT 17 (Certification Form 1) *for each apprenticeable trade* the Bidder will employ on the project.

☐ **Yes, the Bidder elects to receive the Apprenticeship Agreement Preference and has attached Certification Form(s) 1 for each apprenticeable trade the Bidder will employ for this project (excluding subcontractors).**

By submission of this offer, the Bidder certifies that it has indicated **all apprenticeable trades that Bidder will employ** for this project (excluding subcontractors) by listing the applicable trades below:

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

(Attach additional sheet if necessary.)

Form 1 Required. Failure to submit a valid Form 1 with the bid for every apprenticeable trade that Bidder will employ on the project will result in the preference being denied, regardless of whether the trade is listed above. If a Form 1 is submitted for a trade that is not listed above, the Form 1 will take

precedence over the listing and may be used to qualify Bidder for the preference.

Form 2 Required. If awarded the contract with the Apprenticeship Agreement Preference applied, then for the duration of the contract, the Bidder **shall** certify each month that work is being conducted on the project that the Contractor continues to be a participant in the relevant apprenticeship program for each trade it employs. Monthly certification shall be made on the Certification Form 2 and submitted to the HDOT.

Failure to comply with the requirements of the Apprenticeship Agreement Preference program will subject the Contractor to sanctions pursuant to HRS §103-55.6.

C. HAWAII PRODUCTS PREFERENCE

Hawaii Products Preference shall not apply to this solicitation.

D. RECYCLED PRODUCT PREFERENCE

Recycled Product Preference shall not apply to this solicitation.



STATE OF HAWAII
Hawaii Bidder/Offeror
Preference Certification Form
(As Defined in HRS103D-1001)
AREA 4

I, _____ of
(Authorized Officer's Name) (Office or Position Held)

_____, certify the following:
(Name of Bidder/Offeror)

- (1) That the Bidder/Offeror holds a valid commercial place of business located in the State of Hawaii at the following address:

and that the above-named office was opened on the following date: _____,

and has been staffed by the Bidder/Offeror or an employee of the Bidder/Offeror for not less than two (2) consecutive years immediately preceding the time and date set for the opening of bids or receipt of proposals;

- (2) That the bid or proposal in response to IFB/RFP No. _____, is submitted under the name under which the Bidder/Offeror is authorized to do business in the State;
- (3) That not less than fifty-one percent (51%) of the total direct labor hours required for performance of the contract will be performed within the State; and
- (4) If the Bidder/Offeror is a joint venture, the Bidder/Offeror is composed entirely of parties meeting the requirements of paragraphs (1), (2), and (3).

I certify under penalty of perjury that the above statements are true. I agree to maintain the above qualifications throughout contract performance; any changes in eligibility shall be reported to the Contract Administrator or purchasing agency's contact person identified in the RFP/IFB. I acknowledge that failure to maintain the above qualifications triggers a price adjustment equal to the value of the preference applied and may constitute cause for debarment under HRS §103D-702.

Signature of Authorized Officer

Print Name and Title

Date

PROPOSAL SCHEDULE - AREA 4

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
621.4000	Invasive Species Management	F.A.	F.A.	F.A.	\$ 50,000.00
630.4010	Panel for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.4011	Panel for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.4012	Panel for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.4020	Panel for Ground Mounted Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.4021	Panel for Ground Mounted Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.4022	Panel for Ground Mounted Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.4030	Overlay Panel for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.4031	Overlay Panel for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.4032	Overlay Panel for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.4040	Overlay Panel for Ground Mounted Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 4

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.4041	Overlay Panel for Ground Mounted Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.4042	Overlay Panel for Ground Mounted Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.4210	Destination Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.4211	Destination Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.4212	Destination Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.4220	Slip Base Post for Destination Sign - 10 LF or Less	1	EA	\$ _____	\$ _____
630.4221	Slip Base Post for Destination Sign - Greater than 10 LF to 15 LF	1	EA	\$ _____	\$ _____
630.4222	Slip Base Post for Destination Sign - Greater than 15 SF	1	EA	\$ _____	\$ _____
630.4230	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - 10 LF or Less	1	EA	\$ _____	\$ _____
630.4231	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - Greater than 10 LF to 15 LF	1	EA	\$ _____	\$ _____
630.4232	Galvanized Steel (I-Beam) for Ground Mounted Destination and Expressway Sign - Greater than 15 LF	1	EA	\$ _____	\$ _____
630.4310	Street Name Sign - 2 SF or Less	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 4

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.4311	Street Name Sign - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.4312	Street Name Sign - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.4320	Street Name Sign on Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.4321	Street Name Sign on Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.4322	Street Name Sign on Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.4330	Street Name Sign on Overhead Mast Arm - 2 SF or Less	1	EA	\$ _____	\$ _____
630.4331	Street Name Sign on Overhead Mast Arm - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.4332	Street Name Sign on Overhead Mast Arm - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.4410.	Type "A" Route Marker Assembly - 2 SF or Less	1	EA	\$ _____	\$ _____
630.4411	Type "A" Route Marker Assembly - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.4412	Type "A" Route Marker Assembly - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.4420	Type "B" Route Marker Assembly - 2 SF or Less	1	EA	\$ _____	\$ _____
630.4421	Type "B" Route Marker Assembly - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.4422	Type "B" Route Marker Assembly - Greater than 6 SF	1	EA	\$ _____	\$ _____

Addendum No. 1

HWY-OM-2027-47

r8/7/26

P-50

PROPOSAL SCHEDULE - AREA 4

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.4430	Type "A" Route Marker Assembly with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.4431	Type "A" Route Marker Assembly with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.4432	Type "A" Route Marker Assembly with Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.4440	Type "B" Route Marker Assembly with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
630.4441	Type "B" Route Marker Assembly with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
630.4442	Type "B" Route Marker Assembly with Post(s) - Greater than 6 SF	1	EA	\$ _____	\$ _____
630.4910	Graffiti Removal for Overhead Expressway Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.4911	Graffiti Removal for Overhead Expressway Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.4912	Graffiti Removal for Overhead Expressway Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.4920	Graffiti Removal for Ground Mounted Expressway and Destination Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
630.4921	Graffiti Removal for Ground Mounted Expressway and Destination Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 4					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
630.4922	Graffiti Removal for Ground Mounted Expressway and Destination Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.4930	Graffiti Removal for Street Name Sign and Route Marker Assembly - 50 SF or Less	1	SF	\$ _____	\$ _____
630.4931	Graffiti Removal for Street Name Sign and Route Marker Assembly - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.4932	Graffiti Removal for Street Name Sign and Route Marker Assembly - Greater than 125 SF	1	SF	\$ _____	\$ _____
630.4940	Graffiti Removal for Street Name Sign on Overhead Mast Arm - 50 SF or Less	1	SF	\$ _____	\$ _____
630.4941	Graffiti Removal for Street Name Sign on Overhead Mast Arm - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
630.4942	Graffiti Removal for Street Name Sign on Overhead Mast Arm - Greater than 125 SF	1	SF	\$ _____	\$ _____
631.4500	Regulatory Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.4501	Regulatory Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.4502	Regulatory Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.4503	Regulatory Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 4					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.4504	Regulatory Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.4505	Regulatory Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.4510	Warning Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.4511	Warning Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.4512	Warning Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.4513	Warning Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.4514	Warning Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.4515	Warning Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.4530	Information Sign - 2 SF or Less	1	EA	\$ _____	\$ _____
631.4531	Information Sign - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.4532	Information Sign - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.4533	Information Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.4534	Information Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.4535	Information Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 4					
ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.4540	Miscellaneous Sign with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
631.4541	Miscellaneous Sign with Post(s) - Greater than 2 SF to 10 SF	1	EA	\$ _____	\$ _____
631.4542	Miscellaneous Sign with Post(s) - Greater than 10 SF	1	EA	\$ _____	\$ _____
631.4810	Flanged Channel Post and Foundation (2.50 lbs/ft.) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.4811	Flanged Channel Post and Foundation (2.50 lbs/ft.) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.4812	Flanged Channel Post and Foundation (2.50 lbs/ft.) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.4813	Flanged Channel Post and Foundation (4.00 lbs/ft.) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.4814	Flanged Channel Post and Foundation (4.00 lbs/ft.) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.4815	Flanged Channel Post and Foundation (4.00 lbs/ft.) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.4820	Square Tube Post and Foundation (2 Inch) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.4821	Square Tube Post and Foundation (2 Inch) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 4

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
631.4822	Square Tube Post and Foundation (2 Inch) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.4823	Square Tube Post and Foundation (2-1/2 Inch) - 8 LF or Less	1	EA	\$ _____	\$ _____
631.4824	Square Tube Post and Foundation (2-1/2 Inch) - Greater than 8 LF to 11 LF	1	EA	\$ _____	\$ _____
631.4825	Square Tube Post and Foundation (2-1/2 Inch) - Greater than 11 LF	1	EA	\$ _____	\$ _____
631.4910	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - 50 SF or Less	1	SF	\$ _____	\$ _____
631.4911	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - Greater than 50 SF to 125 SF	1	SF	\$ _____	\$ _____
631.4912	Graffiti Removal for Regulatory, Warning, Information and Miscellaneous Sign - Greater than 125 SF	1	SF	\$ _____	\$ _____
631.4950	Straightening of Sign - Sign with One (1) Post	1	EA	\$ _____	\$ _____
631.4951	Straightening of Sign - Sign with Two (2) Posts	1	EA	\$ _____	\$ _____
631.4952	Straightening of Sign - Sign with Three (3) Posts	1	EA	\$ _____	\$ _____
632.4750	Mile Post Marker - 2 SF or Less	1	EA	\$ _____	\$ _____
632.4751	Mile Post Marker - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 4

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
632.4752	Mile Post Marker with Post(s) - 2 SF or Less	1	EA	\$ _____	\$ _____
632.4753	Mile Post Marker with Post(s) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
632.4754	Mile Post Marker with Post(s) (Bi-Directional) - 2 SF or Less	1	EA	\$ _____	\$ _____
632.4755	Mile Post Marker with Post(s) (Bi-Directional) - Greater than 2 SF to 6 SF	1	EA	\$ _____	\$ _____
632.4760	Type II Object Marker - 25 EA or Less	1	EA	\$ _____	\$ _____
632.4761	Type II Object Marker - 26 EA to 100 EA	1	EA	\$ _____	\$ _____
632.4762	Type III Object Marker - 5 EA or Less	1	EA	\$ _____	\$ _____
632.4763	Type III Object Marker - 6 EA to 15 EA	1	EA	\$ _____	\$ _____
632.4770	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-1	1	EA	\$ _____	\$ _____
632.4771	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-2	1	EA	\$ _____	\$ _____
632.4772	Reflector Marker with Galvanized Steel Post(s) and Foundation - RM-3	1	EA	\$ _____	\$ _____
632.4773	Reflector Marker with Type A Delineator - RM-1	1	EA	\$ _____	\$ _____
632.4774	Reflector Marker with Type A Delineator - RM-2	1	EA	\$ _____	\$ _____

PROPOSAL SCHEDULE - AREA 4

ITEM NO.	ITEM	APPROX. QUANTITY	UNIT	UNIT PRICE	AMOUNT
632.4775	Reflector Marker with Type A Delineator - RM-3	1	EA	\$ _____	\$ _____
632.4776	Reflector Marker with Type B Delineator - RM-1	1	EA	\$ _____	\$ _____
632.4777	Reflector Marker with Type B Delineator - RM-2	1	EA	\$ _____	\$ _____
632.4778	Reflector Marker with Type B Delineator - RM-3	1	EA	\$ _____	\$ _____
632.4779	Reflector Marker on W-beam Guardrail - RM-5	1	EA	\$ _____	\$ _____
632.4910	Graffiti Removal for Mile Post and Type III Object Marker - 2 SF or Less	1	SF	\$ _____	\$ _____
632.4911	Graffiti Removal for Mile Post and Type III Object Marker - Greater than 2 SF to 6 SF	1	SF	\$ _____	\$ _____
645.4000	Traffic Control (Interstate Freeway)	1	Lane Mile	\$ _____	\$ _____
645.4001	Traffic Control (State Highway)	1	Lane Mile	\$ _____	\$ _____
645.4002	Electronic Message Board (Per Day)	1	EA	\$ _____	\$ _____
671.4000	Protection of Endangered Species	F.A.	F.A.	F.A.	\$ 50,000.00

Total Amount for Comparison of Bids - AREA 4. \$ _____

NOTE: Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.

PROPOSAL SCHEDULE – SUMMARY	
	AMOUNT
TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 1	\$ _____
TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 2	\$ _____
TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 3	\$ _____
TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 4	\$ _____

1 **PROPOSAL SCHEDULE**

2
3 The bidder is directed to Subsection 105.16 – Subcontracts.

4
5 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials
6 regarding recycling of waste glass.

7
8 For each area, the “Total Amount for Comparison of Bids” shall be used to
9 determine the lowest responsible bidder.

10
11 Notes:

- 12
13 1. Bids shall include all Federal, State, County and other applicable taxes and
14 fees.
15
16 2. Bidders shall complete all unit prices and amounts. Failure to do so shall
17 be grounds for rejection of bid.
18
19 3. If a discrepancy occurs between unit bid price and the bid price, the unit bid
20 price shall govern.
21

- 22 4. **Bidders shall submit and upload the complete proposal to HlePRO**
23 **prior to the bid opening date and time. Proposals received after said**
24 **due date and time shall not be considered. Any additional support**
25 **documents explicitly designated as confidential and/or proprietary**
26 **shall be uploaded as a separate file to HlePRO. Bidders shall not**
27 **include confidential and/or proprietary documents with the proposal.**
28 **The record of each bidder and respective bid shall be open to public**
29 **inspection. Original (wet ink, hard copy) proposal documents are not**
30 **required to be submitted. Contract award shall be based on evaluation**
31 **of proposals submitted and uploaded to HlePRO.**
32 **FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HlePRO**
33 **SHALL BE GROUNDS FOR REJECTION OF THE BID.**
34

35 If there is a conflict between the specification document and the HlePRO
36 solicitation, the specifications shall govern and control, unless otherwise
37 specified.

- 38
39 5. Bid prices are for travel time, mileage, and furnishing all labor, tools, traffic
40 controls, all applicable taxes, fees, and equipment necessary for all work
41 shown and called for in accordance with the true intent and meaning of the
42 specifications.
43
44 6. Bidder may bid on any or all areas. To be considered, bidder shall submit
45 a bid for all items within an area. Separate contracts will be awarded for
46 each area, but if a bidder is determined the lowest bidder for multiple areas,
47 one combined contract will be awarded.

- 48
- 49 7. Any contract which is awarded shall be an open-ended contract since the
- 50 exact value of work to be performed during the contract period cannot be
- 51 determined beforehand. The unit price for each item of work on any
- 52 particular work order shall be that which corresponds to the quantity of work
- 53 for that item actually performed for each work order.
- 54
- 55 8. The sum of all work and materials required to perform the required repairs
- 56 are issued on a "single work order". A single work order shall be a work
- 57 order submitted by the Contractor for work that can be performed by the
- 58 Contractor without relocating a distance of more than 3,000 feet between
- 59 any two adjacent repair locations.
- 60
- 61 9. The quantities on the proposal schedule are for bidding purposes only, and
- 62 this is no guarantee of the quantity of work that will be issued.
- 63
- 64
- 65
- 66
- 67
- 68
- 69
- 70
- 71
- 72
- 73
- 74
- 75
- 76
- 77
- 78
- 79
- 80
- 81
- 82
- 83
- 84
- 85

**STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS**

PRE-BID MEETING MINUTES

Project Title: Sign Replacement at Various Locations
Island of Oahu

Project No.: HWY-OM-2027-47

Date/Time: Wednesday, July 29, 2026, at 10:00 a.m. Hawaii Standard Time (HST)

Place: Pre-bid meeting was held virtually on Microsoft Teams.

Attendees:

Name	Organization/ Company	Contact Information
David Takiguchi	G P Roadway Solutions	dtakiguchi@gproadwaysolutions.com
Jennifer Russell	HDOT HWY-DD	(808) 692-7572 jennifer.t.russell@hawaii.gov

Items of Discussion:

- A. Jennifer Russell (HDOT HWY-DD) called the meeting to order at 10:00 a.m. and noted the following:
1. Anything said at the meeting was for clarification only. The bid documents shall govern over anything said in the meeting and discrepancies shall be clarified by addendum.
 2. The scope of work consists of replacing signs on the Island of Oahu on an “as-needed” basis.
 3. To be eligible for award, bidders must possess a valid State of Hawaii Specialty Contractor’s “C-14” license at the time of bidding.
 4. Bidders were advised to thoroughly review Special Provision Section 102 – Bidding Requirements and Conditions.
 5. Bidders are required to submit a proposal guaranty amount of 5 percent of the amount bid per area.
 6. The contract time is 24 months beginning from the Notice to Proceed issued by HDOT. There is an option to extend for three additional 12-month periods without re-bidding, upon mutual agreement.

7. Bidders may bid on any or all areas. Separate contracts will be awarded for each area, but if a bidder is determined the lowest bidder for multiple areas, one combined contract will be awarded.
- B. Bidder was invited to ask questions. Bidder provided the comments below and will follow up by submitting questions in HlePRO.
1. Typically, advisory boards have not been included in these types of sign maintenance projects, but they are mentioned in these specifications as incidental to other pay items. Since the contract is on an as-needed basis, it will be difficult to incorporate the cost.
 2. In past IDIQ contracts, the bid bond was a set amount per area, but the specifications for this contract sets it for 5 percent.
 3. On most of the other IDIQ type of guardrail and sign projects, there are line items for traffic control to be paid on a lane mile basis or per day basis, but they are not included in this project.
 4. Similarly, other IDIQ projects had a line item for a message board. There have been more frequent requests to set up message boards for freeway work or certain roadwork projects to notify the public ahead of time.
- C. The following reminders were given:
1. All requests for information (RFIs) must be submitted in writing through HlePro by **Friday, July 31, 2026, at 2:00 p.m. HST**. Any questions received after the deadline will not be addressed and verbal RFIs will not receive a response.
 2. Bid opening is currently scheduled for **Friday, August 14, 2026, at 2:00 p.m. HST**. Bidders shall submit and upload their complete proposal to HlePro prior to the scheduled bid opening date and time. Any additional support documents explicitly designated as confidential and/or proprietary shall be uploaded as a separate file to HlePRO. Failure to upload the complete proposal to HlePRO shall be grounds for rejection of the bid. Proposals received after said due date and time shall not be considered.
- D. The meeting concluded at 10:08 a.m.

**STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
HIGHWAYS**

RESPONSES TO REQUESTS FOR INFORMATION

Project Title: Sign Replacement at Various Locations
Island of Oahu

Project No.: HWY-OM-2027-47

Solicitation No.: B27000121

Prospective bidders had submitted RFI in HiePRO. Question and response are as follows:

1. Are Advisory Signs Required for the project as stated in section 645-8a (G)?

The need for advisory signs depends on each work order. The Contractor shall install advisory signs as ordered by the Engineer, and the cost of such work shall be incidental to the traffic control work items in Section 645 – Work Zone Traffic Control.

2. If Advisory signs are required can a line item be added?

No line item will be added.

3. Is one bid bond required per area at 5% of bid amount per bid area?

Yes.

4. Similar to other previous IDIQ projects, can traffic control line items be added to the proposal?

Traffic control line items have been added to the proposal. See Addendum No. 1.

5. Similar to other previous IDIQ projects, can a message board line item be added to the proposal?

It is already included as a line item.

6. Is bid bond 5% per area or set amount \$55,000 per area as listed in section 103-4a?

The bid bond required is 5% of the total amount bid per area according to Special Provision Section 102.08. The performance and payment bond listed in Special Provision Subsection 103.05 is \$55,000.00 per area.

7. Are there going to be any escalation increases added to specifications?

Provisions for escalation increases have been added to the specifications. See Addendum No. 1.