

**STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS**

**ADDENDUM NO. 2  
FOR  
PAVEMENT MARKING REPAIRS AT VARIOUS LOCATIONS  
ISLAND OF OAHU  
PROJECT NO. HWY-OM-2027-36**

**September 21, 2026**

This Addendum shall make the following amendment(s) to the Solicitation:

**A. SPECIAL PROVISIONS**

1. Delete **SECTION 105 – CONTROL OF WORK**, dated 7/9/26, in its entirety and replace it with attached **SECTION 105 – CONTROL OF WORK**, dated r9/21/26
2. Delete **SECTION 629 – PAVEMENT MARKINGS**, dated 8/5/26, in its entirety and replace it with attached **SECTION 629 – PAVEMENT MARKINGS**, dated r9/21/26.
3. Delete **SECTION 755 – PAVEMENT MARKING MATERIALS**, dated 8/5/26 in its entirety and replace it with attached **SECTION 755 – PAVEMENT MARKING MATERIALS** dated r9/21/26.

**B. PROPOSAL SCHEDULE**

1. Delete **PROPOSAL SCHEDULE**, pages P-6 to P-31, dated 8/17/26, and replace it with attached **PROPOSAL SCHEDULE**, pages P-6 to P-31, dated r9/21/26.

The following is provided for information.

**C. RESPONSES TO REQUESTS FOR INFORMATION (RFI'S/QUESTIONS)**

1. The attached **RESPONSES TO REQUEST FOR INFORMATION** are provided for information.

Please acknowledge receipt of this **ADDENDUM NO. 2** by recording the date of its receipt in the space provided on the **PAGE P-4** of the Proposal.

*Henry Kennedy*

---

HENRY KENNEDY  
Engineering Program Manager

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33
- 34
- 35
- 36
- 37
- 38
- 39
- 40
- 41
- 42
- 43
- 44
- 45
- 46

**(I) Amend 105.01 – Authority to read as follows:**

**(A) Authority of the Engineer.** The Engineer is the representative of the Director and has all the authority of the Director with respect to the contract. The Engineer will make decisions on all questions that may arise regarding the contract, such as, but not limited to:

- The Engineer's decisions on questions, claims, and disputes will be final and conclusive subject to Subsection 107.15 – Disputes and Claims.

**(B) Authority of the Inspectors.** Inspectors, as a representative of the Engineer or other agencies, will inspect the work done and materials furnished. Such inspection may extend to the preparation, fabrication, or manufacture of the materials to be used. The Inspector does not have authority vested in the Engineer unless specifically delegated in writing. The Inspector may not alter or waive the provisions of the contract, issue instructions contrary to the contract, or act as agent or representative of the Contractor.

Failure of an Inspector at any time to reject non-conforming work shall not be considered a waiver of the State's right to require work in strict conformity with the contract documents as a condition of final acceptance.

47       **(C) Authority of the Consultant and Construction Management.** The  
48 State may engage consultants and construction managements to perform  
49 duties in connection with the work. Unless otherwise specified in writing to  
50 the Contractor, such retained consultants and construction managements  
51 shall have no greater authority than an Inspector.”  
52

53       **(II) Amend Subsection 105.02 - Submittals** by revising the first paragraph  
54 from lines 52 to 61 to read as follows:  
55

56       **“105.02 Submittals.** The contract contains the description of various items that  
57 the Contractor must submit to the Engineer for review and acceptance. The  
58 Contractor shall review all submittals for correctness, conformance with the  
59 requirements of the contract documents and completeness before submitting them  
60 to the Engineer. The submittal shall indicate the contract items and specifications  
61 subsections for which the submittal is provided. The submittal shall be legible and  
62 clearly indicate what portion of the submittal is being submitted for review. The  
63 Contractor shall provide six copies of the required submissions at the earliest  
64 possible date.”  
65

66       **(III) Amend Subsection 105.08 (A) - Furnishing Drawings and Special**  
67 **Provisions** to read as follows:  
68

69       **“(A) Furnishing Drawings and Special Provisions.** The State will  
70 furnish the Contractor an electronic set of the special provisions and plans.”  
71 The Contractor shall have and maintain at least one set of plans and  
72 specifications on the work site, at all times.  
73

74       **(IV) Amend Subsection 105.14(D) – No Designated Storage Area** from lines  
75 421 to 432 to read as follows:  
76

77       **“(D) No Designated Storage Area.** If no storage area is designated  
78 within the contract documents, materials and equipment may be stored  
79 anywhere within the State highway right-of-way, provided such storage and  
80 access to and from such site, within the sole discretion of the Engineer,  
81 does not create a public or traffic hazard or an impediment to the movement  
82 of traffic.”  
83

**(V)** Amend **105.16(A) – Subcontract Requirements** by adding the following paragraph after line 483:

The 'Specialty Items' of work for this project are as follows:

| Section No. | Description                                                   |
|-------------|---------------------------------------------------------------|
| 645         | Contract Items under Section 645 – Work Zone Traffic Control” |

**(VI)** Amend **Subsection 105.16(B) – Substituting Subcontractors** from line 487 to line 494 to read:

**(B) Substituting Subcontractors.** Under HRS Chapter 103D-302, the Contractor is required to list the names of persons or firms to be engaged by the Contractor as a subcontractor or joint contractor in the performance of the contract. No subcontractor may be added or deleted, unless authorized by the Engineer. Substitutions will be allowed only if the subcontractor:

**END OF SECTION 105**

## SECTION 629 - PAVEMENT MARKINGS

Make the following amendments to said Section:

(I) Amend **Subsection 629.03(B) – Temporary Pavement Markings** by revising the third paragraph from line 62 to 63 to read:

“Maintain and replace temporary pavement markings, flexible delineators, and barricades. ”

(II) Amend **Table 629.03 – 1 – Temporary Pavement Markings** to read as follows:

| “TABLE 629.03-1 TEMPORARY PAVEMENT MARKINGS                                                         |                                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TYPE                                                                                                | PAVEMENT MARKINGS                                                                                                                                                                                            |
| Passing Permitted - Both Sides                                                                      | Single 4-inch yellow stripe 5 feet in length spaced 20 feet on center with Type D markers spaced 40 feet on center and located on center of 5-foot length of stripe.                                         |
| Passing Prohibited - Both Sides                                                                     | Double solid 4-inch yellow stripes with Type D markers placed 20 feet on center on one of 4-inch yellow stripes selected by the Engineer.                                                                    |
| Passing Permitted - One Side Only                                                                   | Single continuous 4-inch yellow stripe with Type D markers placed on stripe 20 feet on center on no-passing side and single 4-inch yellow stripes 5 feet in length spaced 20 feet on center on passing side. |
| Lane Lines - Lane Changing Permitted                                                                | Single 4-inch yellow or white stripe 5 feet in length spaced 20 feet on center with Type C or Type D markers spaced 40 feet on center.                                                                       |
| Lane Lines - Lane Changing Prohibited                                                               | Double solid 4-inch white stripes with Type C markers placed 20 feet on center on one of the 4-inch white stripes selected by the Engineer.                                                                  |
| Crosswalk                                                                                           | Two 12-inch white transverse lines spaced 8 feet on center or as ordered by the Engineer.                                                                                                                    |
| Stop Line                                                                                           | Single 12-inch white transverse line.                                                                                                                                                                        |
| <b>Note:</b> Paint may be used for temporary markings in areas where final paving is not complete.” |                                                                                                                                                                                                              |

(III) Amend **629.04 – Measurement** by revising lines 292 to 294 to read as follows:

19 **“629.04 Measurement.**

20  
21 **(A)** The Engineer will measure thermoplastic and preformed pavement  
22 marking tape per linear foot in accordance with the contract documents.  
23 The longitudinal pavement markings will be measured per linear foot as  
24 a single stripe for the width specified in the contract and in the proposal.  
25 The Engineer will include the longitudinal gaps for skip striping, up to  
26 thirty (30) feet long, in the measurement.

27  
28 The Engineer will measure the transverse markings by the linear  
29 foot, per lane, or per each according to the contract.

30  
31 The Engineer will not measure temporary pavement markings  
32 including flexible delineator posts with reflector markers or Type I  
33 Barricades and temporary signs installed for the longitudinal guidance  
34 of public traffic over reconstructed areas, cold planed surfaces, newly  
35 paved surfaces or other unmarked or scarified areas for payment.

36  
37 The Engineer will measure the temporary pavement markings and  
38 temporary signs installed as ordered by the Engineer for special  
39 temporary traffic patterns on a force account basis, if the contract  
40 specifies payment in the proposal.

41  
42 The Contractor shall consider the work required for the removal of  
43 pavement markings incidental to the various contract items, except as  
44 provided in the proposal or elsewhere in the contract. If the contract  
45 stipulates that the Engineer will make payment for the removal of  
46 pavement markings, the Engineer will measure the removal of  
47 pavement markings.

48  
49 **(B)** The Engineer will measure the pavement markers per each for the  
50 types shown in the proposal.

51  
52 **(C)** The Engineer will measure the painted stripes that are twelve (12)  
53 inches wide or less as a single stripe. The Engineer will measure the  
54 painted stripes over twelve (12) inches wide as two (2) stripes. The  
55 Engineer will measure the double stripes that are twelve (12) inches or  
56 less in total width including the transverse space between the stripes as  
57 a single stripe.

58  
59 The Engineer will measure the transverse markings by the linear  
60 foot, per lane, per each according to the contract.

61  
62 The Engineer will measure the curb markings by the linear foot  
63 according to the contract.”

64  
65 **(IV)** Amend **629.05 – Payment** by revising lines 296 to 330 to read as follows:

66  
67 **"629.05 Payment.**  
68

69 **(A)** The Engineer will pay for thermoplastic and preformed pavement  
70 marking tape at the contract price per linear foot according to the  
71 contract, complete in place, including primers.  
72

73 The Engineer will pay for double four (4) inch striping with a four (4)  
74 inch space between stripes at the contract price per linear foot  
75 according to the contract.  
76

77 The Engineer will pay for crosswalk markings at the contract price  
78 per lane of traffic marked, according to the contract.  
79

80 The Engineer will pay for pavement arrows (single and multiple  
81 heads) and words at the contract price per each according to the  
82 contract.  
83

84 The contract unit price paid shall be full compensation for furnishing  
85 labors, materials, tools, equipment and incidentals and for doing the  
86 work involved in furnishing and installing pavement markings complete  
87 in place according to the contract.  
88

89 The Engineer will not pay for the temporary pavement markings  
90 including flexible delineator posts with reflector markers or Type I  
91 Barricades and temporary signs installed for the longitudinal guidance  
92 of public traffic over reconstructed areas, cold planed surfaces, newly  
93 paved surfaces or other unmarked or scarified areas for payment if not  
94 shown in the proposal separately. The Engineer will consider them  
95 incidental to the various contract items.  
96

97 If the contract specifies payment for temporary pavement markings  
98 installed as ordered by the Engineer for special temporary traffic  
99 patterns, the Engineer will pay from an allowance for "Temporary  
100 Construction Zone Markings".  
101

102 The Engineer will compute the actual amount paid to the Contractor  
103 for force account work according to Subsection 109.06 – Force  
104 Account Provisions and Compensation.  
105

106 If the contract specifies payment for removal of pavement markings  
107 under unit price pay items, the Engineer will pay for the accepted  
108 quantities at the contract unit prices bid. The prices shall be full  
109 compensation for removing such items according to the contract.  
110

111 (B) The Engineer will pay for the various types of pavement markers at  
112 the contract price per each according to the contract, complete in  
113 place, including adhesives.

114  
115 The Engineer will pay for the following pay items when included in  
116 the proposal schedule:  
117

| Pay Item                                                                    | Pay Unit    |
|-----------------------------------------------------------------------------|-------------|
| _____ - Inch Pavement Striping (____ Thermoplastic Extrusion)               | Linear Foot |
| _____ - Inch Lane Striping, 10-Foot Profiled (____ Thermoplastic Extrusion) | Linear Foot |
| Crosswalk Marking (____ Thermoplastic Extrusion)                            | Lane        |
| Pavement Arrow (____ Thermoplastic Extrusion)                               | Each        |
| Pavement Word (____ Thermoplastic Extrusion)                                | Each        |
| Yield Line (____ Thermoplastic Extrusion)                                   | Lane        |
| Type _____ Pavement Marker                                                  | Each        |
| Removing and Disposing of _____                                             | Linear Foot |
| Removing and Disposing of _____                                             | Lane        |
| Removing and Disposing of _____                                             | Each        |

118  
119  
120  
121

**END OF SECTION 629**

1                   **SECTION 755 – PAVEMENT MARKING MATERIALS**

2  
3       Make the following amendments to said Section:

4  
5       **(I)**     Amend **Subsection 755.02 (C) Retroreflective Pavement Markers** by  
6       revising lines 223 to 236 to read:

7  
8           “Exterior surface of shell shall be smooth and contain one or two  
9       retroreflective faces of specified color.”

10  
11       **(II)**    Amend **Subsection 755.05 (C)(1) Glass Beads** by adding the following  
12       after line 869:

13  
14           **“(f)**   The glass spheres shall not contain more than 200 ppm (total)  
15       arsenic, 200 ppm (total) antimony nor more than 200 ppm (total)  
16       lead, when tested according to EPA Methods 3052 and 6010C.  
17       Other suitable x-ray fluorescence spectrometry analysis methods  
18       may be used to screen samples of glass spheres for arsenic and  
19       lead content.”

20  
21       **(III)**   Amend **Subsection 755.05(E)(3) Softening Point** by adding the following  
22       after line 958:

23  
24           **“(a)**   For profiled thermoplastic material (e.g., Vibraline by Ennis-  
25       Flint/PPG or an equivalent product), it shall have a minimum  
26       softening point of 200 degrees F (93.3 degrees C) when tested in  
27       accordance with ASTM D36.

28  
29  
30  
31  
32  
33                                   **END OF SECTION 755**  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43

## **PREFERENCES FOR AREA 1**

Bidders acknowledge that while preferences are considered in the evaluation of bids, the award of the contract will be in the amount of the bid offered exclusive of any preferences.

### **A. HAWAII BIDDER PREFERENCE**

In accordance with HRS §103D-302, the Hawaii bidder preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a completed *Hawaii Bidder/Offeror Preference Certification Form* (Form SPO-081) at or before the time set for receipt of bids. Certifications submitted for previous or other solicitations will not be accepted.

**( ) Yes, the Bidder elects to receive the Hawaii Bidder Preference and has included the Form SPO-081 with the bid.**

### **B. APPRENTICESHIP AGREEMENT PREFERENCE**

In accordance with HRS §103-55.6, the estimated value of this public works contract is \$250,000 or more and the apprenticeship agreement preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a complete, valid CERTIFICATION OF BIDDER'S PARTICIPATION IN APPROVED APPRENTICESHIP PROGRAM UNDER ACT 17 (Certification Form 1) **for each apprenticeable trade** the Bidder will employ on the project.

**( ) Yes, the Bidder elects to receive the Apprenticeship Agreement Preference and has attached Certification Form(s) 1 for each apprenticeable trade the Bidder will employ for this project (excluding subcontractors).**

By submission of this offer, the Bidder certifies that it has indicated **all apprenticeable trades that Bidder will employ** for this project (excluding subcontractors) by listing the applicable trades below:

|       |       |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

(Attach additional sheet if necessary.)

**Form 1 Required.** Failure to submit a valid Form 1 with the bid for every apprenticeable trade that Bidder will employ on the project will result in the preference being denied, regardless of whether the trade is listed above. If a Form 1 is submitted for a trade that is not listed above, the Form 1 will take precedence over the listing and may be used to qualify Bidder for the preference.

**Form 2 Required.** If awarded the contract with the Apprenticeship Agreement Preference applied, then for the duration of the contract, the Bidder **shall** certify each month that work is being conducted on the project that the Contractor continues to be a participant in the relevant apprenticeship program for each trade it employs. Monthly certification shall be made on the Certification Form 2 and submitted to the HDOT.

**Failure to comply with the requirements of the Apprenticeship Agreement Preference program will subject the Contractor to sanctions pursuant to HRS §103-55.6.**

**C. HAWAII PRODUCTS PREFERENCE**

**Hawaii Products Preference shall not apply** to this solicitation.

**D. RECYCLED PRODUCT PREFERENCE**

**Recycled Product Preference shall not apply** to this solicitation.



**STATE OF HAWAII**  
**Hawaii Bidder/Offeror**  
**Preference Certification Form**  
**(As Defined in HRS103D-1001)**

I, \_\_\_\_\_, \_\_\_\_\_ of  
(Authorized Officer's Name) (Office or Position Held)

\_\_\_\_\_, certify the following:  
(Name of Bidder/Offeror)

- (1) That the Bidder/Offeror holds a valid commercial place of business located in the State of Hawaii at the following address:

\_\_\_\_\_  
\_\_\_\_\_

and that the above-named office was opened on the following date: \_\_\_\_\_,

and has been staffed by the Bidder/Offeror or an employee of the Bidder/Offeror for not less than two (2) consecutive years immediately preceding the time and date set for the opening of bids or receipt of proposals;

- (2) That the bid or proposal in response to IFB/RFP No. \_\_\_\_\_, is submitted under the name under which the Bidder/Offeror is authorized to do business in the State;
- (3) That not less than fifty-one percent (51%) of the total direct labor hours required for performance of the contract will be performed within the State; and
- (4) If the Bidder/Offeror is a joint venture, the Bidder/Offeror is composed entirely of parties meeting the requirements of paragraphs (1), (2), and (3).

I certify under penalty of perjury that the above statements are true. I agree to maintain the above qualifications throughout contract performance; any changes in eligibility shall be reported to the Contract Administrator or purchasing agency's contact person identified in the RFP/IFB. I acknowledge that failure to maintain the above qualifications triggers a price adjustment equal to the value of the preference applied and may constitute cause for debarment under HRS §103D-702.

\_\_\_\_\_  
Signature of Authorized Officer

\_\_\_\_\_  
Print Name and Title

\_\_\_\_\_  
Date

| <b>PROPOSAL SCHEDULE – AREA 1</b> |                                                                   |                         |             |                   |               |
|-----------------------------------|-------------------------------------------------------------------|-------------------------|-------------|-------------------|---------------|
| <b>ITEM NO.</b>                   | <b>ITEM</b>                                                       | <b>APPROX. QUANTITY</b> | <b>UNIT</b> | <b>UNIT PRICE</b> | <b>AMOUNT</b> |
| 621.1100                          | Invasive Species Management                                       | F.A.                    | F.A.        | F.A.              | \$10,000.00   |
| 629.1110                          | 4-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1111                          | 4-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1112                          | 4-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1113                          | 6-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1114                          | 6-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1115                          | 6-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1116                          | 8-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1117                          | 8-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1118                          | 8-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1119                          | 12-inch Pavement Striping (Type I, Thermoplastic Extrusion)       | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1120                          | 12-inch Pavement Striping (Type II, Thermoplastic Extrusion)      | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1121                          | 12-inch Pavement Striping (Type III, Thermoplastic Extrusion)     | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1122                          | Double 4-inch Pavement Striping (Type I, Thermoplastic Extrusion) | 50                      | LF          | \$ _____          | \$ _____      |

| <b>PROPOSAL SCHEDULE – AREA 1</b> |                                                                     |                         |             |                   |               |
|-----------------------------------|---------------------------------------------------------------------|-------------------------|-------------|-------------------|---------------|
| <b>ITEM NO.</b>                   | <b>ITEM</b>                                                         | <b>APPROX. QUANTITY</b> | <b>UNIT</b> | <b>UNIT PRICE</b> | <b>AMOUNT</b> |
| 629.1123                          | Double 4-inch Pavement Striping (Type II, Thermoplastic Extrusion)  | 50                      | LF          | \$_____           | \$_____       |
| 629.1124                          | Double 4-inch Pavement Striping (Type III, Thermoplastic Extrusion) | 50                      | LF          | \$_____           | \$_____       |
| 629.1125                          | 4-inch Lane Striping, 10-Foot Profiled (Thermoplastic Extrusion)    | 500                     | LF          | \$_____           | \$_____       |
| 629.1130                          | Crosswalk Marking (Type III, Thermoplastic Extrusion)               | 4                       | LANE        | \$_____           | \$_____       |
| 629.1140                          | Pavement Arrow (Type III, Thermoplastic Extrusion)                  | 6                       | EA          | \$_____           | \$_____       |
| 629.1150                          | Pavement Word (Type III, Thermoplastic Extrusion)                   | 6                       | EA          | \$_____           | \$_____       |
| 629.1160                          | Yield Line (Type III, Thermoplastic Extrusion)                      | 6                       | LANE        | \$_____           | \$_____       |
| 629.2110                          | Type C Pavement Markers                                             | 200                     | EA          | \$_____           | \$_____       |
| 629.2111                          | Type D Pavement Markers                                             | 50                      | EA          | \$_____           | \$_____       |
| 629.2112                          | Type F Pavement Markers                                             | 10                      | EA          | \$_____           | \$_____       |
| 629.2113                          | Type H Pavement Markers                                             | 200                     | EA          | \$_____           | \$_____       |
| 629.2120                          | Removing and Disposing Crosswalk Marking                            | 4                       | LANE        | \$_____           | \$_____       |
| 629.2121                          | Removing and Disposing Yield Line Marking                           | 6                       | LANE        | \$_____           | \$_____       |
| 629.2122                          | Removing and Disposing Temporary Markers                            | 1,000                   | EACH        | \$_____           | \$_____       |

|                                                                                                                                                                                                                        |                                            |       |      |          |             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------|------|----------|-------------|
| 629.2123                                                                                                                                                                                                               | Removing and Disposing Temporary Striping  | 1,300 | LF   | \$ _____ | \$ _____    |
| 629.2124                                                                                                                                                                                                               | Removing and Disposing Existing Striping   | 1,000 | LF   | \$ _____ | \$ _____    |
| 632.1100                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-1) | 50    | EA   | \$ _____ | \$ _____    |
| 632.1101                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-2) | 50    | EA   | \$ _____ | \$ _____    |
| 632.1102                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-3) | 50    | EA   | \$ _____ | \$ _____    |
| 645.1100                                                                                                                                                                                                               | Electronic Message Board (per day)         | 1     | EA   | \$ _____ | \$ _____    |
| 671.1100                                                                                                                                                                                                               | Protection of Endangered Species           | F.A.  | F.A. | F.A.     | \$50,000.00 |
| <p style="text-align: right;">Total Amount for Comparison of Bids – AREA 1 ..... \$ _____</p> <p>NOTE: Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.</p> |                                            |       |      |          |             |

## **PREFERENCES FOR AREA 2**

Bidders acknowledge that while preferences are considered in the evaluation of bids, the award of the contract will be in the amount of the bid offered exclusive of any preferences.

### **A. HAWAII BIDDER PREFERENCE**

In accordance with HRS §103D-302, the Hawaii bidder preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a completed *Hawaii Bidder/Offeror Preference Certification Form* (Form SPO-081) at or before the time set for receipt of bids. Certifications submitted for previous or other solicitations will not be accepted.

**( ) Yes, the Bidder elects to receive the Hawaii Bidder Preference and has included the Form SPO-081 with the bid.**

### **B. APPRENTICESHIP AGREEMENT PREFERENCE**

In accordance with HRS §103-55.6, the estimated value of this public works contract is \$250,000 or more and the apprenticeship agreement preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a complete, valid CERTIFICATION OF BIDDER'S PARTICIPATION IN APPROVED APPRENTICESHIP PROGRAM UNDER ACT 17 (Certification Form 1) **for each apprenticeable trade** the Bidder will employ on the project.

**( ) Yes, the Bidder elects to receive the Apprenticeship Agreement Preference and has attached Certification Form(s) 1 for each apprenticeable trade the Bidder will employ for this project (excluding subcontractors).**

By submission of this offer, the Bidder certifies that it has indicated **all apprenticeable trades that Bidder will employ** for this project (excluding subcontractors) by listing the applicable trades below:

|       |       |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

(Attach additional sheet if necessary.)

**Form 1 Required.** Failure to submit a valid Form 1 with the bid for every apprenticeable trade that Bidder will employ on the project will result in the preference being denied, regardless of whether the trade is listed above. If a Form 1 is submitted for a trade that is not listed above, the Form 1 will take precedence over the listing and may be used to qualify Bidder for the preference.

**Form 2 Required.** If awarded the contract with the Apprenticeship Agreement Preference applied, then for the duration of the contract, the Bidder **shall** certify each month that work is being conducted on the project that the Contractor continues to be a participant in the relevant apprenticeship program for each trade it employs. Monthly certification shall be made on the Certification Form 2 and submitted to the HDOT.

**Failure to comply with the requirements of the Apprenticeship Agreement Preference program will subject the Contractor to sanctions pursuant to HRS §103-55.6.**

**C. HAWAII PRODUCTS PREFERENCE**

**Hawaii Products Preference shall not apply** to this solicitation.

**D. RECYCLED PRODUCT PREFERENCE**

**Recycled Product Preference shall not apply** to this solicitation.



**STATE OF HAWAII**  
**Hawaii Bidder/Offeror**  
**Preference Certification Form**  
**(As Defined in HRS103D-1001)**

I, \_\_\_\_\_, \_\_\_\_\_ of  
(Authorized Officer's Name) (Office or Position Held)

\_\_\_\_\_, certify the following:  
(Name of Bidder/Offeror)

- (1) That the Bidder/Offeror holds a valid commercial place of business located in the State of Hawaii at the following address:

\_\_\_\_\_  
\_\_\_\_\_

and that the above-named office was opened on the following date: \_\_\_\_\_,

and has been staffed by the Bidder/Offeror or an employee of the Bidder/Offeror for not less than two (2) consecutive years immediately preceding the time and date set for the opening of bids or receipt of proposals;

- (2) That the bid or proposal in response to IFB/RFP No. \_\_\_\_\_, is submitted under the name under which the Bidder/Offeror is authorized to do business in the State;
- (3) That not less than fifty-one percent (51%) of the total direct labor hours required for performance of the contract will be performed within the State; and
- (4) If the Bidder/Offeror is a joint venture, the Bidder/Offeror is composed entirely of parties meeting the requirements of paragraphs (1), (2), and (3).

I certify under penalty of perjury that the above statements are true. I agree to maintain the above qualifications throughout contract performance; any changes in eligibility shall be reported to the Contract Administrator or purchasing agency's contact person identified in the RFP/IFB. I acknowledge that failure to maintain the above qualifications triggers a price adjustment equal to the value of the preference applied and may constitute cause for debarment under HRS §103D-702.

\_\_\_\_\_  
Signature of Authorized Officer

\_\_\_\_\_  
Print Name and Title

\_\_\_\_\_  
Date

| <b>PROPOSAL SCHEDULE – AREA 2</b> |                                                                   |                         |             |                   |               |
|-----------------------------------|-------------------------------------------------------------------|-------------------------|-------------|-------------------|---------------|
| <b>ITEM NO.</b>                   | <b>ITEM</b>                                                       | <b>APPROX. QUANTITY</b> | <b>UNIT</b> | <b>UNIT PRICE</b> | <b>AMOUNT</b> |
| 621.1200                          | Invasive Species Management                                       | F.A.                    | F.A.        | F.A.              | \$10,000.00   |
| 629.1210                          | 4-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1211                          | 4-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1212                          | 4-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1213                          | 6-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1214                          | 6-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1215                          | 6-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1216                          | 8-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1217                          | 8-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1218                          | 8-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1219                          | 12-inch Pavement Striping (Type I, Thermoplastic Extrusion)       | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1220                          | 12-inch Pavement Striping (Type II, Thermoplastic Extrusion)      | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1221                          | 12-inch Pavement Striping (Type III, Thermoplastic Extrusion)     | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1222                          | Double 4-inch Pavement Striping (Type I, Thermoplastic Extrusion) | 50                      | LF          | \$ _____          | \$ _____      |

| <b>PROPOSAL SCHEDULE – AREA 2</b> |                                                                     |                         |             |                   |               |
|-----------------------------------|---------------------------------------------------------------------|-------------------------|-------------|-------------------|---------------|
| <b>ITEM NO.</b>                   | <b>ITEM</b>                                                         | <b>APPROX. QUANTITY</b> | <b>UNIT</b> | <b>UNIT PRICE</b> | <b>AMOUNT</b> |
| 629.1223                          | Double 4-inch Pavement Striping (Type II, Thermoplastic Extrusion)  | 50                      | LF          | \$_____           | \$_____       |
| 629.1224                          | Double 4-inch Pavement Striping (Type III, Thermoplastic Extrusion) | 50                      | LF          | \$_____           | \$_____       |
| 629.1225                          | 4-inch Lane Striping, 10-Foot Profiled (Thermoplastic Extrusion)    | 500                     | LF          | \$_____           | \$_____       |
| 629.1230                          | Crosswalk Marking (Type III, Thermoplastic Extrusion)               | 4                       | LANE        | \$_____           | \$_____       |
| 629.1240                          | Pavement Arrow (Type III, Thermoplastic Extrusion)                  | 6                       | EA          | \$_____           | \$_____       |
| 629.1250                          | Pavement Word (Type III, Thermoplastic Extrusion)                   | 6                       | EA          | \$_____           | \$_____       |
| 629.1260                          | Yield Line (Type III, Thermoplastic Extrusion)                      | 6                       | LANE        | \$_____           | \$_____       |
| 629.2210                          | Type C Pavement Markers                                             | 200                     | EA          | \$_____           | \$_____       |
| 629.2211                          | Type D Pavement Markers                                             | 50                      | EA          | \$_____           | \$_____       |
| 629.2212                          | Type F Pavement Markers                                             | 10                      | EA          | \$_____           | \$_____       |
| 629.2213                          | Type H Pavement Markers                                             | 200                     | EA          | \$_____           | \$_____       |
| 629.2220                          | Removing and Disposing Crosswalk Marking                            | 4                       | LANE        | \$_____           | \$_____       |
| 629.2221                          | Removing and Disposing Yield Line Marking                           | 6                       | LANE        | \$_____           | \$_____       |
| 629.2222                          | Removing and Disposing Temporary Markers                            | 1,000                   | EACH        | \$_____           | \$_____       |

|                                                                                                                                                                                                                        |                                            |       |      |          |             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------|------|----------|-------------|
| 629.2223                                                                                                                                                                                                               | Removing and Disposing Temporary Striping  | 1,300 | LF   | \$ _____ | \$ _____    |
| 629.2224                                                                                                                                                                                                               | Removing and Disposing Existing Striping   | 1,000 | LF   | \$ _____ | \$ _____    |
| 632.1200                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-1) | 50    | EA   | \$ _____ | \$ _____    |
| 632.1201                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-2) | 50    | EA   | \$ _____ | \$ _____    |
| 632.1202                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-3) | 50    | EA   | \$ _____ | \$ _____    |
| 645.1200                                                                                                                                                                                                               | Electronic Message Board (per day)         | 1     | EA   | \$ _____ | \$ _____    |
| 671.1200                                                                                                                                                                                                               | Protection of Endangered Species           | F.A.  | F.A. | F.A.     | \$50,000.00 |
| <p style="text-align: right;">Total Amount for Comparison of Bids – AREA 2 ..... \$ _____</p> <p>NOTE: Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.</p> |                                            |       |      |          |             |

## PREFERENCES FOR AREA 3

Bidders acknowledge that while preferences are considered in the evaluation of bids, the award of the contract will be in the amount of the bid offered exclusive of any preferences.

### A. HAWAII BIDDER PREFERENCE

In accordance with HRS §103D-302, the Hawaii bidder preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a completed *Hawaii Bidder/Offeror Preference Certification Form* (Form SPO-081) at or before the time set for receipt of bids. Certifications submitted for previous or other solicitations will not be accepted.

( ) **Yes, the Bidder elects to receive the Hawaii Bidder Preference and has included the Form SPO-081 with the bid.**

### B. APPRENTICESHIP AGREEMENT PREFERENCE

In accordance with HRS §103-55.6, the estimated value of this public works contract is \$250,000 or more and the apprenticeship agreement preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a complete, valid CERTIFICATION OF BIDDER'S PARTICIPATION IN APPROVED APPRENTICESHIP PROGRAM UNDER ACT 17 (Certification Form 1) **for each apprenticeable trade** the Bidder will employ on the project.

( ) **Yes, the Bidder elects to receive the Apprenticeship Agreement Preference and has attached Certification Form(s) 1 for each apprenticeable trade the Bidder will employ for this project (excluding subcontractors).**

By submission of this offer, the Bidder certifies that it has indicated **all apprenticeable trades that Bidder will employ** for this project (excluding subcontractors) by listing the applicable trades below:

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

(Attach additional sheet if necessary.)

**Form 1 Required.** Failure to submit a valid Form 1 with the bid for every apprenticeable trade that Bidder will employ on the project will result in the preference being denied, regardless of whether the trade is listed above. If a Form 1 is submitted for a trade that is not listed above, the Form 1 will take precedence over the listing and may be used to qualify Bidder for the preference.

**Form 2 Required.** If awarded the contract with the Apprenticeship Agreement Preference applied, then for the duration of the contract, the Bidder **shall** certify each month that work is being conducted on the project that the Contractor continues to be a participant in the relevant apprenticeship program for each trade it employs. Monthly certification shall be made on the Certification Form 2 and submitted to the HDOT.

**Failure to comply with the requirements of the Apprenticeship Agreement Preference program will subject the Contractor to sanctions pursuant to HRS §103-55.6.**

**C. HAWAII PRODUCTS PREFERENCE**

**Hawaii Products Preference shall not apply** to this solicitation.

**D. RECYCLED PRODUCT PREFERENCE**

**Recycled Product Preference shall not apply** to this solicitation.



**STATE OF HAWAII**  
**Hawaii Bidder/Offeror**  
**Preference Certification Form**  
**(As Defined in HRS103D-1001)**

I, \_\_\_\_\_, \_\_\_\_\_ of  
(Authorized Officer's Name) (Office or Position Held)

\_\_\_\_\_, certify the following:  
(Name of Bidder/Offeror)

- (1) That the Bidder/Offeror holds a valid commercial place of business located in the State of Hawaii at the following address:

\_\_\_\_\_  
\_\_\_\_\_

and that the above-named office was opened on the following date: \_\_\_\_\_,

and has been staffed by the Bidder/Offeror or an employee of the Bidder/Offeror for not less than two (2) consecutive years immediately preceding the time and date set for the opening of bids or receipt of proposals;

- (2) That the bid or proposal in response to IFB/RFP No. \_\_\_\_\_, is submitted under the name under which the Bidder/Offeror is authorized to do business in the State;
- (3) That not less than fifty-one percent (51%) of the total direct labor hours required for performance of the contract will be performed within the State; and
- (4) If the Bidder/Offeror is a joint venture, the Bidder/Offeror is composed entirely of parties meeting the requirements of paragraphs (1), (2), and (3).

I certify under penalty of perjury that the above statements are true. I agree to maintain the above qualifications throughout contract performance; any changes in eligibility shall be reported to the Contract Administrator or purchasing agency's contact person identified in the RFP/IFB. I acknowledge that failure to maintain the above qualifications triggers a price adjustment equal to the value of the preference applied and may constitute cause for debarment under HRS §103D-702.

\_\_\_\_\_  
Signature of Authorized Officer

\_\_\_\_\_  
Print Name and Title

\_\_\_\_\_  
Date

| <b>PROPOSAL SCHEDULE – AREA 3</b> |                                                                   |                         |             |                   |               |
|-----------------------------------|-------------------------------------------------------------------|-------------------------|-------------|-------------------|---------------|
| <b>ITEM NO.</b>                   | <b>ITEM</b>                                                       | <b>APPROX. QUANTITY</b> | <b>UNIT</b> | <b>UNIT PRICE</b> | <b>AMOUNT</b> |
| 621.1300                          | Invasive Species Management                                       | F.A.                    | F.A.        | F.A.              | \$10,000.00   |
| 629.1310                          | 4-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1311                          | 4-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1312                          | 4-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1313                          | 6-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1314                          | 6-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1315                          | 6-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1316                          | 8-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1317                          | 8-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1318                          | 8-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1319                          | 12-inch Pavement Striping (Type I, Thermoplastic Extrusion)       | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1320                          | 12-inch Pavement Striping (Type II, Thermoplastic Extrusion)      | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1321                          | 12-inch Pavement Striping (Type III, Thermoplastic Extrusion)     | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1322                          | Double 4-inch Pavement Striping (Type I, Thermoplastic Extrusion) | 50                      | LF          | \$ _____          | \$ _____      |

| <b>PROPOSAL SCHEDULE – AREA 3</b> |                                                                     |                         |             |                   |               |
|-----------------------------------|---------------------------------------------------------------------|-------------------------|-------------|-------------------|---------------|
| <b>ITEM NO.</b>                   | <b>ITEM</b>                                                         | <b>APPROX. QUANTITY</b> | <b>UNIT</b> | <b>UNIT PRICE</b> | <b>AMOUNT</b> |
| 629.1323                          | Double 4-inch Pavement Striping (Type II, Thermoplastic Extrusion)  | 50                      | LF          | \$_____           | \$_____       |
| 629.1324                          | Double 4-inch Pavement Striping (Type III, Thermoplastic Extrusion) | 50                      | LF          | \$_____           | \$_____       |
| 629.1325                          | 4-inch Lane Striping, 10-Foot Profiled (Thermoplastic Extrusion)    | 500                     | LF          | \$_____           | \$_____       |
| 629.1330                          | Crosswalk Marking (Type III, Thermoplastic Extrusion)               | 4                       | LANE        | \$_____           | \$_____       |
| 629.1340                          | Pavement Arrow (Type III, Thermoplastic Extrusion)                  | 6                       | EA          | \$_____           | \$_____       |
| 629.1350                          | Pavement Word (Type III, Thermoplastic Extrusion)                   | 6                       | EA          | \$_____           | \$_____       |
| 629.1360                          | Yield Line (Type III, Thermoplastic Extrusion)                      | 6                       | LANE        | \$_____           | \$_____       |
| 629.2310                          | Type C Pavement Markers                                             | 200                     | EA          | \$_____           | \$_____       |
| 629.2311                          | Type D Pavement Markers                                             | 50                      | EA          | \$_____           | \$_____       |
| 629.2312                          | Type F Pavement Markers                                             | 10                      | EA          | \$_____           | \$_____       |
| 629.2313                          | Type H Pavement Markers                                             | 200                     | EA          | \$_____           | \$_____       |
| 629.2320                          | Removing and Disposing Crosswalk Marking                            | 4                       | LANE        | \$_____           | \$_____       |
| 629.2321                          | Removing and Disposing Yield Line Marking                           | 6                       | LANE        | \$_____           | \$_____       |
| 629.2322                          | Removing and Disposing Temporary Markers                            | 1,000                   | EACH        | \$_____           | \$_____       |

|                                                                                                                                                                                                                        |                                            |       |      |          |             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------|------|----------|-------------|
| 629.2323                                                                                                                                                                                                               | Removing and Disposing Temporary Striping  | 1,300 | LF   | \$ _____ | \$ _____    |
| 629.2324                                                                                                                                                                                                               | Removing and Disposing Existing Striping   | 1,000 | LF   | \$ _____ | \$ _____    |
| 632.1300                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-1) | 50    | EA   | \$ _____ | \$ _____    |
| 632.1301                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-2) | 50    | EA   | \$ _____ | \$ _____    |
| 632.1302                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-3) | 50    | EA   | \$ _____ | \$ _____    |
| 645.1300                                                                                                                                                                                                               | Electronic Message Board (per day)         | 1     | EA   | \$ _____ | \$ _____    |
| 671.1300                                                                                                                                                                                                               | Protection of Endangered Species           | F.A.  | F.A. | F.A.     | \$50,000.00 |
| <p style="text-align: right;">Total Amount for Comparison of Bids – AREA 3 ..... \$ _____</p> <p>NOTE: Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.</p> |                                            |       |      |          |             |

## **PREFERENCES FOR AREA 4**

Bidders acknowledge that while preferences are considered in the evaluation of bids, the award of the contract will be in the amount of the bid offered exclusive of any preferences.

### **A. HAWAII BIDDER PREFERENCE**

In accordance with HRS §103D-302, the Hawaii bidder preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a completed *Hawaii Bidder/Offeror Preference Certification Form* (Form SPO-081) at or before the time set for receipt of bids. Certifications submitted for previous or other solicitations will not be accepted.

**( ) Yes, the Bidder elects to receive the Hawaii Bidder Preference and has included the Form SPO-081 with the bid.**

### **B. APPRENTICESHIP AGREEMENT PREFERENCE**

In accordance with HRS §103-55.6, the estimated value of this public works contract is \$250,000 or more and the apprenticeship agreement preference is applicable to this solicitation for evaluation purposes only. Bidders desiring to qualify for the five per cent (5%) preference shall submit with their bid a complete, valid CERTIFICATION OF BIDDER'S PARTICIPATION IN APPROVED APPRENTICESHIP PROGRAM UNDER ACT 17 (Certification Form 1) **for each apprenticeable trade** the Bidder will employ on the project.

**( ) Yes, the Bidder elects to receive the Apprenticeship Agreement Preference and has attached Certification Form(s) 1 for each apprenticeable trade the Bidder will employ for this project (excluding subcontractors).**

By submission of this offer, the Bidder certifies that it has indicated **all apprenticeable trades that Bidder will employ** for this project (excluding subcontractors) by listing the applicable trades below:

|       |       |
|-------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

(Attach additional sheet if necessary.)

**Form 1 Required.** Failure to submit a valid Form 1 with the bid for every apprenticeable trade that Bidder will employ on the project will result in the preference being denied, regardless of whether the trade is listed above. If a Form 1 is submitted for a trade that is not listed above, the Form 1 will take precedence over the listing and may be used to qualify Bidder for the preference.

**Form 2 Required.** If awarded the contract with the Apprenticeship Agreement Preference applied, then for the duration of the contract, the Bidder **shall** certify each month that work is being conducted on the project that the Contractor continues to be a participant in the relevant apprenticeship program for each trade it employs. Monthly certification shall be made on the Certification Form 2 and submitted to the HDOT.

**Failure to comply with the requirements of the Apprenticeship Agreement Preference program will subject the Contractor to sanctions pursuant to HRS §103-55.6.**

**C. HAWAII PRODUCTS PREFERENCE**

**Hawaii Products Preference shall not apply** to this solicitation.

**D. RECYCLED PRODUCT PREFERENCE**

**Recycled Product Preference shall not apply** to this solicitation.



**STATE OF HAWAII**  
**Hawaii Bidder/Offeror**  
**Preference Certification Form**  
**(As Defined in HRS103D-1001)**

I, \_\_\_\_\_, \_\_\_\_\_ of  
(Authorized Officer's Name) (Office or Position Held)

\_\_\_\_\_, certify the following:  
(Name of Bidder/Offeror)

- (1) That the Bidder/Offeror holds a valid commercial place of business located in the State of Hawaii at the following address:

\_\_\_\_\_  
\_\_\_\_\_

and that the above-named office was opened on the following date: \_\_\_\_\_,

and has been staffed by the Bidder/Offeror or an employee of the Bidder/Offeror for not less than two (2) consecutive years immediately preceding the time and date set for the opening of bids or receipt of proposals;

- (2) That the bid or proposal in response to IFB/RFP No. \_\_\_\_\_, is submitted under the name under which the Bidder/Offeror is authorized to do business in the State;
- (3) That not less than fifty-one percent (51%) of the total direct labor hours required for performance of the contract will be performed within the State; and
- (4) If the Bidder/Offeror is a joint venture, the Bidder/Offeror is composed entirely of parties meeting the requirements of paragraphs (1), (2), and (3).

I certify under penalty of perjury that the above statements are true. I agree to maintain the above qualifications throughout contract performance; any changes in eligibility shall be reported to the Contract Administrator or purchasing agency's contact person identified in the RFP/IFB. I acknowledge that failure to maintain the above qualifications triggers a price adjustment equal to the value of the preference applied and may constitute cause for debarment under HRS §103D-702.

\_\_\_\_\_  
Signature of Authorized Officer

\_\_\_\_\_  
Print Name and Title

\_\_\_\_\_  
Date

| <b>PROPOSAL SCHEDULE – AREA 4</b> |                                                                   |                         |             |                   |               |
|-----------------------------------|-------------------------------------------------------------------|-------------------------|-------------|-------------------|---------------|
| <b>ITEM NO.</b>                   | <b>ITEM</b>                                                       | <b>APPROX. QUANTITY</b> | <b>UNIT</b> | <b>UNIT PRICE</b> | <b>AMOUNT</b> |
| 621.1400                          | Invasive Species Management                                       | F.A.                    | F.A.        | F.A.              | \$10,000.00   |
| 629.1410                          | 4-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1411                          | 4-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1412                          | 4-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 1,000                   | LF          | \$ _____          | \$ _____      |
| 629.1413                          | 6-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1414                          | 6-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1415                          | 6-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 600                     | LF          | \$ _____          | \$ _____      |
| 629.1416                          | 8-inch Pavement Striping (Type I, Thermoplastic Extrusion)        | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1417                          | 8-inch Pavement Striping (Type II, Thermoplastic Extrusion)       | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1418                          | 8-inch Pavement Striping (Type III, Thermoplastic Extrusion)      | 200                     | LF          | \$ _____          | \$ _____      |
| 629.1419                          | 12-inch Pavement Striping (Type I, Thermoplastic Extrusion)       | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1420                          | 12-inch Pavement Striping (Type II, Thermoplastic Extrusion)      | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1421                          | 12-inch Pavement Striping (Type III, Thermoplastic Extrusion)     | 50                      | LF          | \$ _____          | \$ _____      |
| 629.1422                          | Double 4-inch Pavement Striping (Type I, Thermoplastic Extrusion) | 50                      | LF          | \$ _____          | \$ _____      |

**ADDENDUM NO. 2**  
**HWY-OM-2027-36**  
**r9/21/26**  
**P-27**

| <b>PROPOSAL SCHEDULE – AREA 4</b> |                                                                     |                         |             |                   |               |
|-----------------------------------|---------------------------------------------------------------------|-------------------------|-------------|-------------------|---------------|
| <b>ITEM NO.</b>                   | <b>ITEM</b>                                                         | <b>APPROX. QUANTITY</b> | <b>UNIT</b> | <b>UNIT PRICE</b> | <b>AMOUNT</b> |
| 629.1423                          | Double 4-inch Pavement Striping (Type II, Thermoplastic Extrusion)  | 50                      | LF          | \$_____           | \$_____       |
| 629.1424                          | Double 4-inch Pavement Striping (Type III, Thermoplastic Extrusion) | 50                      | LF          | \$_____           | \$_____       |
| 629.1425                          | 4-inch Lane Striping, 10-Foot Profiled (Thermoplastic Extrusion)    | 500                     | LF          | \$_____           | \$_____       |
| 629.1430                          | Crosswalk Marking (Type III, Thermoplastic Extrusion)               | 4                       | LANE        | \$_____           | \$_____       |
| 629.1440                          | Pavement Arrow (Type III, Thermoplastic Extrusion)                  | 6                       | EA          | \$_____           | \$_____       |
| 629.1450                          | Pavement Word (Type III, Thermoplastic Extrusion)                   | 6                       | EA          | \$_____           | \$_____       |
| 629.1460                          | Yield Line (Type III, Thermoplastic Extrusion)                      | 6                       | LANE        | \$_____           | \$_____       |
| 629.2410                          | Type C Pavement Markers                                             | 200                     | EA          | \$_____           | \$_____       |
| 629.2411                          | Type D Pavement Markers                                             | 50                      | EA          | \$_____           | \$_____       |
| 629.2412                          | Type F Pavement Markers                                             | 10                      | EA          | \$_____           | \$_____       |
| 629.2413                          | Type H Pavement Markers                                             | 200                     | EA          | \$_____           | \$_____       |
| 629.2420                          | Removing and Disposing Crosswalk Marking                            | 4                       | LANE        | \$_____           | \$_____       |
| 629.2421                          | Removing and Disposing Yield Line Marking                           | 6                       | LANE        | \$_____           | \$_____       |
| 629.2422                          | Removing and Disposing Temporary Markers                            | 1,000                   | EACH        | \$_____           | \$_____       |

|                                                                                                                                                                                                                        |                                            |       |      |          |             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------|------|----------|-------------|
| 629.2423                                                                                                                                                                                                               | Removing and Disposing Temporary Striping  | 1,300 | LF   | \$ _____ | \$ _____    |
| 629.2424                                                                                                                                                                                                               | Removing and Disposing Existing Striping   | 1,000 | LF   | \$ _____ | \$ _____    |
| 632.1400                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-1) | 50    | EA   | \$ _____ | \$ _____    |
| 632.1401                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-2) | 50    | EA   | \$ _____ | \$ _____    |
| 632.1402                                                                                                                                                                                                               | Reflector Marker, Type A Delineator (RM-3) | 50    | EA   | \$ _____ | \$ _____    |
| 645.1400                                                                                                                                                                                                               | Electronic Message Board (per day)         | 1     | EA   | \$ _____ | \$ _____    |
| 671.1400                                                                                                                                                                                                               | Protection of Endangered Species           | F.A.  | F.A. | F.A.     | \$50,000.00 |
| <p style="text-align: right;">Total Amount for Comparison of Bids – AREA 4 ..... \$ _____</p> <p>NOTE: Bidders shall complete all unit prices and amounts. Failure to do so shall be grounds for rejection of bid.</p> |                                            |       |      |          |             |

| <b>PROPOSAL SCHEDULE – SUMMARY</b>           |               |
|----------------------------------------------|---------------|
|                                              | <b>AMOUNT</b> |
| TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 1 | \$ _____      |
| TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 2 | \$ _____      |
| TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 3 | \$ _____      |
| TOTAL AMOUNT FOR COMPARISON OF BIDS – AREA 4 | \$ _____      |

1 **PROPOSAL SCHEDULE**

2  
3 The bidder is directed to Subsection 105.16 – Subcontracts.

4  
5 The bidder is directed to Section 717 – Cullet and Cullet-Made Materials  
6 regarding recycling of waste glass.  
7

8 For each area, the “Total Amount for Comparison of Bids” shall be used to  
9 determine the lowest responsible bidder.  
10

11 **Notes:**

- 12
- 13 1. Bids shall include all Federal, State, County and other applicable taxes and  
14 fees.  
15
  - 16 2. The TOTAL AMOUNT FOR COMPARISON OF BIDS shall be used to  
17 determine the lowest responsible bidder.  
18
  - 19 3. Bidders shall complete all unit prices and amounts. Failure to do so shall be  
20 grounds for rejection of bid.  
21
  - 22 4. If a discrepancy occurs between unit bid price and the bid price, the unit bid  
23 price shall govern.  
24
  - 25 5. **Bidders shall submit and upload the complete proposal to HlePRO**  
26 **prior to the bid opening date and time. Proposals received after said**  
27 **due date and time shall not be considered. Any additional support**  
28 **documents explicitly designated as confidential and/or proprietary**  
29 **shall be uploaded as a separate file to HlePRO. Bidders shall not**  
30 **include confidential and/or proprietary documents with the proposal.**  
31 **The record of each bidder and respective bid shall be open to public**  
32 **inspection. Original (wet ink, hard copy) proposal documents are not**  
33 **required to be submitted. Contract award shall be based on evaluation**  
34 **of proposals submitted and uploaded to HlePRO.**  
35 **FAILURE TO UPLOAD THE COMPLETE PROPOSAL TO HlePRO**  
36 **SHALL BE GROUNDS FOR REJECTION OF THE BID.**  
37 If there is a conflict between the specification document and the HlePRO  
38 solicitation, the specifications shall govern and control, unless otherwise  
39 specified.  
40
  - 41 6. Any contract which is awarded shall be an open-ended contract since the  
42 exact value of work to be performed during the contract period cannot be  
43 determined beforehand. The unit price for each item of work on any  
44 particular work order shall be that which corresponds to the quantity of work  
45 for that item actually performed for each work order.  
46
  - 47 7. The quantities on the proposal schedule are for bidding purposes only, and  
this is no guarantee of the quantity of work that will be issued.

**STATE OF HAWAII  
DEPARTMENT OF TRANSPORTATION  
HIGHWAYS**

**RESPONSES TO REQUESTS FOR INFORMATION**

**Project Title:** Pavement Marking Repairs at Various Locations  
Island of Oahu

**Project No.:** HWY-OM-2027-36

**Solicitation No.:** B27000276

Prospective bidders had submitted RFIs in HIEPRO. Question and responses are as follows:

1. **For item no. 629.2120, 629.2121, & 629.2122, removing and Disposing of Pavement Markings. Could we get a description/call out of each item, (example) Crosswalk, RPM's, Temporary Striping?**

See Addendum No. 2 for revisions to Section 629 – Pavement Markings and Proposal Schedules for Areas 1-4.

2. **As traffic control is a significant daily cost and incidental to unit prices; will the State provide a minimum unit quantity per work order?**

No minimum unit quantity will be provided, bid accordingly.

3. **Section 645.03 limits lane closure on a two-lane road to 1,000 feet. Does this define the maximum work area on a two-lane road as 1,000 linear feet? Is there a circumstance where this limit could be extended?**

Section 645.03 approximates lane closure length to be 1,000 feet. It does not limit the maximum work area. Work area lengths will be determined per work order.

4. **Material for Profiled Thermoplastic does not meet the 2005 standard specification section 755.05 for extruded thermoplastic. Will Ennis-Flint by PPG Vibraline or its equivalent material be acceptable as material for installation under bid item 629.1425 4-Inch Lane Striping, 10-Foot Profiled?**

See Addendum No. 2 for revisions to Section 755a – Pavement Marking Materials.

5. **Section 105.02 Submittals states that the Contractor shall provide six copies of the required submissions at the earliest possible date. Will electronic submissions (.pdf or other) be accepted in lieu of six physical copies?**

Bid accordingly. Electronic submission of required submissions may be coordinated after bid award.

6. **For Section 645 - Work Zone Traffic Control. are subcontractor(s) required or can this incidental section be performed as service?**

The items listed under Section 645 -Work Zone Traffic Control shall be performed in accordance with the Standard Specifications and Special Provisions for the project by an entity possessing the required and appropriate licenses, certificates, permits, etc. per Hawaii Revised Statutes Chapter 444. See Addendum No. 2 for revisions to Section 105 – Control of Work