

**Vehicle Specifications for DOFAW Maui:**

- A. One ¼ ton pick-up truck with 4-door, short bed, gasoline powered, 4-wheel drive. Chevy Colorado or equivalent, delivered to 685 Old Haleakala Hwy, Kahului, HI 96732.

**Specification Contact:**

John Medeiros  
John.s.Medeiros@hawaii.gov  
808-984-8108

<b><u>Category</u></b>	<b><u>Minimum Specifications</u></b>
1. Year of Manufacture:	2019 or newer
2. Model:	Chevy Colorado, Toyota Tacoma, or equal
3. Type:	4-wheel drive
4. GVW Rating:	5,500 lbs., Minimum Capacity
5. Wheel Base:	130 inches.
6. Engine:	4.0 L Minimum 230 hp @ 5100 rpm 5 cylinder minimum Heavy duty cooling system, External Engine oil Cooler, Non-California Emissions.
7. Transmission:	Automatic transmission automatic w/overdrive External Oil cooler
8. Transfer Case:	2 speed minimum Part time 4 wheel drive Locking Rear Differentials
9. Cab:	4 door, double cab, 5-foot bed Front seat w/ center console Upholstery of vinyl material or equivalent Full length vinyl flooring or equivalent front Heater/Defroster Factory installed premium AM/FM radio, blue tooth, microphones driver and passenger side USB charging port, USB data port Full instrument, Gauge Type package, Factory installed air conditioning-CFC free Overhead Map lamps, seat adjuster power driver side

10. Body: 4 door, 5.0 ft cargo box  
60" pickup box with composite inner shell or spray-on bedliner.  
Skid plate (Transmission, Engine, Fuel tank, Oil pan and Transfer case)  
Complete after factory rust proofing, with min. five (5) Year unlimited mileage requirement warranty.  
Factory standard dual trailer tow "swing away type"  
Exterior mirrors. Power windows and mirrors. rear sliding window
11. Bumpers: Heavy duty front with brush guard and two tow hooks.  
Heavy duty rear step side.  
6,400 lb. towing capacity.  
5,000 lb capacity front mounted, above the bumper, electrical Winch.
12. Electrical System: Heavy duty 12 volt system  
Heavy duty 12 volt, minimum 600 CCA battery  
Courtesy lamp package with map lamps  
Factory 7-wire trailer brake light package
13. Steering: Power assist, power steering  
Factory installed front stabilizer bar  
Steering damper
14. Brakes: Power assisted  
Anti-lock, front and rear disc
15. Tires/Wheels: Light truck on/off highway demanding off road type  
Tire tread, largest available.  
Tires and wheels must meet manufactures and federal GAWR Requirements for GVW submitted.  
Full size spare tire mounted under truck bed  
Five (5) 18x7 steel rims minimum  
Jack and wheel wrench
16. Axle: Front axle shall include automatic locking hubs  
Rear axle shall include Limited Slip Differential  
Minimum 3:73 gear ratio
17. Suspension: Heavy duty maximum front and rear suspension
18. Color: Exterior White  
High gloss urethane with base clear coat  
Interior Camel, Medium Beige or equal

19. Miscellaneous:
- 2-1/2 lbs. ABC Dry chemical Fire Extinguisher mounted  
Inside the vehicle
  - Fuel tank, 21-gallon Capacity minimum
  - Locking gas cap
  - Receiver type tow hitch with ball combo
  - Owner-Operator Manual (1 copy)
  - All repair and electric shop manuals (1 copy)
  - Emergency triangle road markers (3 ea.) with flares